

Literaturverzeichnis

- Aaltonen, A., Hyrskykari, A., Raiha, K. J.** (1998). 101 spots, op how do users read menus. In *Proc. of the ACM SIGCHI conference on Human Factors in Computing Systems*, S. 132–139.
- Abowd, G. D., Mynatt, E. D.** (2000). Charting past, present, and future research in ubiquitous computing. *ACM Trans. on Computer-Human Interaction*, 7(1):29–58.
- Accot, J., Zhai, S.** (2003). Refining fitts' law models for bivariate pointing. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 193–200.
- Agarwala, A., Balakrishnan, R.** (2006). Keepin' it real: Pushing the desktop metaphor with physics, piles and the pen. In *Proc. of the ACM SIGCHI conference on Human Factors in Computing Systems*, S. 1283–1292.
- Ahlberg, C.** (1996). Spotfire: An information exploration environment. *SIGMOD Rec.*, 25(4):25–29.
- Ahlberg, C., Wistrand, E.** (1995). Iveen: an information visualization and exploration environment. In *Proc. of the IEEE Symposium on Information Visualization (INFOVIS '95)*, S. 66.
- Ahlberg, C., Williamson, C., Shneiderman, B.** (1992). Dynamic queries for information exploration: An implementation and evaluation. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 619–626.
- Aigner, W., Miksch, S., Müller, W., Schumann, H., Tominski, C.** (2008). Visual methods for analyzing time-oriented data. *IEEE Trans. on Visualization and Computer Graphics*, 14(1):47–60.
- Akers, D., Simpson, M., Jeffries, R., Winograd, T.** (2009). Undo and erase events as indicators of usability problems. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 659–668.
- Alby, T.** (2007). *Web 2.0. Konzepte, Anwendungen, Technologien.* Hanser Verlag, 2 edition.
- Alexander, J., Cockburn, A., Fitchett, S., Gutwin, C., Greenberg, S.** (2009). Revisiting read wear: analysis, design, and evaluation of a footprints scrollbar. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 1665–1674.
- Allen, J.** (1987). *Natural Language Understanding.* Benjamin Cummings.
- Amant, R. S., Horton, T. E., Ritter, F. E.** (2004). Model-based evaluation of cell phone menu interaction. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 343–350.
- Anderson, J. R.** (1976). *Language, Memory and Thought.* Lawrence Erlbaum, Hillsdale, New Jersey.
- Anderson, J. R.** (1983). *The architecture of cognition.* Harvard University Press, Cambridge, MA.
- Anderson, J. R.** (1993). *Rules of the Mind.* Lawrence Erlbaum, Hillsdale, New Jersey.
- Anderson, J. R.** (2004). *Cognitive Psychology and its Implications.* Worth Publishers, 6 edition.
- Andrienko, G., Andrienko, N.** (2007). Coordinated multiple views: a critical view. In *Proc. of the Conference on Coordinated and Multiple Views in Exploratory Visualization (CMV '07)*, S. 72–74.

- Appert, C., Fekete, J.-D.** (2006). Orthozoom scroller: 1d multi-scale navigation. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 21–30.
- Apple** (1987). *Apple Human Interface Guidelines: The AppleDesktop Interface*. Addison Wesley, Reading, Massachusetts.
- Atkinson, R. C., Shiffrin, R. M.** (1968). *The psychology of learning and motivation: Advances in research and theory*, chapter Human memory: A proposed system and its control processes, S. 89–95. Academic Press.
- Averbukh, V. L.** (2001). Visualization metaphors. *Program. Comput. Softw.*, 27(5):227–237.
- Baddeley, A. D.** (2000). The episodic buffer. a new component of working memory? *Trends in Cognitive Sciences*, 4(11):418–423.
- Baddeley, A. D.** (2002). Is working memory still working? *European Psychologist*, 7:85–97.
- Baddeley, A. D.** (2003). Working memory. looking back and looking forward. *Nature Reviews Neuroscience*, 4:827–839.
- Baddeley, A. D.** (1993). *Working memory, thought and action*. Oxford: Oxford University Press.
- Baddeley, A. D., Hitch, G.** (1974). *The psychology of learning and motivation: Advances in research and theory*, volume 8, chapter Working memory, S. 47–89. New York: Academic Press.
- Bade, R., Ritter, F., Preim, B.** (2005). Usability Comparison of Mouse-Based Interaction Techniques for Predictable 3d Rotation. In *Proc. of Smart Graphics, Lecture Notes in Computer Science*, S. 138–150. Springer.
- Bade, R., Cordes, J., Mewes, M., Preim, B.** (2008). Interaction techniques for case selection in medical computer based training systems. In *Mensch und Computer*, S. 247–256. Oldenbourg Verlag.
- Baecker, R., Small, I., Mander, R.** (1991). Bringing icons to life. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 1–6.
- Baecker, R. M., Grudin, J., Buxton, W. A. S., Greenberg, S.** (1995). *Readings in Human Computer Interaction: Towards the Year 2000*. Morgan Kaufman, San Francisco, 2 edition.
- Balakrishnan, R., Kurtenbach, G.** (1999). Exploring bimanual camera control and object manipulation in 3d graphics interfaces. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 56–62.
- Balakrishnan, R., MacKenzie, I. S.** (1997). Performance differences in the fingers, wrist, and forearm in computer input control. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 303–310.
- Baldonado, W., Michelle Q., Woodruff, A., Kuchinsky, A.** (2000). Guidelines for using multiple views in information visualization. In *Proc. of Advanced Visual Interfaces (AVI '00)*, S. 110–119.
- Balzer, M., Deussen, O., Lewerentz, C.** (2005). Voronoi treemaps for the visualization of software metrics. In *Proc. of the ACM Symposium on Software Visualization (SoftVis '05)*, S. 165–172.
- Barlow, S. T., Neville, P.** (2001). A comparison of 2-d visualizations of hierarchies. In *Proc. of the IEEE Symposi-*

um on Information Visualization (INFOVIS'01), S. 131–138.

- Barnard, P.** (1985). *Progress in the Psychology of Language*, chapter Interacting Cognitive Subsystems: A psycholinguistic approach to short term memory. Lawrence Erlbaum, London.
- Barnard, P., May, J.** (1995). Interactions with advanced graphical interfaces and the deployment of latent human knowledge. In F. Paternó, Herausgeber, *1st Eurographics Workshop Interactive Systems: Design, Specification and Verification*. Springer Verlag Berlin.
- Barnard, P., Teasdale, J.** (1991). Interacting cognitive subsystems: A systemic approach to cognitive-affective interaction and change. *Cognition and Emotion*, 5:1–39.
- Bartram, L.** (1997). Perceptual and interpretative properties of motion for information visualization. In *Workshop on New Paradigms in Information Visualization and Manipulation*, S. 3–7.
- Bartram, L.** (2001). *Perceptual and interpretative properties of motion for information visualization*. PhD Thesis, Simon Fraser University, School of Computing Science.
- Bartram, L., Ware, C.** (2002). Filtering and brushing with motion. *Information Visualization*, 1(1):66–79.
- Bateman, S., Mandryk, R., Gutwin, C., Genest, A., McDine, D., Brooks, C.** (2010). Useful junk? the effects of visual embellishment on comprehension and memorability of charts. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 2573–2582.
- Battista, G. D., Eades, P., Tamassia, R., Tollis, I. G.** (1998). *Graph Drawing: Algorithms for the Visualization of Graphs*. Prentice Hall.
- Baudisch, P., Gutwin, C.** (2004). Multi-blending: displaying overlapping windows simultaneously without the drawbacks of alpha blending. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 367–374.
- Baudisch, P., Rosenholtz, R.** (2003). Halo: A technique for visualizing off-screen objects. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 481–488.
- Beck, J., Ivry, R.** (1988). On the role of figural organization in perceptual transparency. *Perception & Psychophysics*, 44:585–594.
- Bederson, B. B.** (2000). Fisheye menus. In *Proc. of the ACM Symposium on User Interface Software and Technology (UIST'00)*, S. 217–225.
- Bederson, B. B.** (2001). Photomesa: a zoomable image browser using quantum treemaps and bubblemaps. In *Proc. of the ACM symposium on User Interface Software and Technology (UIST'01)*, S. 71–80.
- Bederson, B. B., Boltman, A.** (1999). Does animation help users build mental maps of spatial information? In *Proc. of the IEEE Symposium on Information Visualization (INFOVIS '99)*, S. 28.
- Bederson, B. B., Hollan, J. D.** (1994). Pad++: a zooming graphical interface for exploring alternate interface physics. In *Proc. of the ACM symposium on User interface software and technology (UIST '94)*, S. 17–26.
- Bederson, B. B., Clamage, A., Czerwinski, M. P., Robertson, G. G.** (2004). Datelens: A fisheye calen-

- dar interface for pdas. *ACM Trans. on Computer-Human Interaction*, 11(1): 90–119.
- Bell, B., Feiner, S., Höllerer, T.** (2001). View management for virtual and augmented reality. In *Proc. of the ACM symposium on User interface software and technology (UIST '01)*, S. 101–110.
- Benad, U. E., Benad, M.** (2005). *Farbe mobil: Farbenergien erfolgreich nutzen*. DVA-Verlag.
- Bennett, C., Ryall, J., Spalteholz, L., Gooch A.** (2007). The aesthetics of graph visualization. In *EG Workshop on Computational Aesthetics in Graphics, Visualization, and Imaging*, S. 57–64. Eurographics Association.
- Benyon, D., Crerar, A., Wilkinson, S.** (2000). *User interfaces for all: concepts, methods and tools*, chapter Individual Differences and inclusive design, S. 89–95. Lawrence Erlbaum.
- Benyon, D., Turner, P., Turner, S.** (2005). *Designing Interactive Systems*. Maidenhead: Pearson Education.
- Berners-Lee, T., Cailliau, R., Luotonen, A., Nielsen, H. F. and Secret, A.** (1994). The world-wide web. *Communications of the ACM*, 37(8):76–82.
- Bertin, J.** (1967). *Sémiologie Graphique. Les diagrammes, les réseaux, les cartes*. Editions de l'École des Hautes Etudes en Sciences.
- Bi, X., Moscovich, T., Ramos, G., Balakrishnan, R., Hinckley, K.** (2008). An exploration of pen rolling for pen-based interaction. In *Proc. of the ACM symposium on User interface software and technology (UIST '08)*, S. 191–200.
- Bias, R. G., Mayhew, D. J.** (2005). *Cost-Justifying Usability. An Update for the Internet Age*. Morgan Kaufman.
- Bier, E. A., Stone, M. C., Pier, K., Buxton, W., DeRose, T.** (1993). Toolglass and magic lenses: The see-through interface. In *Proc. of the ACM SIGGRAPH Conference on Computer Graphics and Interactive Techniques*, S. 73–80.
- Blackwell, A. F.** (2006). The reification of metaphor as a design tool. *ACM Trans. on Computer-Human Interaction*, 13(4):490–530.
- Bly, S. A., Rosenberg, J. K.** (1986). A comparison of tiled and overlapping windows. *SIGCHI Bulletin*, 17(4): 101–106.
- Borgman, C. L.** (1986). The user's mental model of an information retrieval system: an experiment on a prototype online catalog. *Int. J. Man-Mach. Stud.*, 24(1):47–64.
- Bowdle, B., Gentner, D.** (2005). The career of metaphor. *Psychological Review*, 112(1):193–216.
- Bowman, D. A., Kruijff, E., LaViola, J. J., Poupyrev, I.** (2004). *3D User Interfaces: Theory and Practice*. Addison Wesley Longman Publishing Co., Inc., Redwood City, CA, USA.
- Braun, G.** (1993). *Grundlagen der visuellen Kommunikation*. München, 2. edition.
- Brave, S., Nass, C.** (2002). *The Human Computer Interaction Handbook*, chapter Emotion in Human Computer Interaction, S. 81–96. Lawrence Erlbaum Associates.
- Broadbent, D. E.** (1958). *Perception and communication*. London Pergamon Press.
- Bruls, H., van Wijk, J. J.** (2000). Squarified treemaps. In *Proc. of the Joint Eurographics and IEEE TCVG Sym-*

- posium on Visualization (VisSym'00)*, S. 33–42.
- Buff, S., Loetscher, J.** (2009). Better user experience - bessere mobile internetanwendungen. In *Proc. of Mensch & Computer*, S. 343–352. Oldenbourg-Verlag.
- Burgert, O., Örn, V., Joos, M., Strauß, G., Tietjen, C., Preim, B., Hertel, I.** (2007). Evaluation of Perception Performance in Neck Dissection Planning using Eye-Tracking. In *SPIE Conference on Medical Image Computing*.
- Büring, T.** (2007). *Zoomable User Interfaces on Small Screens - Presentation & Interaction Design for Pen-Operated Mobile Devices*. PhD Thesis, Universität Konstanz.
- Büring, T., Reiterer, H.** (2005). Zuiscat: Querying and visualizing information spaces on personal digital assistants. In *Proc. of the international conference on Human computer interaction with mobile devices & services (MobileHCI '05)*, S. 129–136.
- Büring, T., Gerken, J., Reiterer, H.** (2006). Usability of overview-supported zooming on small screens with regard to individual differences in spatial ability. In *Proc. of Advanced Visual Interfaces (AVI '06)*, S. 233–240.
- Bury, K. F., Darnell, M. J.** (1986). Window management in interactive computer systems. *SIGCHI Bulletin*, 18 (2):65–66.
- Bush, V.** (1945). As we may think. *Atlantic Monthly*.
- K. A. Butler** (1996). Usability engineering turns 10. *interactions*, 3(1):58–75.
- Buxton, B.** (2007). *Sketching the User Experience: Getting the Design Right and the Right Design*. Morgan Kaufman.
- Buxton, W.** (1983). Lexical and pragmatic considerations of input structures. *Proc. of the ACM SIGGRAPH Conference on Computer Graphics and Interactive Techniques*, 17(1):31–37.
- Buxton, W., Myers, B.** (1986). A study in two-handed input. *SIGCHI Bulletin*, 17(4):321–326.
- Byrd, D.** (1999). A scrollbar-based visualization for document navigation. In *DL '99: Proc. of the ACM conference on Digital libraries*, S. 122–129.
- Byrne, E., Jolliffe, B., Mabaso, N.** (2006). Understanding meaning and bridging divides: The use of an african metaphor for the south african open source center. In *IFIP International Federation for Information Processing*, S. 279–293. Springer.
- Byrne, M. D.** (1993). Using icons to find documents: simplicity is critical. In *Proc. of the INTERACT '93 and CHI '93 conference on Human factors in computing systems*, S. 446–453. ACM.
- Byron, L., Wattenberg, M.** (2008). Stacked graphs – geometry & aesthetics. *IEEE Trans. on Visualization and Computer Graphics*, 14(6):1245–1252.
- Callahan, J.** (1988). An empirical comparison of pie versus linear menus. In *Proc. of the ACM Conference on Human Factors in Computing Systems*, S. 95–100.
- Card, S. K., Henderson, D. A.** (1987). A multiple virtual workspace interface to support task-switching. In *Proc. of the ACM Conference on Human Factors in*

- Computing Systems und Graphics Interface*, S. 53–59.
- Card, S. K., English, W., Burr, B.** (1978). Evaluation of mouse, rate-controlled isometric joystick, step keys and text keys for text selection of a crt. *Ergonomics*, 21(8):601–613.
- Card, S. K., Newell, A., Moran, T. P.** (1983). *The psychology of human computer interaction*. Lawrence, Erlbaum Associates.
- Card, S. K., Mackinlay, J. D., Shneiderman, B.** (1999). *Readings in Information Visualization: Using Vision to Think*. Morgan Kaufmann Publishers Inc.
- Carpendale, M., Sheelagh T., Cowperthwaite, D. J., Fracchia, F. D.** (1997). Extending distortion viewing from 2d to 3d. *IEEE Comput. Graph. Appl.*, 17(4):42–51.
- Carpendale, M. S. T., Montagnese, C.** (2001). A framework for unifying presentation space. In *Proc. of the ACM symposium on User Interface Software and Technology (UIST'01)*, S. 61–70.
- Carroll, J., Rosson, M. B.** (2002). *Usability Engineering: Scenario-Based Development of Human-Computer Interaction*. Morgan Kaufmann.
- Carroll, J. M.** (2004). Beyond fun. *interactions*, 11(5):38–40.
- Carroll, J. M., Mack, R. L.** (1984). *Human Factors in Computing Systems*, chapter Learning to Use a Word Processor: By Doing, by Thinking and by Knowing, S. 13–51. Ablex.
- Carroll, J. M., Mack, R. L., Kellogg, W. A.** (1990). *Handbook of Human-Computer Interaction*, chapter Interface Metaphors and User Interface Design, S. 67–85. North-Holland: Elsevier Science Publishers.
- Casiez, G., Vogel, D.** (2008). The effect of spring stiffness and control gain with an elastic rate control pointing device. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 1709–1718.
- Cawthon, N., Vande Moere, A.** (2007). The effect of aesthetic on the usability of data visualization. *Proc. of Information Visualisation (IV'07)*, 0:637–648.
- Cechanowicz, J., Irani, P., Subramanian, S.** (2007). Augmenting the mouse with pressure sensitive input. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 1385–1394.
- Chambers, J. M., Cleveland, W. S., Kleiner, B., Tukey, P. A.** (1983). *Graphical Methods for Data Analysis*. Wadsworth International.
- Chandra, P.** (2006). Dedre gentner and susan goldin-meadow (eds): Language in mind: Advances in the study of language and thought. *Minds Machine*, 16(2):225–230.
- Chapanis, A., Kinkade, R.** (1972). chapter Design for Controls, S. 345–379. American Institutes for Research, Washington, DC.
- Cheery, E. C.** (1953). some experiments on the recognition of speed with one or two ears. *Journal of the Acoustical Society*, 25 (5):975–979.
- Chen, C.** (2005). Top 10 unsolved information visualization problems. *IEEE Comput. Graph. Appl.*, 25(4):12–16.
- Chen, M., Mountford, S. J., Sellen, A.** (1988). A study in interactive 3-d rotation using 2-d control devices. In *Proc. of the ACM SIGGRAPH Conference on Computer Graphics and Interactive Techniques*, S. 121–129.
- Chernoff, H.** (1973). The use of faces to represent points in k-dimensional

- space graphically. *Journal of the American Statistical Association*, 68(342): 361–368.
- Chisholm, W., Vanderheiden, G., Jacobs, I.** (2001). Web content accessibility guidelines 1.0. *interactions*, 8 (4):35–54.
- Chua, R., Weeks, D. J., Goodman, D.** (2003). *The human-computer interaction handbook: fundamentals, evolving technologies and emerging applications*, chapter Perceptual-Motor Interaction: Some Implications for Human Computer Interaction, S. 23–34. Lawrence Erlbaum Associates, Inc., Mahwah, NJ, USA.
- Clark, F. J., Horch, K. W.** (1986). *Handbook of Perception and Human Performance*, chapter Kinesthesia, S. 11–62. Wiley, New York.
- Cleveland, W. S.** (1993). *Visualizing Data*. Hobart Press.
- Cockburn, A., Karlson, A., Bederson, B. B.** (2008). A review of overview+detail, zooming, and focus+context interfaces. *ACM Computing Surveys*, 41(1):1–31.
- Coekin, J. A.** (1969). A versatile presentation of parameters for rapid recognition of total state. In *Proc. of International Symposium on Man-Machine Systems*. IEEE.
- W3 Consortium** (2010). History of the web, 2010. URL <http://www.w3c.rl.ac.uk/primers/history/origins.htm>. besucht am 18. Juni 2010.
- Cooper, A.** (1995). *About Face: The Essentials of User Interface Design*. John Wiley & Sons, Inc., New York, NY, USA.
- A. Cooper** (1999). *The inmates are running the asylum*. Macmillan.
- Cooper, A.** (1966). *Models and Analogies in Science*. Notre Dam Indiana Press, Notre Dam, Indiana, USA.
- Cornelissen, B., Holten, D., Zaidman, A., Moonen, L., van Wijk, J. J., van Deursen, A.** (2007). Understanding execution traces using massive sequence and circular bundle views. In *Proc. of the IEEE Conference on Program Comprehension (ICPC'07)*, S. 49–58.
- Cowan, N.** (1991). The magical number 4 in short-term memory: A reconsideration of mental storage capacity. *Behavioral and Brain Sciences*, 24:87–114.
- Craft, B., Cairns, P.** (2005). Beyond guidelines: What can we learn from the visual information seeking mantra? In *Proc. of Information Visualisation (IV '05)*, S. 110–118.
- Craik, F. I. M., Lockhart, R. S.** (1972). Levels of processing: A framework for memory research. *Journal of Verbal Learning and Verbal Behavior*, 11:671–684.
- Craik, F. I. M., Watkins, M. J.** (1973). The role of rehearsal in short-term memory. *Journal of Verbal Learning and Verbal Behavior*, 12:599–607.
- Csikszentmihalyi, M.** (1996). *Creativity: Flow and the Psychology of Discovery and Invention*. Harper Collins Publishers, New York.
- Dachselt, R.** (2004). *Eine deklarative Komponentenarchitektur und Interaktionsbausteine für dreidimensionale multimediale Anwendungen*. PhD Thesis, TU Dresden.
- Dachselt, R., Ebert, J.** (2001). Collapsible cylindrical trees: A fast hierarchical navigation technique. In *Proc. of the IEEE Symposium on Informa-*

- tion Visualization (INFOVIS'01), S. 79–86.
- Dachselt, R., Frisch, M.** (2007). Mambob: a facet-based zoomable music browser. In *Proc. of the Conference on Mobile and Ubiquitous Multimedia (MUM'07)*, S. 110–117.
- Dachselt, R., Hübner, A.** (2007). Virtual environments: Three-dimensional menus: A survey and taxonomy. *Computer Graphics*, 31(1):53–65.
- Dachselt, R., Frisch, M., Weiland, M.** (2008). Facetzoom: A continuous multi-scale widget for navigating hierarchical metadata. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 1353–1356.
- Dahm, M.** (2005). *Grundlagen der Mensch-Computer-Interaktion*. Pearson Studium.
- Dahm, M., Felken, C., Klein-Bösing, M., Rompel, G., Stroick, R.** (2004). Handyergo: Breite untersuchung über die gebrauchstauglichkeit von handys. In *Proc. of Mensch & Computer*, S. 75–84. Oldenbourg.
- Davies, N., Landay, J., Hudson, S., Schmidt, A.** (2005). Rapid prototyping for ubiquitous computing (guest editorial). *IEEE Pervasive Computing*, 4(4):15–17.
- de Nooy, W., Mrvar, A., Batagelj, V.** (2005). *Exploratory Social Network Analysis with Pajek (Structural Analysis in the Social Sciences)*. Cambridge University Press.
- de Piotrowski, A. F., Tauber, M.** (2009). Benutzerprofile von menschen mit. beeinträchtigung/fähigkeiten. In *Proc. of Mensch & Computer*, S. 33–42. Oldenbourg-Verlag.
- Diefenbach, S., Hassenzahl, M.** (2008). Branchenreport usability 2008. In *Usability Professionals*, S. 169–173.
- Diehl, S.** (2007). *Software Visualization – Visualizing the Structure, Behaviour, and Evolution of Software*. Springer-Verlag Berlin Heidelberg.
- Douglas-Cowie, E., Cowie, R., Schröder, M.** (2000). A new emotion database: Considerations, sources and scope. In *Proc. of the ISCA Workshop on Speech and Emotion: A Conceptual Framework for Research*, S. 39–44.
- Douglas-Cowie, E., Cowie, R., Sneddon, I., Cox, C., Lowry, O., McRorie, M., Martin, J.-C., Devillers, L., Abrilian, S., Batliner, A., Amir, N., Karpouzis, K.** (2007). The humane database: Addressing the collection and annotation of naturalistic and induced emotional data. In *Affective Computing and Intelligent Interaction, Second International Conference (ACII 2007)*, volume 4738 of *Lecture Notes in Computer Science*, S. 488–500. Springer.
- Draper, G. M., Livnat, Y., Riesenfeld, R. F.** (2009). A survey of radial methods for information visualization. *IEEE Trans. on Visualization and Computer Graphics*, 15(5):759–776.
- Drewes, H., Schmidt, A.** (2005). WYSIWYG-Tool Tips: Enhancing Tool Tips with Translucent Preview Bitmaps. In *Advances in Visual Computing*, volume 3804 of *Lecture Notes in Computer Science*, S. 647–652. Springer.
- Duncan, J., Humphreys, G.** (1992). Beyond the search surface: visual search and attentional engagement. *Journal Exp Psychol Hum Percept Perform*, 18(2):578–588.
- Echtler, F., Klinker, G.** (2008). A multitouch software architecture. In *Proc. of NordiCHI*, S. 463–466.

- Eick, S. G., Steffen, J. L., Sumner, Jr. E. E.** (1992). Seesoft—a tool for visualizing line oriented software statistics. *IEEE Trans. on Software Engineering*, 18(11):957–968.
- Elmqvist, N., Fekete, J.-D.** (2009). Hierarchical aggregation for information visualization: Overview, techniques, and design guidelines. *IEEE Trans. on Visualization and Computer Graphics*, 16:439–454.
- Elrod, S., Bruce, R., Gold, R., Goldberg, D., Halasz, F. and Janssen, W.** (1992). Liveboard: a large interactive display supporting group meetings, presentations, and remote collaboration. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 599–607.
- Emhardt, J.** (1995). *Agentenunterstützte Erkundung virtueller Welten*. PhD Thesis, Fachbereich Mathematik und Informatik der Freien Universität Berlin.
- Engelbart, D., English, W.** (1968). A research center for augmenting humans intellect. *AFIPS Conference Proceedings*, 33:395–410.
- Engelbart, D. C.** (1992). Toward high-performance organizations: A strategic role for groupware. In *Proc. of the GroupWare Conference*, San Jose, CA. Morgan Kaufmann Publishers.
- Erickson, T. D.** (1990). *The art of human computer interface design*, chapter Working with interface metaphors, S. 119–154. Indiana University Press.
- Everett, S. P., Byrne, M. D.** (2004). Unintended effects: varying icon spacing changes users' visual search strategy. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 695–702.
- Faraday, P., Sutcliffe, A.** (1997). Designing effective multimedia presentations. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 272–278.
- Fauconnier, G., Turner, M.** (2002). *The Way We Think: Conceptual Blending and the Mind's Hidden Complexities*. Basic Books.
- Fauconnier, G., Turner, M.** (2008). *Cambridge Handbook of Metaphor and Thought*, chapter Rethinking Metaphor. New York: Cambridge University Press.
- Fehrle, T.** (1989). *Menüorientierte, wissensbasierte Klärungsdialoge für ein natürlichsprachliches Auskunftssystem*. PhD Thesis, Universität Stuttgart, Fakultät für Informatik.
- Fekete, J.-D., van Wijk, J. J., Stasko, J. T., North, C.** (2008). The value of information visualization. S. 1–18.
- Fernandes, T.** (1995). *Global interface design: A guide to designing international user interfaces*. Boston, MA: AP Professional.
- Festinger, L.** (1957). *A Theory of Cognitive Dissonance*. Stanford University Press, Stanford, California.
- Fitts, P. M.** (1954). The information capacity of the human motor system in controlling the amplitude of movement. *Journal of Exp. Psychology*, 47 (6):381–391.
- Fleetwood, M. D., Byrne, M. D.** (2006). Modeling the visual search of displays: A revised act-r/pm model of icon search based on eye tracking data. *Human Computer Interaction*, 21:153–198.
- Fluit, C., Sabou, M., van Harmelen, F.** (2003). Ontology-based information visualization. In Vladimir Geroimenko und Chaomei Chen, Herausgeber, *Visualizing the Semantic Web*, S. 36–48. Springer, Berlin.

- Foley, J. D., Wallace, V. L.** (1974). The art of natural graphic man-machine conversation. *Proc. of the IEEE*, 62 (4):462–471.
- Foley, J. D., van Dam, A., Feiner, S. K., Hughes, J. F.** (1990). *Computer Graphics. Principles and Practice*. Addison-Wesley, Reading, 2. auflage edition.
- Open Software Foundation** (1992). *Os/Motif Style Guide: Revision 1.2*. Prentice Hall PTR.
- Open Software Foundation** (1990). *OS/ Motif Styleguide Revision 1.2*. Open Software Foundation.
- Franzke, M.** (1995). Turning research into practice: characteristics of display-based interaction. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 421–428.
- Freeman, W. T., Adelson, E. H., Pentland, A. P.** (1990). Shape-from-shading analysis with shadelets and bumples. *Investigative Ophthalmology & Visual Science*, 31.
- Friedlander, N., Schlueter, K., Mantei, M.** (1998). Bullseye! when fits' law doesn't fit. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 257–264.
- Fruchterman, T. M. J., Reingold, E. M.** (1991). Graph drawing by force-directed placement. *Software - Practice Experience (SPE)*, 21(11):1129–1164.
- Fua, Y.-H., Ward, M. O., Rundensteiner, E. A.** (1999). Hierarchical parallel coordinates for exploration of large datasets. In *Proc. of IEEE Visualization*, S. 43–50.
- Furnas, G. W.** (1986). Generalized fisheye views. *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, 17(4):16–23.
- Furnas, G. W.** (2006). A fisheye follow-up: Further reflections on focus + context. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 999–1008.
- Furnas, G. W., Bederson, B. B.** (1995). Space-scale diagrams: Understanding multiscale interfaces. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 234–241.
- Furnas, G. W., Zhang, X.** (1998). Muse: a multiscale editor. In *Proc. of the ACM Symposium on User Interface Software and Technology (UIST'98)*, S. 107–116.
- Furnas, G. W., Gomez, L. M., Landauer, T. K., Dumais, S. T.** (1982). Statistical semantics: How can a computer use what people name things to guess what things people mean when they name things? In *Proc. of ACM conference on Human factors in computing systems*, S. 251–253.
- Galitz, W.** (2007). *The Essential Guide to User Interface Design. An Introduction to GUI Design Principles and Techniques*. John Wiley & Sons Inc, dritte edition.
- Gaver, W.** (1991). Technology affordances. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 79–84.
- Gaver, W.** (1996). Affordances for interaction: The social is material for design. *Ecological Psychology*, 8(2): 111–129.
- T. Geis and R. Hartwig** (1998). Auf die finger geschaut - neue iso-norm für benutzergerechte interaktive systeme. *ct*, 14:168–171.

- Gelfand, S. A.** (2004). *Hearing: An Introduction to Psychological and Physiological Acoustics*. Marcel Dekker, New York, 3. edition.
- Gelfand, S. A.** (2009). *Essentials of Audiology*. Thieme, Stuttgart, 4. edition.
- Gentner, D. R.** (1983). Structure mapping: A theoretical framework for analogy. *Cognitive Science*, 7:155–170.
- Gentner, D. R., Grudin, J.** (1996). Design models for computer-human interfaces. *Computer*, 29(6):28–35.
- Geroimenko, V., Chen, C.** (2003). *Visualizing the Semantic Web. XML-based Internet and Information Visualization*. Springer Verlag, Berlin.
- Giaccardi, E., Fischer, G.** (2008). Creativity and evaluation: A metadesign perspective. *Digital Creativity*, 19(1): in press.
- Gibson, J. J.** (1979). *The Ecological Approach to Visual Perception*. Houghton Mifflin, Boston, MA.
- Gnjatovic, M., Rösner, D.** (2007). An approach to processing of user's commands in human-computer interaction. In *Proc. of the 3rd Language and Technology Conference*, S. 152–156.
- Goldberg, A.** (1988). *A History of Personal Workstations*. Addison Wesley, New York.
- Goldstein, E. B.** (2002). *Sensation and Perception*. Wadsworth Publishing, Belmont, California, 6. edition.
- Good, L., Bederson, B. B.** (2002). Zoomable user interfaces as a medium for slide show presentations. *Information Visualization*, 1(1):35–49.
- Gray, S. H.** (1990). Using Protocol Analyses and Drawings to Study Mental Model Construction during Hypertext Navigation. *International Journal of Human-Computer Interaction*, 2:359–377.
- Greenberg, S., Witten, I. H.** (1988). How users repeat their actions on computers: principles for design of history mechanisms. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 171–178.
- Griffin, S.** (2010). ibiblio: ibiblio.org the public's library and digital archive, 2010. URL <http://www.ibiblio.org/pioneers/index.html>. besucht am 18. Juni 2010.
- Grivet, S., Auber, D., Domenger, J.-P., Melancon, G.** (2006). Bubble tree drawing algorithm. 32:633–641.
- Grossman, T., Balakrishnan, R.** (2005). The bubble cursor: enhancing target acquisition by dynamic resizing of the cursor's activation area. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 281–290.
- Grossman, T., Balakrishnan, R.** (2005). A probabilistic approach to modeling two-dimensional pointing. In *ACM Trans. on Computer-Human Interaction*, S. 435–459.
- The Open Group** (1997). *CDE/Motif 2.1*. The Open Group.
- Guiard, Y.** (1987). Asymmetric division of labor in human skilled bimanual action: The kinematic chain as a model. *Journal of Motor Behavior*, 19(4):486–517.
- Guiard, Y., Beaudouin-Lafon, M., Bastin, J., Pasveer, D., Zhai, S.** (2004). View size and pointing difficulty in multi-scale navigation. In *Proc. of Advanced visual interfaces*, S. 117–124. ACM.
- Guimbretiére, F., Winograd, T.** (2000). Flowmenu: combining

- command, text, and data entry. In *Proc. of ACM symposium on User interface software and technology (UIST '00)*, S. 213–216.
- Guimbretière, F., Martin, A., Winograd, T.** (2005). Benefits of merging command selection and direct manipulation. *ACM Trans. on Computer-Human Interaction*, 12(3):460–476.
- Gustafson, S., Baudisch, P., Gutwin, C., Irani, P.** (2008). Wedge: Clutter-free visualization of off-screen locations. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 787–796.
- Gutwin, C.** (2002). Improving focus targeting in interactive fisheye views. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 267–274.
- Häkkinä, J., Mäntyjärvi, J.** (2006). Developing design guidelines for context-aware mobile applications. In *Mobility '06: Proc. of the conference on Mobile technology, applications & systems*, S. 24. ACM.
- F. Halasz and T. P. Moran** (1982). Analogy considered harmful. In *Proceedings of the ACM SIGCHI conference on Human factors in computing systems*, S. 383–386.
- Halverson, T., Hornof, A. J.** (2004). Link colors guide a search. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '04)*, S. 1367–1370.
- Hamborg, K. C., Strauß, F., Beck, A., Dahm, M., Heers, R. and Heinecke, A. M.** (2009). Ein neuer standard für die ausbildung im fach mensch-computer-interaktion. *Informatik-Spektrum*, 32(3):214–222.
- Han, J. Y.** (2005). Low-cost multi-touch sensing through frustrated total internal reflection. In *Proc. of the ACM Symposium on User Interface Software and Technology (UIST'05)*, S. 115–118.
- Harrison, B. L., Vicente, K. J.** (1996). An experimental evaluation of transparent menu usage. In *Proc. of the ACM SIGCHI conference on Human Factors in Computing Systems*, S. 391–398.
- Hassenzahl, M., Tractinsky, N.** (2006). User experience - a research agenda (editorial). *Behavior & Information Technology*, 25(2): 91–97.
- Hassenzahl, M., Burmester, M., Koller, F.** (2003). AttrakDiff: Ein Fragebogen zur Messung wahrgenommener hedonischer und pragmatischer Qualität. In *Mensch & Computer*, S. 187–196.
- Hassenzahl, M., Burmester, M., Koller, F.** (2008). Der user experience (ux) auf der spur: Zum einsatz von www.attrakdiff.de. In *Usability Professionals*, S. 78–82.
- Hassenzahl, M., Eckholdt, K., Thielsch, M.** (2009). User experience und experience design: Konzepte und herausforderungen. In *Usability Professionals*, S. 233–237.
- Heckel, P.** (1991). *The Elements of Friendly Software Design*. The New Edition, Sybex.
- Heer, J., Boyd, D.** (2005). Vizster: Visualizing online social networks. In *Proc. of the IEEE Symposium on Information Visualization (INFOVIS'05)*, S. 5.
- Heer, J., Card, S. K.** (2004). Doitrees revisited: Scalable, space-constrained visualization of hierarchical data. In *Proc. of Advanced Visual Interfaces (AVI'04)*, S. 421–424.
- Heimgärtner, R., Holzinger, A., Adams, R.** (2008). From cultural to

- individual adaptive end-user interfaces: Helping people with special needs. In *Proc. fo Computers Helping People with Special Needs*, volume 5105 of *Lecture Notes in Computer Science*, S. 82–89. Springer.
- Heinecke, A.** (2004). *Mensch-Computer-Interaktion*. Hanser Fachbuchverlag.
- Hender, J., Dean, D., Rodgers, T., Numanaker Jr, J.** (2001). Improving group creativity: Brainstorming versus non-brainstorming techniques in a gss environment. In *HICSS '01: Proc. of the 34th Hawaii International Conference on System Sciences (HICSS-34)-Volume 1*, S. 1067, Washington, DC, USA. IEEE Computer Society.
- Henderson, D. A., Card, S.** (1986). Rooms: the use of multiple virtual workspaces to reduce space contention in a window-based graphical user interface. *ACM Trans. Graph.*, 5(3):211–243.
- Henry, N., Fekete, J.-D.** (2006). Matrixexplorer: a dual-representation system to explore social networks. *IEEE Trans. on Visualization and Computer Graphics*, 12(5):677–684.
- Herczeg, M.** (2005). *Einführung in die Softwareergonomie - Grundlagen der Mensch-Computer-Kommunikation*. Oldenbourg Verlag, 2. Auflage.
- M. Herczeg** (2009). *Software-Ergonomie: Theorien, Modelle und Kriterien für gebrauchstaugliche interaktive Computersysteme*. Oldenbourg.
- Herczeg, M.** (2009). *Software-Ergonomie*. Oldenbourg Wissenschaftsverlag, München, 3. edition.
- Herman, I., Melançon, G., Marshall, M. S.** (2000). Graph visualization and navigation in information visualization: A survey. *IEEE Trans. on Visualization and Computer Graphics*, 6(1): 24–43.
- Hick, W. E.** (1952). On the rate of gain of information. *The Quarterly Journal of Experimental Psychology*, 4:11–26.
- Hinckley, K., Pausch, R., Goble, J. C., Kassell, N. F.** (1994). Passive real-world interface props for neurosurgical visualization. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 452–458.
- Hinckley, K., Cutrell, E., Bathiche, S., Muss, T.** (2002). Quantitative analysis of scrolling techniques. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 65–72.
- Hinderberger, R.** (2003). *Usability praktisch umsetzen*, chapter Usability als Investition, S. 23–40. US Government Printing Office.
- Holten, D.** (2006). Hierarchical edge bundles: Visualization of adjacency relations in hierarchical data. *IEEE Trans. on Visualization and Computer Graphics*, 12(5):741–748.
- Honold, P.** (2000). *Interkulturelles Usability Engineering*. PhD Thesis, Universität Regensburg, Philosophische Fakultät II-Psychologie und Pädagogik.
- Honold, P.** (2000). Culture and context: An empirical study for the development of a framework for the elicitation of cultural influence in product usage. *International Journal of Human-Computer Interaction*, 12(3): 327–345.
- Hornof, A. J.** (2001). Visual search and mouse-pointing in labeled versus unlabeled two-dimensional visual hierarchies. *ACM Trans. Comput.-Hum. Interact.*, 8(3):171–197.
- (1994). *The Icon Book - Visual Symbols for Computer Systems and Documenten-*

- tation. John Wiley & Sons, New York.
- Hsu, Y.** (2006). The effects of metaphors on novice and expert learners' performance and mental-model development. *Interacting with Computers*, 18 (4):770–792.
- Huguenard, B. R., Lerch, F. J., Junker, B. W., Patz, R. J., Kass, R. E.** (1997). Working-memory failure in phone-based interaction. *ACM Trans. on Computer-Human Interaction*, 4 (2):67–102.
- Hyman, R.** (1953). Stimulus information as a determinant of reaction time. *Journal of Experimental Psychology*, 45:188–196.
- IBM** (1991). *Systems Application Architecture/ Common User Access Guide to User Interface Design*. IBM. ISBN SC34-4289-00.
- Igarashi, T., Hinckley, K.** (2000). Speed-dependent automatic zooming for browsing large documents. In *Proc. of ACM symposium on User interface software and technology (UIST'00)*, S. 139–148.
- Imberger, W., Held, T., Schrepp, M.** (2009). Was macht studivz attraktiv? In *Proc. of Mensch & Computer*, S. 323–332. Oldenbourg-Verlag.
- Apple Computer Incorporation** (1992). *Macintosh Human Interface Guidelines*. Addison Wesley.
- Inselberg, A., Dimsdale, B.** (1990). Parallel coordinates: A tool for visualizing multi-dimensional geometry. In *Proc. of IEEE Visualization*, S. 361–378.
- Interrante, V., Fuchs, H., Pizer, S. M.** (1997). Conveying the 3d shape of smoothly curving transparent surfaces via texture. *IEEE Trans. on Visualization and Computer Graphics*, 3(2): 98–117.
- Ishak, E. W., Feiner, S. K.** (2004). Interacting with hidden content using content-aware free-space transparency. In *Proc. of the ACM symposium on User interface software and technology*, S. 189–192.
- Isokoski, P.** (2004). Performance of menu-augmented soft keyboards. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 423–430.
- Itti, L., Koch, C., Niebur, E.** (1998). A model of saliency-based visual attention for rapid scene analysis. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 20(11):1254–1259.
- Jacko, J. A., Ward, K. G.** (1996). Toward establishing a link between psychomotor task complexity and human information processing. In *Proc. of Computers and industrial engineering*, S. 533–536.
- Jacob, R.** (1991). The use of eye movements in human-computer interaction techniques: what you look at is what you get. *ACM Trans. Inf. Syst.*, 9(2): 152–169.
- Jacob, R. J. K., Girouard, A., Hirshfield, L. M., Horn, M. S. and Shaver, O., Solovey, E. T., Zigelbaum, J.** (2008). Reality-based interaction: a framework for post-wimp interfaces. In *Proc. of the ACM SIGCHI conference on Human Factors in Computing Systems*, S. 201–210.
- Jellinek, H. D., Card, S. K.** (1990). Powermice and user performance. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 213–220.
- Jennings, M.** (1984). Evaluating the macintosh finder. *Byte*, S. 94–101.
- Jeschke, S., Pfeiffer, O., Vieritz, H.** (2009). Benutzungsorientierte

- entwicklung barrierefreier benutzungsschnittstellen. In *Proc. of Mensch & Computer*, S. 23–32. Oldenbourg-Verlag.
- Jünger, M., Mutzel, P.** (2003). *Graph Drawing Software*.
- Johnson, B., Shneiderman, B.** (1991). Tree-maps: a space-filling approach to the visualization of hierarchical information structures. In *Proc. of IEEE Visualization*, S. 284–291.
- Johnson, J.** (2000). *GUI Bloopers: Common User Interface Design Don'ts and DOS*. Morgan Kaufman.
- Johnson, J., Roberts, T., Verplank, W., Smith, D. C., Irby, C. H., Beard, M., Mackey, K.** (1989). The xerox star: A retrospective. *IEEE Computer*, 22(9): 11–29.
- Johnson, T.** (1963). Sketch-pad iii: Three-dimensional graphics communication with a digital computer. *AFIPS Conference Proceedings*, 23: 347–353.
- Johnson, T. R.** (1996). Control in act-r and soar. In *Proc. of the First European Workshop on Cognitive Modelling*, S. 201–208.
- Johnson-Laird, P. N.** (1983). *Mental models: Towards a cognitive science of language, inference, and consciousness*. Harvard University Press, Cambridge, MA.
- Jones, K. S.** (2003). What is an affordance? *Ecological Psychology*, 15(2): 107–114.
- Josuttis, N., Brede, H. J., Lemberg, S., Lörke, A.** (1995). *Programmieren mit OSF/Motif Version 2*. Addison Wesley, zweite auflage edition.
- Kabbash, P., Buxton, W. A. S.** (1995). The “prince” technique: Fitts’ law and selection using area cursors. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 273–279.
- Kahneman, D., Diener, E.** (1999). *Well-Being: The Foundations of Hedonic Psychology*. Russell Sage Foundation.
- Kahnemann, D.** (1973). *Attention and Effort*. Englewood Cliffs, NJ: Prentice-Hall.
- Kandogan, E., Shneiderman, B.** (1996). Elastic windows: improved spatial layout and rapid multiple window operations. In *Proc. of the workshop on Advanced visual interfaces*, S. 29–38, New York, NY, USA. ACM.
- Kappel, K., Tomitsch, M., Költringer, T., Grechenig, T.** (2006). Developing user interface guidelines for dvd menus. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '06)*, S. 177–182.
- Karnick, P., Cline, D., Jeschke, S., Razdan, A., Wonka, P.** (2010). Route visualization using detail lenses. *IEEE Trans. on Visualization and Computer Graphics*, 16(2):235–247.
- Katifori, A., Halatsis, C., Lepouras, G., Vassilakis, C., Giannopoulou, E.** (2007). Ontology visualization methods – a survey. *ACM Computing Surveys (CSUR)*, 39(4):10.
- Kay, A. C.** (1972). A personal computer for children of all ages. In *Proc. of the ACM National Conference*, Boston, CA.
- Kay, A. C.** (1996). chapter The early history of Smalltalk, S. 511–598. ACM, New York, NY, USA.
- Kay, A. C., Goldberg, A.** (1977). Personal dynamic media. *IEEE Computer*, 10:31–41.
- Keen, C.** (1996). Treatment of metaphors in software engineering education. In *SEEP '96: Proc. of Software*

- Engineering: Education and Practice*, S. 329, Washington, DC, USA. IEEE Computer Society.
- Keim, D. A.** (2000). Designing pixel-oriented visualization techniques: Theory and applications. *IEEE Trans. on Visualization and Computer Graphics*, 6(1):59–78.
- Keim, D. A.** (2002). Information visualization and visual data mining. *IEEE Trans. on Visualization and Computer Graphics*, 8(1):1–8.
- Keim, D. A., Kriegel, H.-P., Seidl, T.** (1993). Visual feedback in querying large databases. In *Proc. of IEEE Visualization*, S. 158–165.
- Kemmeny, J. G., Kurz, T. E.** (1966). *Basic*. Hannover, NH: Dartmouth College, third edition edition.
- Kendall, J. E., Kendall, K. E.** (1994). Metaphors and methodologies: living beyond the systems machine. *MIS Quarterly*, 17(2): 149–171.
- Keppel, G., Underwood, B. J.** (1968). Proactive inhibition in shortterm retention of single items. *Journal of Verbal Learning and Verbal Behavior*, 1:153–161.
- Kiger, J. I.** (1984). The depth/breadth trade-off in the design of menu-driven user interfaces. *International Journal on Man-Machine Studies*, 20(2):201–213.
- Klein, C., Bederson, B. B.** (2005). Benefits of animated scrolling. In *CHI '05: CHI '05 extended abstracts on Human factors in computing systems*, S. 1965–1968. ACM.
- Klerkx, J., Duval, E.** (2007). Visualizing social bookmarks. In *European Conference on Technology Enhanced Learning (C-TEL'07)*.
- Klingert, A.** (1996). *Einführung in Graphische Fenstersysteme*. Springer Verlag Berlin.
- König, W. A., Bieg, H.-J., Schmidt, T., Reiterer, H.** (2007). Position-independent interaction for large high-resolution displays. In *IH-CI'07: Proc. of IADIS International Conference on Interfaces and Human Computer Interaction 2007*, S. 117–125. IADIS Press.
- König, W. A., Gerken, J., Dierdorf, S., Reiterer, H.** (2009). Adaptive pointing: Design and evaluation of a precision enhancing technique for absolute pointing devices. In *Proc. of the the IFIP conference on Human-Computer Interaction*, S. 658–671. Springer.
- Knowlton, K.** (1966). Computer-produced movies. *Science*, 150: 1116–1120.
- Kobsa, A.** (2004). *Encyclopedia of Human-Computer Interaction*, chapter Adaptive Interfaces. Great Barrington, MA: Berkshire Publishing.
- Konopka, A. K.** (2002). Grand metaphors of biology in the genome era. *Computers & Chemistry*, 26(5):397–401.
- Kosara, R., Miksch, S., Hauser, H.** (2001). Semantic depth of field. In *Proc. of the IEEE Symposium on Information Visualization (INFOVIS'01)*, S. 97.
- Krasner, G. E., Pope, S. T.** (1988). A description of the model view controller paradigm in the smalltalk-80 system. *Journal of Object-Oriented Programming*, 1(3):26–49.
- Kreuseler, M., Lopez, N., Schumann, H.** (2000). A scalable framework for information visualization. In *Proc. of the IEEE Symposium on Information Visualization (INFOVIS '00)*, S. 27.

- Krüger, A., Stampe, K., Irrgang, S., Richter, I., Strauß, G., Preim, B.** (2008). Eingabegeräte und Interaktionstechniken für die virtuelle Endoskopie. In *Proc. of Mensch & Computer 2008*, S. 237–246. Oldenbourg Verlag.
- Kuhn, W.** (1991). Are Displays Maps or Views? In *Proc. of ACSM-ASPRS AutoCarta 10 American Congress of Surveying and Mapping*, S. 261–274.
- Kuhn, W.** (1993). Metaphors Create Theories for Users. In *Proc. of Spatial Information Theory*, number 716 in Lecture Notes in Computer Science, S. 366–376, Berlin. Springer-Verlag.
- Kuhn, W.** (1995). 7+/- Questions and Answers about Metaphors for GIS User Interfaces. In W. Kuhn, Herausgeber, *Cognitive Aspects of Human-Computer Interaction for Geographic Information Systems*, number 83 in D, S. 113–122.
- W. Kuhn** (2007). *Encyclopedia of Geographic Information Science*, chapter Metaphor, Spatial and Map, S. 281–284. Sage Publications.
- Kurlander, D., Feiner, S. K.** (1989). A visual language for browsing, undoing, and redoing graphical interface commands. In *Proc. of Visual Languages and Visual Programming*, S. 257–275, New York, NY, USA. Plenum Press.
- Kurlander, D., Feiner, S. K.** (1992). A history-based macro by example system. In *Proc. of the ACM symposium on User interface software and technology (UIST '92)*, S. 99–106.
- Kurtenbach, G., Buxton, W.** (1993). The limits of expert performance using hierarchic marking menus. In *Proc. of INTERCHI*, S. 482–487, Amsterdam. ACM Press, New York.
- Kurtenbach, G., Fitzmaurice, G. W., Owen, R. N., Baudel, T.** (1999). The hotbox: efficient access to a large number of menu-items. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 231–237.
- Laird, J. E., Rosenbloom, P., Newell, A.** (1986). *Universal Subgoaling and Chunking*. Kluwer Academic.
- Laird, J. E., Rosenbloom, P., Newell, A.** (1987). Soar: An architecture for general intelligence. *Artificial Intelligence*, 33:1–64.
- Lakoff, G.** (1988). *Meaning and Mental Representations*, chapter Cognitive Semantics, S. 119–154. Indiana University Press, Bloomington, Indiana.
- Lakoff, G., Johnson, M.** (1980). *Metaphors we live by*. University of Chicago Press.
- Lamping, J., Rao, R.** (1994). Laying out and visualizing large trees using a hyperbolic space. In *Proc. of the ACM Symposium on User Interface Software and Technology (UIST'94)*, S. 13–14.
- Landauer, T. K.** (1987). *Interacting Thought: Cognitive Aspects of Human-Computer Interaction*, chapter Relations between Cognitive Psychology and Computer Systems Design, S. 1–25. MIT Press, Cambridge, Massachusetts.
- Lehmann, T., Oberschelp, W., Pelikan, E., Repges, R.** (1997). *Bildverarbeitung für die Medizin*. Springer.
- Leung, Y. K., Apperley, M. D.** (1994). A review and taxonomy of distortion-oriented presentation techniques. *ACM Trans. on Computer-Human Interaction*, 1(2): 126–160.
- Levinthal, C.** (1966). Molecular model-building by computers. *Scientific*

- American*, 214(6):42–52.
- Levkowitz, H.** (1991). Color icons: Merging color and texture perception for integrated visualization of multiple parameters. In *Proc. of IEEE Visualization*, S. 164–170.
- Levy, S. E.** (1984). *Hackers: Heroes of the Computer Revolution*. Anchor Press, Double Day, Garden City New Jersey.
- Lewis, C., Norman, D. A.** (1986). *User Centered System Design*, chapter Designing for Error, S. 411–432. Lawrence Erlbaum Associates.
- Li, Z.** (2002). A saliency map in primary visual cortex. *Trends in Cognitive Science*, 6:9–16.
- Lichtschlag, L., Karrer, T., Borchers, J.** (2009). Fly: a tool to author planar presentations. In *Proc. of the International Conference on Human factors in computing systems*, S. 547–556.
- Licklider, J. C. R.** (1960). Man-computer symbiosis. *IRE Trans. on Human Factors in Electronics HFE*, 1 (1):4–11.
- Licklider, J. C. R., Clark, W.** (1962). On-line man-computer communication. *AFIPS Conference Proceedings*, 21:113–128.
- Loomis, J. M., Lederman, S. J.** (1986). *Handbook of Perception and Human Performance*, chapter Tactual perception. Wiley, New York.
- Lorenz, H., Trapp, M., Jobst, M., Döllner, J.** (2008). Interactive multi-perspective views of virtual 3d landscape and city models. In *Proc. of the International Conference on GI Science (AGILE '08)*, S. 301–321.
- Mack, R. L., Lewis, C. H., Carroll, J. M.** (1983). Learning to use word processors: problems and prospects. *ACM Trans. on Office Information Systems*, 1:254–271.
- MacKenzie, I. S.** (1995). chapter Input devices and interaction techniques for advanced computing, S. 437–470. Oxford University Press, Oxford, Uk.
- MacKenzie, I. S., Buxton, W.** (1993). A tool for the rapid evaluation of input devices using fitts' law models. *SIGCHI Bulletin*, 25(3):58–63.
- MacKenzie, I. S., Zhang, S. X.** (1999). The design and evaluation of a high-performance soft keyboard. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 25–31.
- MacKenzie, I. S., Sellen, A., Buxton, W.** (1991). A comparison of input devices in element pointing and dragging tasks. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 161–166.
- Mackinlay, J., Card, S. K., Robertson, G. G.** (1990). A semantic analysis of the design space of input devices. *Hum.-Comput. Interact.*, 5(2): 145–190.
- Mackinlay, J. D., Robertson, G. G., Card, S. K.** (1991). The perspective wall: Detail and context smoothly integrated. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 173–176.
- Madsen, K. H.** (1994). A guide to metaphorical design. *Communications of the ACM*, 37(12):57–62.
- Maes, P.** (1994). Agents that reduce work and information overload. *Communications of the ACM*, 37(7):30–40.
- Maes, P.** (1995). Artificial life meets entertainment: lifelike autonomous agents. *Communications of the ACM*, 38(11):108–114.
- Maes, P.** (1997). *Agents that Reduce Work and Information Overload*. AAI Press/MIT Press.

- Maguire, E. A., Gadian, D. G., Johnsrude, I. S., Good, C. D. and Ashburner, J., Frackowiak, R. S. J., Frith, C. D.** (2000). Navigation-related structural change in the hippocampi of taxi drivers. In *Proc. of the National Academy of Sciences*, volume 98, S. 4398–4403.
- Maguire, M. C.** (1999). A review of user-interface design guidelines for public information kiosk systems. *Int. J. Hum.-Comput. Stud.*, 50(3):263–286.
- Malone, T. W.** (1982). Heuristics for designing enjoyable user interfaces: Lessons from computer games. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 63–68.
- Malone, T. W.** (1983). How do people organize their desks?: Implications for the design of office information systems. *ACM Transactions on Information Systems*, 1(1):99–112.
- Manhartsberger, M., Musil, S.** (2002). *Web Usability - Das Prinzip des Vertrauens*. Galileo Design.
- Marchionini, G., White, R.** (2007). Find what you need, understand what you find. *International Journal of Human-Computer Interaction*, 23(3):205–237.
- Marcus, A.** (1984). Corporate identity for iconic interface design. *IEEE Computer Graphics and Applications*, 4(12):24–32.
- Marcus, A.** (1991). *Graphic design for electronic documents and user interfaces*. ACM Press.
- Massaro, D. W.** (1979). Letter information and orthographic context in word perception. *Journal of Experimental Psychology*, 5:595–609.
- Matkovic, K., Freiler, W., Gracanin, D., Hauser, H.** (2008). Comvis: A coordinated multiple views system for prototyping new visualization technology. *Proc. of Information Visualization (IV'08)*, S. 215–220.
- Matuszek, C., Witbrock, M., Kahlert, R., Cabral, J., Schneider, D., Shah, P., Lenat, D.** (2005). Searching for common sense: Populating cyc from the web. In *Proc. of National Conference on Artificial Intelligence*.
- Mayhew, D. J.** (1999). *The Usability Engineering Lifecycle: A Practitioner's Handbook for User Interface Design*. Morgan Kaufmann.
- Mayo, E.** (1933). *The Human Problem of an Industrial Civilisation*. Macmillan.
- Mazza, R.** (2009). *Introduction to Information Visualization*. Springer Publishing Company, Incorporated.
- McCarthy, J., Wright, P.** (2004). *Technology as Experience*. MIT Press.
- McGrenere, J., Ho, W.** (2000). Affordances: Clarifying and evolving a concept. In *Proc. of Graphics Interface*, S. 179–186.
- McGrenere, J., Moore, G.** (2000). Are we all in the same bloat? In *Proc. of Graphics Interface*, S. 187–196.
- McGuffin, M. J., Balakrishnan, R.** (2002). Acquisition of expanding targets. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 57–64.
- Megaw, E. D.** (1979). Factors affecting visual inspection accuracy. *Applied Ergonomics*, 10(1):27–32.
- Metelli, F.** (1974). The perception of transparency. *Scientific American*, 230(4):90–98.
- Microsoft** (1995). *The Windows Interface Guidelines for Software Design*:

- An Application Design Guide*. Microsoft Press.
- Sun Microsystems** (1999). *Java Look and Feel Design Guideline*. Addison-Wesley. URL <http://java.sun.com/products/jlff/at/book/index.html>.
- Mihalyi, A., Deml, B., Augustin, T.** (2009). A contribution to integrated driver modeling: A coherent framework for modeling both non-routine and routine elements of the driving task. In *Digital Human Modeling, HCI(11)*, volume 5620 of *Lecture Notes in Computer Science*, S. 433–442. Springer.
- Miller, D. P.** (1981). The depth/breadth tradeoff in hierarchical computer menu's. In *Proc. of Annual Meeting of the Human Factors Society*, S. 296–300.
- Miller, G.** (1956). The magic number seven, plus or minus two: Some limits on our capability for processing information. *Psychological Science*, 63: 81–97.
- Minnery, B. S., Fine, M. S.** (2009). Neuroscience and the future of human-computer interaction. *interactions*, 16(2):70–75.
- Moscovich, T.** (2007). *Principles and Applications of Multi-touch Interaction*. PhD Thesis, Brown University.
- Moscovich, T., Hughes, J. F.** (2008). Indirect mappings of multi-touch input using one and two hands. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 1275–1284.
- Mullet, K., Sano, D.** (1995). *Designing Visual Interfaces - communication oriented techniques*. Sunsoft Press, Prentice Hall.
- Munzner, T.** (1997). H3: Laying out large directed graphs in 3d hyperbolic space. In *Proc. of the IEEE Symposium on Information Visualization (InfoVis'97)*, S. 2.
- Myers, B.** (1988). A taxonomy of user interfaces for window managers. *IEEE Computer Graphics and Applications*, 8(5):65–84.
- Myers, B.** (1998). A brief history of human computer interaction technology. *interactions*, 5(2):44–54.
- Myers, B. A.** (1988). A taxonomy of user interfaces for window managers. *IEEE Computer Graphics and Applications*, 8(5):65–84.
- Myers, B. A., Bhatnagar, R., Nichols, J., Peck, C. H., Kong, D., Miller, R., Long, A. C.** (2002). Interacting at a distance: measuring the performance of laser pointers and other devices. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 33–40.
- Nader, R.** (1965). *Unsafe at Any Speed*. Pocket Books.
- Nakhimovsky, Y., Schusteritsch, R., Rodden, K.** (2006). Scaling the card sort method to over 500 items: restructuring the google adwords help center. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '06)*, S. 183–188.
- Nelson, T.** (1965). A file structure for the complex, the changing and the indeterminate. In *Proc. of the ACM National Conference*, S. 84–100.
- Nelson, T.** (1973). A conceptual framework for man-machine everything. *Proc. of National Computer Conference*, S. 21–26.
- Nelson, T. H.** (1990). *The art of human computer interface design*, chapter The right way to think about software design, S. 235–243. Indiana University Press.

- Neumann, P., Schlechtweg, S., Carpendale, S.** (2005). Arctrees: Visualizing relations in hierarchical data. In *Proc. of the Eurographics / IEEE VGTC Symposium on Visualization (EuroVis'05)*, S. 53–60.
- Newell, A., Simon, H. A.** (1972). *Computers and Thought*, chapter Human Problem Solving, S. 279–293. Englewood Cliffs, New Jersey: Prentice Hall.
- Newman, W. M., Lamming, M. G.** (1995). *Interactive System Design*. Wokingham, Addison-Wesley.
- Niedermann, I., Hatscher, M.** (2008). Formulargestaltung für dummies: Die häufigsten fehler erkennen, beheben und zukünftig vermeiden. In *Usability Professionals*, S. 49–52.
- Nielsen, J.** (1993). *Usability Engineering*. Academic Press Professional, Chestnut Hill, Massachusetts.
- Noik, E.G.** (1994). A space of presentation emphasis techniques for visualizing graphs. In *Proc. of Graphics Interface (GI'94)*, S. 225–233.
- Norman, D. A.** (1983). *Mental Models*, chapter Some Observations on Mental Models. Lawrence Erlbaum Associates.
- Norman, D. A.** (1988). *The design of everyday things*. MIT Press, Cambridge, MA.
- Norman, D. A.** (1990). Human Error and the Design of Computer Systems. *Communications of the ACM*, 33 (1): 4–5.
- Norman, D. A.** (1999). Affordance, conventions, and design. *interactions*, 6(3):38–43.
- Norman, D. A.** (2003). *Emotional Design: Why We Love (or Hate) Everyday Things*. Basic Books.
- Norman, D. A.** (2007). The next UI breakthrough: command lines. *interactions*, 14(3):44–45.
- Norman, D. A.** (2009). *When security gets in the Way*, volume 16.
- Norman, D. A.** (2010). Natural user interfaces are not natural. *interactions*, 17(3).
- Norman, D. A., Draper, S.W.** (1986). *User centered system design: New perspectives on human-computer interaction*. Lawrence Erlbaum Associates, Hillsdale, NJ.
- Norman, D. A., Fisher, D.** (1982). Why alphabetic keyboards are not easy to use: Keyboard layout doesn't much matter. *Human Factors: The Journal of the Human Factors and Ergonomics Society*, 24(5):509–519.
- Norman, K.** (1991). *The Psychology of Menu Selection: Designing Cognitive Control at the Human/Computer Interface*. Ablex Publishing Corporation.
- Olsen, D. R.** (1998). *Developing User Interfaces*. Morgan Kaufman, San Francisco, CA.
- Oshlyansky, L., Thimbleby, H., Cairns, P.** (2004). Breaking affordance: culture as context. In *Proc. of the Nordic conference on Human-computer interaction*, S. 81–84. ACM.
- Page, S. R., Johnsgard, T. J., Albert, U., Allen, D. C.** (1996). User customization of a word processor. In *CHI '96: Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 340–346.
- Pakkanen, T., Raisamo, R.** (2004). Appropriateness of foot interaction for non-accurate spatial tasks. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '04)*, S. 1123–1126.

- Parasuraman, R., Davies, D. R.** (1977). *Vigilance: Theory, operational performance, and physiological correlates*, chapter A taxonomic analysis of vigilance performance, S. 559–574. New York: Plenum.
- Payne, P. R. O., Starren, J.** (2006). Presentation discovery: building a better icon. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '06)*, S. 1223–1228, New York, NY, USA. ACM.
- Payne, S. J.** (1991). A descriptive study of mental models. *Behaviour and Information Technology*, 10:3–21.
- Payne, S. J.** (2003). *HCI Models, Theories and Frameworks: Toward a multidisciplinary science*, chapter Users' mental models: The Very Ideas. Morgan Kaufman, San Francisco.
- Pearson, G., Weiser, M.** (1986). Of moles and men: the design of foot controls for workstations. *SIGCHI Bulletin*, 17(4):333–339.
- Pelton, G. E.** (1989). Designing the telephone interface for voice processing applications. *Speech Tech.*, 5(1):18–21.
- Pereira, F., Shiber, S.M.** (1987). *Prolog and Natural Language Analysis*. CSLI Stanford, California.
- Perlin, K., Fox, D.** (1993). Pad: an alternative approach to the computer interface. In *Proc. of the ACM SIGGRAPH Conference on Computer Graphics and Interactive Techniques*, S. 57–64.
- Pew, R. W.** (2003). Evolution of human-computer interaction: from memex to bluetooth and beyond. S. 1–17.
- Pickett, R. M., Grinstein, G.** (1988). Iconographic displays for visualizing multi-dimensional data. In *Proc. of the IEEE Conference on Systems, Man and Cybernetics (SMC'88)*, S. 514–519.
- Pietriga, E., Appert, C.** (2008). Sigma lenses: Focus–context transitions combining space, time and translucence. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 1343–1352.
- Pietriga, E., Appert, C., Beaudouin-Lafon, M.** (2007). Pointing and beyond: an operationalization and preliminary evaluation of multi-scale searching. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 1215–1224.
- Pitt, I., Preim, B., Schlechtweg, S.** (1999). An Evaluation of Interactive Techniques for the Exploration of 3D-Illustrations. In *Proc. of Softwareergonomie*, S. 275–286.
- Plumlee, M. D., Ware, C.** (2006). Zooming versus multiple window interfaces: Cognitive costs of visual comparisons. *ACM Trans. on Computer-Human Interaction*, 13(2):179–209.
- Pollmann, S.** (2008). *Allgemeine Psychologie*. UTB, Stuttgart.
- P. G. Polson and C. H. Lewis** (1990). Theory-based design for easily learned interfaces. *Hum.-Comput. Interact.*, 5(2):191–220.
- Pook, S., Lecolinet, E., Vaysseix, G., Barillot, E.** (2000). Control menus: execution and control in a single interactor. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '00)*, S. 263–264.
- Potter, M.C.** (1976). Short-term conceptual memory for pictures. *Journal of Experimental Psychology: Human Learning and Memory*, 2:509–522.
- Pousman, Z., Stasko, J. T., Mateas, M.** (2007). Casual information visualization: Depictions of data in everyday life. *IEEE Trans. on Visualization*

- and *Computer Graphics*, 13(6):1145–1152.
- (1994). *Human-Computer Interaction*. Addison Wesley.
- Preim, B., Raab, A., Strothotte, T.** (1997). Coherent Zooming of Illustrations with 3D-Graphics and Textual Labels. In *Proc. of Graphics Interface*, S. 105–113.
- Proctor, R. W., Vu, K. P.** (2003). *The human-computer interaction handbook: fundamentals, evolving technologies and emerging applications*, chapter Human Information processing: An Overview for Human-Computer Interaction, S. 35–51. Lawrence Erlbaum Associates, Inc., Mahwah, NJ, USA.
- Pylshyn, Z., Burkell, J., Fisher, B., Sears, C., Schmidt, W., Trick, L.** (1993). Multiple parallel access in visual attention. *Canadian Journal of Experimental Psychology*, 48(2):260–283.
- Ramos, G., Balakrishnan, R.** (2005). Sliding: Fluid zooming and sliding for high precision parameter manipulation. In *Proc. of the ACM Symposium on User Interface Software and Technology (UIST'05)*, S. 143–152.
- Rao, R., Card, S. K.** (1994). The table lens: Merging graphical and symbolic representations in an interactive focus + context visualization for tabular information. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 318–322.
- Raskin, A.** (2008). The linguistic command line. *interactions*, 15(1):19–22.
- Raskin, J.** (2000). *The Intelligent User Interface*. Addison-Wesley.
- Rasmussen, J.** (1982). Human Errors: A Taxonomy for Describing Human Malfunction in Industrial Installations. *Journal of Occupational Accidents*, 4:331–333.
- Rasmussen, J.** (1984). *Advances in Man-Machine Systems Research*, volume Band 1, chapter Strategies for State Identification and Diagnosis in Supervisory Control Tasks, and Design of Computer-Based Systems, S. 139–193.
- Rasmussen, J.** (1985). The Role of Hierarchical Knowledge Representation in Decision Making and System Management. *IEEE Trans. Systems, Man, and Cybernetics*, 15(2): 234–243.
- Rasmussen, J.** (1986). *Information Processing and Human-Machine Interaction: An Approach to Cognitive Engineering*. North-Holland.
- Reason, J. T.** (1979). *Aspects of consciousness*, chapter Actions not as planned, S. 67–89. Academic Press London.
- Reingold, E. M., Tilford, J. S.** (1981). *Tidier Drawings of Trees*, volume 7.
- Reiter, E., Sripada, S., Hunter, J., Yu, J., Davy, I.** (2005). Choosing words in computer-generated weather forecasts. *Artificial Intelligence*, 167(1-2): 137–169.
- Rhyne, J. R., Wolf, C. G.** (1993). *Advances in Human Computer Interaction*, volume 4, chapter Recognition-based User Interfaces, S. 191–250. Ablex, New York.
- Rieckert, W. F.** (1993). *Mensch-Computer-Kommunikation - Benutzergerechte Systeme auf dem Weg in die Praxis*, chapter Interaktion, Präsentation und Repräsentation, S. 7–18. Springer-Verlag Heidelberg, Berlin, New York.
- Ritter, F., Preim, B., Deussen, O., Strothotte, T.** (2000). Using a 3D Puzz-

- le as a Metaphor for Learning Spatial Relations. In *Proc. of Graphics Interface*, S. 171–178.
- Ritter, F., Deussen, O., Preim, B., Strothotte, T.** (2001). Virtual 3D Puzzles: A New Method for Exploring Geometric Models in VR. *IEEE Computer Graphics and Applications*, 21(5):11–13.
- Ritter, F., Berendt, B., Fischer, B., Richter, R., Preim, B.** (2002). Virtual 3D Jigsaw Puzzles: Studying the Effect of Exploring Spatial Relations with Implicit Guidance. In *Mensch & Computer 2002*, S. 363–372.
- Robbins, D. C., Cutrell, E., Sarin, R., Horvitz, E.** (2004). Zonezoom: Map navigation for smartphones with recursive view segmentation. In *Proc. of Advanced visual interfaces (AVI '04)*, S. 231–234.
- Roberts, J. C.** (2007). State of the art: Coordinated & multiple views in exploratory visualization. *Proc. of Coordinated and Multiple Views in Exploratory Visualization (CMV'07)*, 0:61–71.
- Robertson, G. G., Mackinlay, J. D., Card, S. K.** (1991). Cone trees: Animated 3d visualizations of hierarchical information. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 189–194.
- Rogers, Y., Sharp, H., Preece, J.** (2007). *Interaction Design: Beyond Human Computer Interaction*. John Wiley & Sons Inc., zweite auflage edition.
- Röse, K.** (2001). *Kultur als Variable des UI Design. Berücksichtigung kultureller Unterschiede bei der Mensch-Maschine-Interaktion als zeitgemäße Gestaltungsaufgabe der nutzerorientierten und ergonomischen Gestaltung von Mensch-Maschine-Systemen.*
- Röse, K.** (2002). *Methodik zur Gestaltung interkultureller Mensch-Maschine-Systeme in der Produktionstechnik.* PhD Thesis, Universität Kaiserslautern, Fachbereich Maschinenbau und Verfahrenstechnik.
- Rubinstein, R., Hersh, H.** (1984). *The Human Factor*. Digital Press.
- Ruth-Jannek, D.** (2009). Multidimensionale klassifizierung von barrieren in webanwendungen. In *Proc. of Mensch & Computer*, S. 13–22. Oldenbourg-Verlag.
- Rutledge, J. D., Selker, T.** (1990). Force-to-motion functions for pointing. In *INTERACT '90: Proc. of the IFIP Conference on Human-Computer Interaction*, S. 701–706, Amsterdam, The Netherlands, The Netherlands. North-Holland Publishing Co.
- Salvucci, D., Anderson, J.** (2001). Automated eye-movement protocol analysis. *Human-Computer Interaction*, 16(1):39–86.
- Sarkar, M., Brown, M. H.** (1992). Graphical fisheye views of graphs. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 83–91.
- Sarkar, M., Snibbe, S. S., Tversky, O. J., Reiss, S. P.** (1993). Stretching the rubber sheet: A metaphor for viewing large layouts on small screens. In *Proc. of the ACM Symposium on User interface Software and Technology (UIST'93)*, S. 81–91.
- Scheffler, R. W., Gettys, J.** (1986). The x-windows systems. *ACM Trans. on Graphics*, 5(2):79–109.
- Schmidt, A., Terrenghi, L.** (2007). Methods and guidelines for the design and development of domestic ubiqui-

- tous computing applications. In *IEEE Conference on Pervasive Computing and Communications (PerCom)*, S. 97–107. IEEE Computer Society.
- Schneider, D., Matuszek, C., Shah, P., Kahlert, R., Baxter, D., Cabral, J., Witbrock, M., Lenat, D.** (2005). Gathering and managing facts for intelligence analysis. In *Proc. of International Conference on Intelligence Analysis*.
- Schneider-Hufschmidt, M., Kühme, T., Malinowski, U.** (Hrsg.) (1993). *Adaptive User Interfaces - Principles and Practice*. North Holland, Amsterdam, New York, Tokio.
- Schöning, J., Daiber, F., Krüger, A., Rohs, M.** (2009). Using hands and feet to navigate and manipulate spatial data. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '09)*, S. 4663–4668.
- Schoor, W., Bollenbeck, F., Hofmann, M., Mecke, R., Seiffert, U., Preim, B.** (2008). Automatic zoom and pseudo haptics to support semiautomatic segmentation tasks. In *Proc. of Winter School of Computer Graphics*.
- Schulte, F. P., Thieme, A., Oste, J.** (2009). Online blättern, dann kaufen? attraktivität von online-katalogen. In *Proc. of Mensch & Computer*, S. 333–342. Oldenbourg-Verlag.
- Schumann, H., Müller, W.** (2000). *Visualisierung: Grundlagen und allgemeine Methoden*. Springer-Verlag Berlin Heidelberg.
- Schumann, H., Müller, W.** (2004). Informationsvisualisierung: Methoden und perspektiven. *it - Information Technology*, 46(3):135–141.
- Sears, A., Shneiderman, B.** (1994). Split menus: effectively using selection frequency to organize menus. *ACM Trans. on Computer-Human Interaction*, 1(1):27–51.
- Shen, Z., Ma, K.-L., Eliassi-Rad, T.** (2006). Visual analysis of large heterogeneous social networks by semantic and structural abstraction. *IEEE Trans. on Visualization and Computer Graphics*, 12(6):1427–1439.
- Shepard, B., Matuszek, C., Fraser, C. B. et al.** (2005). A knowledge-based approach to network security: Applying cyc in the domain of network risk assessment. In *Proc. of Innovative Applications of Artificial Intelligence Conference*.
- Shneiderman, B.** (2007). Creativity support tools: Accelerating discovery and innovation. *Communications of the ACM*, 50(12):20–31.
- Shneiderman, B.** (1983). Direct manipulation - a step beyond programming languages. *IEEE Computer*, 16(8): 57–69.
- Shneiderman, B.** (1992). Tree visualization with tree-maps: 2-d space-filling approach. *ACM Trans. on Graphics*, 11(1):92–99.
- Shneiderman, B.** (1994). Dynamic queries for visual information seeking. *IEEE Software*, 11(6):70–77.
- Shneiderman, B.** (1996). The eyes have it: A task by data type taxonomy for information visualizations. *IEEE Symposium on Visual Languages*, S. 336.
- Shneiderman, B.** (1997). *Designing the User Interface*. Addison Wesley.
- Shneiderman, B.** (1997). Direct manipulation for comprehensible, predictable and controllable user interfaces. In *Proc. of Intelligent user interfaces*, S. 33–39. ACM.
- Shneiderman, B.** (1998). Relate, create, donate: a teaching and learning philo-

- sophy for the cyber-generation. *Comput. Educ.*, 31(1):25–39.
- Shneiderman, B.** (1998). Codex, memex, genex: The pursuit of transformational technologies. *International Journal of Human-Computer Interaction*, 10(2):87–106.
- Shneiderman, B.** (2000). Creating creativity: user interfaces for supporting innovation. *ACM Trans. on Computer-Human Interaction*, 7(1): 114–138.
- Shneiderman, B.** (2002). *Leonardo's Laptop - Human Needs and the new Computing Technologies*. The MIT Press, Cambridge, Massachusetts, London, GB.
- Shneiderman, B.** (2002). Creativity support tools: a tutorial overview. In *Proc. of Creativity & cognition*, S. 1–2. ACM.
- Shneiderman, B.** (2003). Promoting universal usability with multi-layer interface design. In *Proc. of Universal usability*, S. 1–8, New York, NY, USA. ACM.
- Shneiderman, B., Maes, P.** (1997). Direct manipulation versus interface agents. *interactions*, 4(6):42–61.
- B. Shneiderman and C. Plaisant** (2009). *Designing the User Interface: Strategies for Effective Human Computer Interaction*. Addison Wesley, 5. Auflage.
- Shneiderman, B., Fischer, G., Giaccardi, E., Eisenberg, M.** (2007). *Proc. of Creativity & Cognition (Washington, DC)*. ACM Press New York.
- Siirtola, H., Riih , K.-J.** (2006). Discussion: Interacting with parallel coordinates. *Interacting with Computers*, 18(6):1278–1309.
- Simon, H. A.** (1973). The structure of ill-defined problems. *Artificial Intelligence*, 4:181–201.
- Simpson, R., Renear, A., Mylonas, E., van Dam, A.** (1996). 50 years after - as we may think: The brown/mit vannevar bush symposium. *interactions*, 3(2):47–67.
- Sloan, D., Heath, A., Hamilton, F., Kelly, B., Petrie, H. and Phipps, L.** (2006). Contextual web accessibility - maximizing the benefit of accessibility guidelines. In *W4A: Proc. of the 2006 international cross-disciplinary workshop on Web accessibility*, S. 121–131, New York, NY, USA. ACM.
- Smith, D. C.** (1975). *Pygmalion: A Computer Program to Model and Stimulate Creative Thought*. PhD Thesis, Universit t Stanford, Computer Science Department.
- Smith, D. C., Irby, C., Kimpball, R., Verplank, W., Harslam, E.** (1982). Designing the star user interface. *Byte*, 7(4):242–282.
- Smith, G., Czerwinski, M., Meyers, B., Robbins, D., Robertson, G., Tan, D. S.** (2006). Facetmap: A scalable search and browse visualization. *IEEE Trans. on Visualization and Computer Graphics*, 12(5):797–804.
- Sobotta, J.** (1993). *Atlas der Anatomie des Menschen*, volume 20. J. Staubesand, Urban & Schwarzenberg Verlag, M nchen-Wien-Baltimore.
- Solso, R. L.** (1995). *Cognitive Psychology*. Allyn & Bacon, 4th edition.
- Soukoreff, R. W., MacKenzie, I. S.** (1995). Theoretical upper and lower bounds on typing speed using a stylus and soft keyboard. *Behaviour & Information Technology*, 14: 370–379.
- Spence, R.** (2007). *Information Visualization: Design for Interaction (2nd*

- Edition). Prentice-Hall, Inc.
- Spence, R., Apperley, M.** (1982). Data base navigation: An office environment for the professional. *Behaviour and Information Technology*, 1(1):43–54.
- Spence, R., Parr, M.** (1991). Cognitive assessment of alternatives. *Interacting with Computers*, 3(3):270–282.
- Spence, R., Tweedie, L.** (1998). The attribute explorer: Information synthesis via exploration. *Interacting with Computers*, 11:137–146.
- Spindler, M., Stellmach, S., Dachsel, R.** (2009). Paperlens: Advanced magic lens interaction above the tabletop. In *Proc. of the ACM Conference on Interactive Tabletops and Surfaces (ITS '09:)*, S. 69–76.
- Sproll, S., Peissner, M.** (2009). User experience und biologische erhebungsverfahren (psychologische und bildgebende verfahren). In *Usability Professionals*, S. 55–59.
- Stasko, J., Zhang, E.** (2000). Focus+context display and navigation techniques for enhancing radial, space-filling hierarchy visualizations. In *IEEE Symposium on Information Visualization (INFOVIS'00)*, volume 0, S. 57–65.
- Stoffregen, T. A.** (2003). Affordances as properties of the animal-environment system. *Ecological Psychology*, 15: 115–134.
- Stone, M. C., Fishkin, K., Bier, E. A.** (1994). The movable filter as a user interface tool. In *Proc. of the ACM SIGCHI Conference on Human Factors in Computing Systems*, S. 306–312.
- Stotz, R.** (1963). Man-machine console facilities for computer-aided design. In *AFIPS Conference Proceedings*, S. 323–338.
- Strittmatter, P.** (1979). *Bund-Länder-Kommission für Bildungsplanung und Forschungsförderung*, chapter Modellversuche zum Schulfernsehen. Bericht über eine Auswertung.
- Strothotte, T., Strothotte, C.** (1997). *Seeing Between the Pixels*. Springer-Verlag, Berlin, Heidelberg, New York.
- Strube, G., Becker, B., Freska, C., Hahn, U., Opwis, K., Palm, G.** (1996). *Wörterbuch der Kognitionswissenschaft*. Klett-Cotta Verlag, Stuttgart.
- Stubblefield, W. A.** (1998). Patterns of Change in Design Metaphor: A Case Study. In *Proc. of the ACM Conference on Human Factors in Computing Systems*, S. 73–80.
- Sugiyama, K.** (2002). *Graph Drawing and Applications for Software and Knowledge Engineers*. World Scientific Publishing Company, 1. edition.
- Sugiyama, K., Tagawa, S., Toda, M.** (1981). Methods for visual understanding of hierarchical system structures. *IEEE Trans. on Systems, Man and Cybernetics*, 11(2):109–125.
- Sutherland, I. E.** (1963). Sketchpad, a man-machine graphical communication system. In *AFIPS Conference Proceedings*, volume 23, S. 629–636.
- Sweet, G., Ware, C.** (2004). View direction, surface orientation and texture orientation for perception of surface shape. In *Proc. of Graphics Interface*, S. 97–106.
- Tai, G., Kern, D., Schmidt, A.** (2009). Bridging the communication gap: A driver-passenger video link. In *Proc. of Mensch & Computer*, S. 73–82. Oldenbourg-Verlag.
- Tan, D. S., Meyers B., Czerwinski, M.** (2004). Wincuts: manipulating arbitrary window regions for more ef-

- fective use of screen space. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '04)*, S. 1525–1528. ACM.
- Teitelman, W.** (1979). A display oriented programmers assistant. *International Journal of Man-Machine Studies*, 11:157–187.
- Telea, A. C.** (2007). *Data Visualization: Principles and Practice*. A.K. Peters, Ltd.
- Terry, M. A., Mynatt, E. D., Nakakoji, K., Yamamoto, Y.** (2004). Variation in element and action: supporting simultaneous development of alternative solutions. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 711–718.
- Tesler, L.** (1981). The smalltalk environment. *Byte*, 6(8):90–147.
- Thielsch, M., Hassenzahl, M.** (2008). Achtmal schönheit. *i-com. Zeitschrift für interaktive und kooperative Medien*, (3):50–55.
- Thimbleby, H.** (1990). *User Interface Design*. ACM Press Frontier Series.
- Thimbleby, H.** (2001). The computer science of everyday things. *Aust. Comput. Sci. Commun.*, 23(5):3–12.
- Thimbleby, H. W.** (1991). Can anyone work the video? *New Scientist*, 129 (1757):48–51.
- Thimbleby, H. W.** (1997). Design for a fax. *Personal and Ubiquitous Computing*, 1(2):101–117.
- Thimbleby, H. W.** (2000). Calculators are needlessly bad. *Int. J. Hum.-Comput. Stud.*, 52(6):1031–1069.
- Thomas, P., Macredie, R. D.** (2002). Introduction to the new usability. *ACM Trans. on Computer-Human Interaction*, 9(2):69–73.
- Tiede, U., Schiemann, T., Höhne, K.-H.** (1996). Visualizing the Visible Human. In U. Tiede, T. Schiemann, und K.-H. Höhne, Herausgeber, *IEEE Computer Graphics and Applications*, volume 16, S. 7–9.
- Tognazzini, B.** (1986). Usability testing in the real world. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 212–215.
- Tognazzini, B.** (1991). *TOG on Interface*. Addison Wesley, Reading, Massachusetts.
- Tominski, C.** (2006). *Event-Based Visualization for User-Centered Visual Analysis*. PhD Thesis.
- Tominski, C., Abello, J., Schumann, H.** (2009). Technical section: Cgv – an interactive graph visualization system. *Comput. Graph.*, 33(6):660–678.
- Trapp, M., Glander, T., Buchholz, H., Döllner, J.** (2008). 3d generalization lenses for interactive focus + context visualization of virtual city models. In *Proc. of IEEE Information Visualization (IV '08)*, S. 356–361.
- Treisman, A.** (1986). Features and objects in visual processing. *Scientific American*, 255:106–115.
- Treisman, A., Gelade, G.** (1980). A feature-integration theory of attention. *Cognitive Psychology*, 12:97–136.
- Treisman, A. M.** (1993). *Attention: Selection, Awareness, and Control*, chapter The perception of features and objects, S. 5–35. Clarendon, Oxford.
- Tsandilas, T., Schraefel, M. C.** (2007). Bubbling menus: a selective mechanism for accessing hierarchical drop-down menus. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 1195–1204.
- Tufte, E. R.** (1990). *Envisioning Information*. Graphics Press.
- Tufte, E. R.** (1997). *Visual Explanations: Images and Quantities, Evidence and Narrative*. Graphics Press.

- Tufte, E. R.** (2001). *The Visual Display of Quantitative Information*. Graphics Press, second edition.
- Tullis, T., Wood, L.** (2004). How many users are enough for a card-sorting study? In *Proc. of Usability Professionals Association Conference*.
- Tullis, T. S.** (1985). Designing a menu-based interface to an operating system. *SIGCHI Bulletin*, 16(4):79–84.
- Ulich, E.** (2001). *Arbeitspsychologie*. Schaeffer-Pöschel, Stuttgart.
- van Dam, A.** (1997). Post-WIMP user interfaces. *Communications of the ACM*, 40(2):63–67.
- van Dam, A., Rice, D. E.** (1971). On-line text-editing. *Computing Surveys*, 3(3):93–114.
- van Wijk, J. J.** (2005). The value of visualization. In *Proc. of IEEE Visualization*, S. 79–86.
- van Wijk, J. J., Nuij, W. A. A.** (2004). A model for smooth viewing and navigation of large 2d information spaces. *IEEE Trans. on Visualization and Computer Graphics*, 10(4):447–458.
- van Wijk, J. J., van de Wetering, H.** (1999). Cushion treemaps: Visualization of hierarchical information. In *Proc. of the IEEE Symposium on Information Visualization (INFOVIS'99)*, S. 73.
- Varakin, D. A., Levin, D. T., Fidler, R.** (2004). Unseen and unaware: Implications of recent research on failures of visual awareness for human-computer interface design. *Human-Computer Interaction*, 19(4): 389–422.
- Verplank, W. L.** (1988). In: *Handbook of Human-Computer Interaction*, chapter Graphics challenge in designing object-oriented interfaces, S. 365–376. North Holland.
- Vicente, K. J., Rasmussen, J.** (1992). Ecological interface design: Theoretical foundations. *IEEE Trans. on Systems, Man, and Cybernetics*, 22(4):589–606.
- Viégas, F. B., Wattenberg, M.** (2008). Tag clouds and the case for vernacular visualization. *interactions*, 15(4):49–52.
- Vinson, N. G.** (1999). Design guidelines for landmarks to support navigation in virtual environments. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 278–285.
- Vogel, D., Baudisch, P.** (2007). Shift: a technique for operating pen-based interfaces using touch. In *Proc. of the ACM SIGCHI conference on Human factors in computing systems*, S. 657–666.
- von Wilamowitz-Moellendorff, M., Hassenzahl, M., Platz, A.** (2007). Veränderung in der wahrnehmung und bewertung interaktiver produkte. In *Proc. of Mensch & Computer*, S. 49–58.
- Wahlster, W.** (1991). *Intelligent User Interfaces*, chapter User and Discourse Models for Multimodal Communication, S. 45–67. ACM Press.
- Wahrig-Burfeind, R.** (1996). *Deutsches Wörterbuch*, volume 6. Bertelsmann Lexikon Verlag, Gütersloh.
- Wakkary, R.** (2009). Anything is a fridge: the implications of everyday designers. *interactions*, 16(5):12–17.
- Wakkary, R., Maestri, L.** (2008). Aspects of everyday design: Resourcefulness, adaptation, and emergence. *International Journal of Human-Computer Interaction*, 24(5):478–491.
- Wandmacher, J.** (1993). *Software-Ergonomie*. Walter Gruyter Berlin.

- Wanger, L., Ferwerda, J., Greenberg, D.** (1992). Perceiving spatial relationships in computer-generated images. *IEEE Computer Graphics and Applications*, 12(3):44–58.
- Ward, M., Grinstein, G., Keim, D. A.** (2010). *Interactive Data Visualization: Foundations, Techniques, and Application*. A. K. Peters, Ltd.
- Ware, C.** (2004). *Information Visualization - Perception for Design*. 2. Auflage. Morgan Kaufmann.
- Ware, C.** (2008). *Visual Thinking for Design*. Morgan Kaufmann Publishers Inc.
- Ware, C., Jessome, D. R.** (1988). Using the bat: A six-dimensional mouse for object placement. *IEEE Computer Graphics Applications*, 8(6):65–70.
- Ware, C., Arthur, K., Booth, K. S.** (1993). Fish tank virtual reality. In *Proc. of the INTERACT '93 and CHI '93 conference on Human factors in computing systems*, S. 37–42. ACM.
- Ware, C., Neufeld, E., Bartram, L.** (1999). Visualizing causal relations. In *Proc. of IEEE Information Visualization: Late Breaking Hot Topics*, S. 39–42.
- Weber, G., Weber, U., Vieritz, H.** (2008). Zugang zu elektronischen fahrplananzeigen. In *Proc. of Mensch & Computer*, S. 23–32. Oldenbourg-Verlag.
- Wechsung, I., Hurtienne, J., Naumann, A.** (2009). Multimodale interaktion: Intuitiv, robust, bevorzugt und altersgerecht? In *Proc. of Mensch & Computer*, S. 213–222. Oldenbourg-Verlag.
- Weiser, M.** (1991). The computer for the 21st century. *Scientific American*, S. 94–104.
- Weiser, M.** (1993). Some computer science issues in ubiquitous computing. *Communications of the ACM*, 36(7):75–84.
- Weiser, M.** (1994). The world is not a desktop. *interactions*, 1(1):7–8.
- Weiss, A.** (2007). Desktops in 3d. *net-Worker*, 11(1):26–33.
- Wertheimer, M.** (1925). *Drei Abhandlungen zur Gestalttheorie*. Verlag der Philosophischen Akademie Erlangen.
- Wertheimer, M.** (1939). *Source Book of Gestalt Psychology*, chapter Laws of Organization in Perceptual Forms. Harcourt Brace, New York.
- Wessels, M. G.** (1990). *Kognitive Psychologie, Übersetzung aus dem Amerikanischen: Jochen Gerstenmaier*, volume 2. unveränderte Auflage (1. Auflage 1984). Ernst Reinhardt GmbH & Co Verlag, München.
- Wickens, C. D., Holland, J. G.** (2000). *Engineering psychology and human performance*. Prentice Hall, New Jersey.
- Wickens, C. D., Lee, J. D., Liu, Y.** (2004). *An introduction to human factors engineering*. Upper Saddle River: Prentice-Hall.
- Williams, G.** (1983). The lisa computer system. *Byte*, 8(2):33–50.
- Williams, G.** (1984). The apple macintosh computer. *Byte*, 9(2):30–54.
- Winograd, T., Guimbretière, F.** (1999). Visual instruments for an interactive mural. In *CHI EA: Extended abstracts on Human factors in computing systems (ACM CHI '99)*, S. 234–235.
- Wolfe, J. M.** (1994). Guided search 2.0: A revised model of visual search. *Psychonomic Bulletin and Review*, 1: 202–238.
- Wolfe, J. M.** (2003). Moving towards solutions to some enduring controversies in visual search. *Trends in Cognitive Sciences*, 7(2):70–76.

- Wolfe, J. M., Cave, K., Franzel, S.** (1989). Guided search: An alternative to the feature integration model for visual search. *Journal of Experimental Psychology in Human Perception and Performance*, 15:419–433.
- Wolfe, J. M., Butcher, S. J., Lee, C., Hyle, M.** (2003). Changing your mind: On the contributions of top-down and bottom-up guidance in visual search for feature singletons. *Journal of Experimental Psychology: Human Perception and Performance*, 29:483–502.
- Wong, B. L. W., Joyekurun, R., Mansour, H., Amaldi, P., Nees, A., Villanueva, R.** (2005). Depth, layering and transparency: developing design techniques. In *Proc. of computer-human interaction special interest group (CHISIG) of Australia*, S. 1–10.
- Wu, M., Balakrishnan, R.** (2003). Multi-finger and whole hand gestural interaction techniques for multi-user tabletop displays. In *Proc. of the ACM Symposium on User interface software and technology (UIST '03)*, S. 193–202.
- Wurster, C.** (2002). *Computer – Eine illustrierte Geschichte*. Taschen, Köln.
- Yamada, H.** (1980). A historical study of typewriters and typing methods: from the position of planning japanese parallels. *Journal of Information Processing*, 5(2):175–202.
- Yang, J., Ward, M. O., Rundensteiner, E. A., Patro, A.** (2003). Inter-ring: a visual interface for navigating and manipulating hierarchies. *Information Visualization*, 2(1):16–30.
- Yi, J. S., Kang, Y., Stasko, J., Jacko, J.** (2007). Toward a deeper understanding of the role of interaction in information visualization. *IEEE Trans. on Visualization and Computer Graphics*, 13(6):1224–1231.
- Young, R. M.** (1983). chapter Surrogates and mappings: Two kinds of conceptual models for interactive devices, S. 35–52. Erlbaum, Hillsdale, NJ.
- Yurcik, W., Thompson, R. S., Twidale, M. B., Rantanen, E. M.** (2007). If you can't beat 'em, join 'em: combining text and visual interfaces for security-system administration. *interactions*, 14(1):12–14.
- Zachary, G. P.** (1999). *Endless Frontier: Vannevar Bush, Engineer of the American Century*. The MIT Press.
- Zhai, S., Smith, B. A., Selker, T.** (1997). Improving browsing performance: A study of four input devices for scrolling and pointing tasks. In *Proc. of the IFIP TC13 International Conference on Human-Computer Interaction*, S. 286–293, London, UK, UK. Chapman & Hall, Ltd.
- Zhai, S., Hunter, M. A., Smith, B. A.** (2000). The metropolis keyboard - an exploration of quantitative techniques for virtual keyboard design. In *Proc. of ACM Symposium on User Interfaces and Software Technology (UIST '00)*, S. 119–128.
- Zhao, S., Balakrishnan, R.** (2004). Simple vs. compound mark hierarchical marking menus. In *Proc. of ACM symposium on User interface software and technology (UIST '04)*, S. 33–42.
- Zhao, S., Agrawala, M., Hinckley, K.** (2006). Zone and polygon menus: using relative position to increase the breadth of multi-stroke marking menus. In *Proc. of ACM SIGCHI conference on Human Factors in computing systems*, S. 1077–1086.

- Zimbardo, P. G.** (1983). *Psychologie*. Springer, Heidelberg.
- Zimolong, B.** (1990). *Ingenieurpsychologie. Enzyklopädie der Psychologie*, chapter Fehler und Zuverlässigkeit, S. 313–345. Hogrefe Göttingen.