

## Literaturverzeichnis

- Abowd, G. D., Mynatt, E. D.** (2000). Charting past, present, and future research in ubiquitous computing. *ACM Trans. on CHI*, 7(1):29–58.
- Adler, J.** (2009). *R in a Nutshell*. O'Reilly Media.
- Agrawala, M., Beers, A. C., McDowall, I., Fröhlich, B., Bolas, M., Hanrahan, P.** (1997). The Two-user Responsive Workbench: Support for Collaboration Through Individual Views of a Shared Space. In *Proc. of ACM SIGGRAPH*, S. 327–332.
- Aigner, R., Wigdor, D., Benko, H. et al.** (2012). Understanding Mid-Air Hand Gestures: A Study of Human Preferences in Usage of Gesture Types for HCI - Microsoft Research, 2012.
- Akamutsu, M., MacKenzie, I.S., Hasbrouq, T.** (1995). A Survey of Augmented Reality. Presence: Teleoperators and Virtual Environments. *Presence: Teleoperators and Virtual Environments*, 6(4):355–385.
- Akaoka, E., Ginn, T., Vertegaal, R.** (2010). DisplayObjects: Prototyping Functional Physical Interfaces on 3D Styrofoam, Paper or Cardboard Models. In *Proc. of Tangible, Embedded, and Embodied Interaction*, TEI '10, S. 49–56.
- Alce, G., Hermodsson, K., Wallergård, M.** (2013). WozARd: A Wizard of Oz Tool for Mobile AR. In *Proc. of MobileHCI*, S. 600–605.
- Alexander, J., Han, T., Judd, W., Irani, P., Subramanian, S.** (2012). Putting Your Best Foot Forward: Investigating Real-world Mappings for Foot-based Gestures. In *Proc. of ACM CHI*, S. 1229–1238.
- Alt, F., Shirazi, A. S., Kubitz, T., Schmidt, A.** (2013). Interaction Techniques for Creating and Exchanging Content with Public Displays. In *Proc. of ACM CHI*, S. 1709–1718.
- Andre, T., Hartson, H. R., Belz, S. M., McCreary, F. A.** (2001). The user action framework: a reliable foundation for usability engineering support tools. *International Journal of Human-Computer Studies*, 54(1): 107–136.
- Angel, E., Shreiner, D.** (2011). *Interactive Computer Graphics: A Top-Down Approach with Shader-Based OpenGL*. Pearson.
- Angelopoulou, A., Rodríguez, J. G., Psarrou, A., Mentzelopoulos, M., Bharat, R., Orts-Escolano, S., Serra, J. A., Lewis, A.** (2013). Natural User Interfaces in Volume Visualisation Using Microsoft Kinect. In *Proc. of ICIAP Workshops*, S. 11–19.
- Annett, M., Grossman, T., Wigdor, D., Fitzmaurice, G.** (2011). Medusa: A Proximity-aware Multi-touch Tabletop. In *Proc. of ACM UIST*, S. 337–346.
- Apitz, G., Guimbretière, F., Zhai, S.** (2008). Foundations for Designing and Evaluating User Interfaces Based on the Crossing Paradigm. *ACM Trans. Comput.-Hum. Interact.*, 17(2): 9:1–9:42.
- Argelaguet, F., Kunert, A., Kulik, A., Fröhlich, B.** (2010). Improving Collaboration in Co-located Interactions with Show-Through Techniques. In *Proc. of IEEE 3D UI*, S. 55–62.
- Assenmacher, I., Kuhlen, T.** (2008). The ViSTA virtual reality toolkit. In *Proc. of IEEE VR SEARIS*, S. 23–26.
- Augsten, T., Kaefer, K., Meusel, R. et al.** (2010). Multitoe: High-precision Interaction with Back-projected

- Floors Based on High-resolution Multi-touch Input. In *Proc. of ACM UIST*, S. 209–218.
- Bacim, F., Sinclair, M., Benko, H.** (2013). Understanding Touch Selection Accuracy on Flat and Hemispherical Deformable Surfaces. In *Proc. of Graphics Interface*, S. 197–204.
- Backhaus, N., Brandenburg, S.** (2013). Emotionen und ihre Dynamik in der Mensch-Technik-Interaktion. In *Proc. of Mensch & Computer*, S. 79–88.
- Bade, R., Ritter, F., Preim, B.** (2005). Usability Comparison of Mouse-Based Interaction Techniques for Predictable 3d Rotation. In *Proc. of Smart Graphics*, S. 138–150.
- Bae, S.-H., Balakrishnan, R., Singh, K.** (2008). ILoveSketch: as-natural-as-possible sketching system for creating 3d curve models. In *Proc. of ACM UIST*, S. 151–160.
- Bae, S.-H., Balakrishnan, R., Singh, K.** (2009). EverybodyLovesSketch: 3D sketching for a broader audience. In *Proc. of ACM UIST*, S. 59–68.
- Baer, A., Gasteiger, R., Cunningham, D. W., Preim, B.** (2011). Perceptual Evaluation of Ghosted View Techniques for the Exploration of Vascular Structures and Embedded Flow. *Computer Graphics Forum*, 30(3):811–820.
- Baer, A., Hübler, A., Saalfeld, P., Cunningham, D., Preim, B.** (2014). A Comparative User Study of a 2D and an Autostereoscopic 3D Display for a Tympanoplastic Surgery. In *Proc. of EG Workshop on Visual Computing for Biology and Medicine (VCBM)*, S. 181–190.
- Bailenson, J. N., Swinth, K. R., Hoyt, C. L., Persky, S., Dimov, A., Blascovich, J.** (2005). The Independent and Interactive Effects of Embodied-Agent Appearance and Behavior on Self-Report, Cognitive, and Behavioral Markers of Copresence in Immersive Virtual Environments. *Presence*, 14(4):379–393.
- Bailey, B. P., Konstan, J. A.** (2003). Are Informal Tools Better?: Comparing DEMAIS, Pencil and Paper, and Authorware for Early Multimedia Design. In *Proc. of ACM CHI*, S. 313–320.
- Bailey, B. P., Konstan, J. A., Carlis, J. V.** (2001). DEMAIS: designing multimedia applications with interactive storyboards. In *Proc. of ACM Multimedia*, S. 241–250.
- Bailly, G., Vo, D.-B., Lecolinet, E., Guiard, Y.** (2011). Gesture-aware Remote Controls: Guidelines and Interaction Technique. In *Proc. of Multimodal Interfaces*, S. 263–270.
- Bailly, G., Müller, J., Rohs, M., Wigdor, D., Kratz, S.** (2012). ShoeSense: A New Perspective on Gestural Interaction and Wearable Applications. In *Proc. of ACM CHI*, S. 1239–1248.
- Bair, A., House, D. H.** (2007). Grid With a View: Optimal Texturing for Perception of Layered Surface Shape. *IEEE Trans. Vis. Comput. Graph.*, 13: 1656–1663.
- Bair, A., House, D. H., Ware, C.** (2006). Texturing of Layered Surfaces for Optimal Viewing. *IEEE Trans. Vis. Comput. Graph.*, 12:1125–1132.
- Bajura, M., Fuchs, H., Ohbuchi, R.** (1992). Merging Virtual Objects with the Real World: Seeing Ultrasound Imagery within the Patient. In *Proc. of SIGGRAPH*, S. 203–210.
- Balakrishnan, R., Baudel, T., Kurtenbach, G., Fitzmaurice, G.** (1997). The Rockin' Mouse: integral 3D manipulation on a plane. In *Proc. of ACM CHI*, S. 311–318.

- Ballagas, R., Borchers, J., Rohs, M., Sheridan, Jennifer G.** (2006). The Smart Phone: A Ubiquitous Input Device. *IEEE Pervasive Computing*, 5 (1):70–77.
- Ballendat, T., Marquardt, N., Greenberg, S.** (2010). Proxemic Interaction: Designing for a Proximity and Orientation-aware Environment. In *Proc. of ACM ITS*, S. 121–130.
- Bargas-Avila, J. A., Hornbæk, K.** (2011). Old wine in new bottles or novel challenges: a critical analysis of empirical studies of user experience. In *Proc. of ACM CHI*, S. 2689–2698.
- Bartindale, T., Hook, J., Olivier, P.** (2009). Media Crate: tangible live media production interface. In *Proc. of Tangible and Embedded Interaction*, TEI '09, S. 255–262.
- Basdogan, C., Sedef, M., Harders, M., Wesarg, S.** (2007). VR-based simulators for training in minimally invasive surgery. *IEEE CGA*, 27(2):54–66.
- Batter, J. J., Brooks, F. P.** (1971). GROPE-I: A computer display to the sense of feel. In *Proc. of IFIP Congress on Information Processing*, S. 759–763.
- Bau, O., Mackay, W. E.** (2008). OctoPocus: A Dynamic Guide for Learning Gesture-based Command Sets. In *Proc. of ACM UIST*, S. 37–46.
- Baudel, T., Beaudouin-Lafon, M.** (1993). Charade: Remote Control of Objects Using Free-hand Gestures. *CACM*, 36(7):28–35.
- Baudisch, P., Chu, G.** (2009). Back-of-device Interaction Allows Creating Very Small Touch Devices. In *Proc. of ACM CHI*, S. 1923–1932.
- Baudisch, P., Becker, T., Rudeck, F.** (2010). Lumino: Tangible blocks for tabletop computers based on glass fiber bundles. In *Proc. of ACM SIGCHI*, S. 1165–1174.
- Baur, D., Lee, B., Carpendale, S.** (2012). TouchWave: Kinetic Multi-touch Manipulation for Hierarchical Stacked Graphs. In *Proc. of ACM ITS*, S. 255–264.
- Beaudouin-Lafon, M., Mackay, W.** (2003). *The Human Computer Interaction Handbook*, chapter Prototyping Tools and Techniques, S. 1006–1031. Lawrence Erlbaum.
- Beaudouin-Lafon, M., Huot, S., Nancel, M. et al.** (2012). Multisurface Interaction in the WILD Room. *Computer*, 45(4):48–56.
- Beck, K.** (2000). *Extreme programming explained: embrace change*. Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA.
- Beck, K., Andres, C.** (2004). *Extreme Programming Explained: Embrace Change*. Addison-Wesley Professional, zweite edition.
- Beckhaus, S., Ritter, F., Strothotte, T.** (2000). CubicalPath - Dynamic Potential Fields for Guided Exploration in Virtual Environments. In *Proc. of Pacific Conference on Computer Graphics and Applications*, S. 387–396.
- Beckhaus, S., Blom, K. J., Haringer, M.** (2007). ChairIO - the Chair-Based Interface. In Magerkurth und Rötzler, Herausgeber, *Concepts and Technologies for Pervasive Games: A Reader for Pervasive Gaming Research vol. 1*, S. 231–264. Shaker Verlag.
- Beckhaus, S., Schröder-Kroll, R., Berghoff, M.** (2008). Back to the sandbox: playful interaction with granules landscapes. In *Proc. of Tangible and Embedded Interaction*, TEI '08, S. 141–144.
- Bederson, B. B., Hollan, J. D.** (1994). Pad++: a zooming graphical interface

- for exploring alternate interface physics. In *Proc. of ACM UIST*, S. 17–26.
- Behr, J., Jung, Y., Drevensek, T., Aderhold, A.** (2011). Dynamic and interactive aspects of X3DOM. In *Proc. of Web 3D Technology*, S. 81–87.
- Behr, J., Jung, Y., Franke, T., Sturm, T.** (2012). Using images and explicit binary container for efficient and incremental delivery of declarative 3D scenes on the web. In *Proc. of Web 3D Technology*, S. 17–25.
- Beier, B., Vaughan, M. W.** (2003). The bull's-eye: a framework for web application user interface design guidelines. In *Proc. of ACM CHI*, S. 489–496.
- Bell, B., Feiner, S. K., Höllerer, T.** (2001). View management for virtual and augmented reality. In *Proc. of ACM UIST*, S. 101–110.
- Bellgardt, E.** (2004). *Statistik mit SPSS. 2. überarbeitete Auflage*. Vahlen.
- Bellucci, A., Malizia, A., Aedo, I.** (2014). Light on Horizontal Interactive Surfaces: Input Space for Tabletop Computing. *ACM Comput. Surv.*, 46(3):32:1–32:42.
- Benford, S., Greenhalgh, C., Gian-nachi, G., Walker, B., Marshall, J., Rodden, T.** (2012). Uncomfortable Interactions. In *Proc. of ACM CHI*, S. 2005–2014.
- Benko, H.** (2009). Beyond Flat Surface Computing: Challenges of Depth-aware and Curved Interfaces. In *Proc. of the ACM International Conference on Multimedia*, S. 935–944.
- Benko, H., Wilson, A. D., Baudisch, P.** (2006). Precise Selection Techniques for Multi-touch Screens. In *Proc. of ACM CHI*, S. 1263–1272.
- Benyon, D., Turner, P., Turner, S.** (2005). *Designing Interactive Systems: People, Activities, Contexts, Technologies*. Addison Wesley.
- Bernard, H. R.** (1995). *Research methods in anthropology: qualitative and quantitative approaches*. London, Altamira.
- Berry, D., Broadbent, D.** (1990). The role of instruction and verbalization in improving performance on complex search tasks. *Behaviour & Information Technology*, 9(3):175–190.
- Bevan, N.** (1995). Usability is quality of use. In *Proc. of Human Computer Interaction*, S. 349–354.
- Bevan, N., Barnum, C., Cockton, G., Nielsen, J., Spool, J. M., Wixon, D. R.** (2003). The "magic number 5": is it enough for web testing? In *Proc. of CHI '03 Extended Abstracts*, S. 698–699.
- Bias, R. G., Mayhew, D. J.** (1994). *Cost-justifying usability*. Academic Press, Inc., Orlando, FL, USA.
- Bichlmeier, C., Heinig, S. M., Mohammad, R., Nassir, N.** (2007). Laparoscopic Virtual Mirror for Understanding Vessel Structure: Evaluation Study by Twelve Surgeons. In *Proc. of the Symposium on Mixed and Augmented Reality (ISMAR)*, S. 125–128.
- Bichlmeier, C., Kipot, M., Holdstock, S., Heining, S. M., Euler, E., Navab, N.** (2009). A Practical Approach for Intraoperative Contextual In-Situ Visualization. In *Proc. of Augmented Environments for Medical Imaging including Augmented Reality in Computer-aided Surgery (AMI-ARCS 2009)*.
- Bier, E. A.** (1987). Skitters and jacks: interactive 3D positioning tools. In *Proc. of ACM I3D*, S. 183–196.
- Bier, E. A.** (1990). Snap-dragging in three dimensions. In *Proc. of ACM I3D*, S. 193–204.

- Bier, E. A., Stone, M. C.** (1986). Snapdragging. In *Proc. of ACM SIGGRAPH*, S. 233–240.
- Bier, E. A., Stone, M. C., Pier, K., Buxtonand, W., DeRose, T. D.** (1993). Toolglass and magic lenses: the see-through interface. In *Proc. of ACM SIGGRAPH*, S. 73–80.
- Bimber, O., Encarnaçao, L. M., Stork, A.** (2000). A multi-layered architecture for sketch-based interaction within virtual environments. *Computers & Graphics*, 24(6):851–867.
- Birr, S., Dachselt, R., Preim, B.** (2011). Mobile Interactive Displays for Medical Visualization. In *Proc. DEXIS Workshop at ITS*.
- Birr, S., Mönch, J., Sommerfeld, D., Preim, B.** (2012). A novel Real-Time Web3D Surgical Teaching Tool based on WebGL. In *Proc. of Bildverarbeitung für die Medizin (BVM)*, S. 404–409.
- Birr, S., Mönch, J., Sommerfeld, D., Preim, U., Preim, B.** (2013). The LiverAnatomyExplorer: A WebGL-based Surgical Teaching Tool. *IEEE CGA*, 33(5):48–58.
- Bischof, M., Conradi, B., Lachenmaier, P., Linde, K., Meier, M., Pötzl, P., André, E.** (2008). Xenakis: combining tangible interaction with probability-based musical composition. In *Proc. of Tangible and Embedded Interaction*, TEI '08, S. 121–124.
- Bjerknes, G., Ehn, P., Kyng, M.** (1987). *Computers and Democracy: A Scandinavian Challenge*. Avebury.
- Blackler, A. L.** (2009). Applications of high and low fidelity prototypes in researching intuitive interaction. In *Proc. of the Design Research Society Conference*.
- Blackmon, M. H., Polson, P. G., Kitajima, M., Lewis, C.** (2002). Cognitive walkthrough for the web. In *Proc. of ACM CHI*, S. 463–470.
- Blackshaw, M., DeVincenzi, A., Lakkatos, D., Leithinger, D., Ishii, H.** (2011). Recompose: Direct and Gestural Interaction with an Actuated Surface. In *Proc. of CHI '11 Extended Abstracts*, S. 1237–1242.
- Blankertz, B., Tangermann, M., Vidaurre, C. et al.** (2010). The Berlin Brain-Computer Interface: Non-Medical Uses of BCI Technology. *Frontiers in Neuroscience*, 4(198).
- Block, F., Wigdor, D., Phillips, B. C., Horn, M. S., Shen, C.** (2012). FlowBlocks: A Multi-touch UI for Crowd Interaction. In *Proc. of ACM UIST*, S. 497–508.
- Blomberg, J.** (1986). *Transformation of White Collar Work*, chapter Social Interaction and Office Communication: Effects on User Evaluations of New Technologies, S. 195–210. Erlbaum Press, New Jersey.
- Blomberg, J., Burrell, M., Guest, G.** (2003). *The Human Computer Interaction Handbook*, chapter An Ethographic Approach to Design, S. 964–986. Lawrence Erlbaum.
- Blundell, B., Schwarz, A.** (2000). *Volumetric Three Dimensional Display System*. Wiley.
- Bødker, S., Madsen, K. H.** (1998). Methods & tools: context: an active choice in usability work. *interactions*, 5(4):17–25.
- Boehm, B.W.** (1981). *Software Engineering Economics*. Prentice Hall.
- Böhm, K., Hübner, W., Väänänen, K.** (1992). GIVEN - Gesture Driven Interactions in Virtual ENvironments. A toolkit approach to 3D interactions. In *Proc. of the Interfaces to Real and*



- Virtual Worlds Conference*, S. 243–254.
- Boies, S. J., Gould, J. D., Levy, S. E., Richards, J. T., Schoonard, J. W.** (1985). The 1984 Olympic Message System – A Case Study in System Design. In *IBM Research Report*. RC 11138, Yorktown Heights, New Jersey.
- Boll, S., Kun, A. L., Fröhlich, P., Foley, J.** (2013). Automotive user interface research moves into fast lane. In *Proc. of CHI '13 Extended Abstracts*, S. 2525–2528.
- Bolt, R. A.** (1980). „Put-that-there“: Voice and Gesture at the Graphics Interface. *SIGGRAPH Comput. Graph.*, 14(3):262–270.
- Booch, G., Maksimchuk, R. A., Engel, M. W., Young, B. J., Conallen, J., Houston, K. A.** (2007). *Object Oriented Software Engineering: A Use Case Driven Approach*. Addison-Wesley Professional, 3. auflage edition.
- Borchers, J.** (2001). *A Pattern Approach to Interaction Design (PAID)*. John Wiley & Sons.
- Boren, T., Ramey, J.** (2000). Thinking aloud: reconciling theory and practice. *IEEE Trans. on Professional Communication*, 43(3):261–278.
- Börner, R.** (1993). Autostereoscopic 3D imaging by front and rear projection on flat panel displays. *DISPLAY*, 14: 39–46.
- Borst, C. W., Indugula, A. P.** (2005). Realistic Virtual Grasping. In *Proc. of IEEE VR*, S. 91–98.
- Bourguignon, D., Cani, M.-P., Drettakis, G.** (2001). Drawing for Illustration and Annotation in 3D. *Computer Graphics Forum*, 20(3).
- Bouzit, M., Popescu, G., Burdea, G., Boian, R.** (2002). The Rutgers Master II-ND Force Feedback Glove. In *Proc. of HAPTICS*, S. 145–.
- Bowman, D. A., Koller, D., Hodges, L. F.** (1997). Travel in Immersive Virtual Environments: An Evaluation of Viewpoint Motion Control Techniques. In *Proc. of Virtual Reality Annual International Symposium*, S. 45.
- Bowman, D. A., Johnson, D. B., Hodges, L. F.** (2001). Testbed Evaluation of Virtual Environment Interaction Techniques. *Presence: Teleoper. Virtual Environ.*, 10:75–95.
- Bowman, D. A., Kruiff, E., la Viola, J., Poupyrev, I.** (2004). *3D User Interfaces: Theory and Practice*. Addison Wesley.
- Brashear, H., Henderson, V., Park, K.-H., Hamilton, H., Lee, S., Starner, T.** (2006). American Sign Language Recognition in Game Development for Deaf Children. In *Proc. of ACM SIGACCESS Conference on Computers and Accessibility*, S. 79–86.
- Brau, C., Brau, H., Geis, T., Huber, P., Lutsch, C., Petrovic, K., Polkehn, K.** (2011). The Usability/UX Profession - Berufsfeld Usability. In *Fachschrift des German Chapter der UPA*, S. 48 Seiten.
- Brau, H., Schulze, H.** (2004). Kooperative Evaluation: Usability Inspektion in komplexen und verteilten Anwendungsdomänen. In *Proc. of German Chapter der UPA*, S. 127–132.
- Brave, S., Ishii, H., Dahley, A.** (1998). Tangible interfaces for remote collaboration and communication. In *Proc. of ACM CSCW*, S. 169–178.
- Breakwell, G. M., Wood, P.** (1995). *Research Methods in Psychology*, chapter Diary Techniques, S. 293–301. Sage Publications, London.

- Bronstein, I. N., Semendjajew, K. A., Musiol, G., Mühlig, H.** (2001). *Taschenbuch der Mathematik, 5. Auflage*. Deutsch Harri GmbH, Frankfurt.
- Brown, J., Wilson, J., Gossage, S., Hack, C., Biddle, R.** (2013). Surface Computing and Collaborative Analysis Work. *Synthesis Lectures on Human-Centered Informatics*, 6(4):1–168.
- Browne, J., Lee, B., Carpendale, S., Riche, N., Sherwood, T.** (2011). Data Analysis on Interactive Whiteboards Through Sketch-based Interaction. In *Proc. of ACM ITS*, S. 154–157.
- Bruno, N., Cutting, J. E.** (1988). Modularity and the Perception of Layout. *Journal of Experimental Psychology*, 117(2):161–170.
- Bryson, S.** (1996). Virtual Reality in Scientific Visualization. *CACM*, 39(5):62–71.
- Bryson, S., Gerald-Yamasaki, M.** (1992). The Distributed Virtual Windtunnel. In *Proc. of the ACM/IEEE Conference on Supercomputing*, S. 275–284.
- Buchenau, M., Suri, J. F.** (2000). Experience Prototyping. In *Proc. of Designing Interactive Systems (DIS)*, S. 424–433.
- Budweg, S., Draxler, S., Lohmann, S., Rashid, A., Stevens, G.** (2009). Open Design Spaces - Innovation durch Nutzerbeteiligung. In *Proc. of Workshop-Band der Tagung Mensch & Computer*, S. 31–35.
- Bukowski, R. W., Séquin, C. W.** (1995). Object associations: a simple and practical approach to virtual 3D manipulation. In *Proc. of ACM I3D*, S. 131–138.
- Burgert, O., Neumuth, T., Audette, M., Pössneck, A., Mayoral, R., Dietz, A., Meixensberger, J., Trantakis, C.** (2007). Requirement Specification for Surgical Simulation Systems with Surgical Workflows. In *Proc. of Medicine Meets Virtual Reality*, S. 58–63.
- Burmester, M., Hassenzahl, M., Koller, F.** (2002). Usability ist nicht alles: Wege zu attraktiven Produkten. *i-Com*, 1(1):32–40.
- Büschel, W., Kister, U., Frisch, M., Dachsel, R.** (2014). T4 - Transparent and Translucent Tangibles on Tabletops. In *Proc. of AVI*, S. 81–88.
- Bush, V.** (1945). As we may think. *Atlantic Monthly*.
- Butler, K. A.** (1996). Usability engineering turns 10. *interactions*, 3(1):58–75.
- Butz, A., Schmitz, M., Krüger, A., Hullmann, H.** (2005). Tangible UIs for Media Control: Probes into the Design Space. In *Proc. of CHI '05 Extended Abstracts*, S. 957–971.
- Buxton, B.** (2007). *Sketching User Experiences - Getting the Design Right and the Right Design*. Morgan Kaufmann.
- Buxton, W.** (2007). Multi-Touch Systems that I Have Known and Loved. 2007b. URL <http://www.billbuxton.com/multitouchOverview.html>.
- Buxton, W.** (1990). Human-computer interaction. chapter There's More to Interaction Than Meets the Eye: Some Issues in Manual Input, S. 122–137. Prentice Hall Press, Upper Saddle River, NJ, USA.
- Buxton, W.** (1996). Living in Augmented Reality: Ubiquitous Media and Reactive Environments. In K. Finn, A. Sellen, und S. Wilber, Herausgeber, *Video Mediated Communication*, S. 215–229.

- Buxton, W., Myers, B.** (1986). A study in Two-handed Input. In *Proc. of ACM CHI*, S. 321–326.
- Buxton, W., Billingham, M., Guiard, Y., Sellen, A., Zhai, S.** (2011). Gesture Based Interaction. In *Human Input to Computer Systems: Theories, Techniques and Technology*. URL <http://www.billbuxton.com/inputManuscript.html>.
- Cadoz, C.** (1994). Le geste canal de communication homme/machine: la communication „instrumentale“. *Technique et Science Informatique*, 13 (1):31–61.
- Card, S. K., Moran, T. P., Newell, A.** (1980). The Keystroke-Level Model for User Performance Time with Interactive Systems. *CACM*, 23(7): 396–410.
- Card, S. K., Moran, T. P., Newell, A.** (1983). *The Psychology of Human-Computer Interaction*. Hillsdale, NJ, Lawrence Erlbaum Associates.
- Carroll, J. M.** (1995). *Scenario-based design: envisioning work and technology in system development*, chapter The scenario perspective on system development, S. 139–183. Wiley, New York.
- Carroll, J. M.** (2000). *Making Use: Scenario-Based Design of Human-Computer Interactions*. MIT Press, Cambridge, MA, USA.
- Carroll, J. M., Thomas, J. C.** (1988). Fun. *SIGCHI Bulletin*, 19 (3):21–24.
- Carroll, J. M., Kellogg, W. A., Rosson, M. B.** (1991). *Designing Interaction*, chapter The Task-Artifact Cycle, S. 74–102. Cambridge University Press.
- Chan, L., Müller, S., Roudaut, A., Baudisch, P.** (2012). CapStones and ZebraWidgets: sensing stacks of building blocks, dials and sliders on capacitive touch screens. In *Proc. of ACM SIGCHI*, S. 2189–2192.
- Chang, Y.-N., Lim, Y.-K., Stolterman, E.** (2008). Personas: from theory to practices. In *Proc. of NordiCHI*, S. 439–442.
- Chapanis, A.** (1981). *Man Computer Interaction: Human Factors Aspects of Computers and People*, chapter Interactive Human Communication: Some lessons learned from laboratory experiments. Rockville, MD: Sijthoff and Nordhoff.
- Chapman, C. N., Milham, R. P.** (2006). The personas new clothes: methodological and practical arguments against a popular method. In *Proc. of the Human Factors and Ergonomics Society Meeting*, S. 634–636.
- Chariton, C., Choi, M. H.** (2002). User interface guidelines for enhancing usability of airline travel agency e-commerce web sites. In *Proc. of CHI '02 Extended Abstracts*, S. 676–677.
- Chen, E.** (1995). QuickTime VR: an image-based approach to virtual environment navigation. In *Proc. of ACM SIGGRAPH*, S. 29–38.
- Chen, M., Mountford, S., Joy, S., Sellen, A.** (1988). A study in interactive 3-D rotation using 2-D control devices. In *Proc. of ACM SIGGRAPH*, S. 121–129.
- Cheung, V., Heydekorn, J., Scott, S., Dachsel, R.** (2012). Revisiting Hove-ring: Interaction Guides for Interactive Surfaces. In *Proc. of ACM ITS*, S. 355–358.
- Chittaro, L., Ranon, R.** (2007). Web3D technologies in learning, education and training: motivations, issues, opportunities. *Computers & Education*, 49(1):3–18.



- Chittaro, L., Ranon, R., Ieronutti, L.** (2003). Guiding visitors of Web3D worlds through automatically generated tours. In *Proc. of Web3D*, S. 27–38.
- Chojecki, P., Leiner, U.** (2009). Berührungslöse Gestik-Interaktion im Operationssaal. *i-com*, 8(1):13–18.
- Cignoni, P., Montani, C., Scopigno, R.** (1994). Magicsphere: An insight tool for 3d data visualization. *Computer Graphics Forum*, 13(3):317–328.
- Cirelli, M., Nakamura, R.** (2014). A Survey on Multi-touch Gesture Recognition and Multi-touch Frameworks. In *Proc. of ACM ITS*, S. 35–44.
- Cockburn, A., Brewster, S.** (2005). Multimodal feedback for the acquisition of small targets. *Ergon*, 45:1129–1150.
- Cockton, G., Lavery, D.** (1999). A framework for usability problem extraction. In *Proc. of Interact*, S. 344–352.
- Cody, R.** (2007). *Learning SAS by Example: A Programmer's Guide*. SAS Press.
- Coe, R.** (2002). It's the Effect Size, Stupid: What effect size is and why it is important. In *Proc. of the Conference of the British Educational Research Association*, S. 18 pages.
- Cohen, J.** (1969). *Statistical Power Analysis for the Behavioral Sciences*. Academic Press, New York.
- Cohn, M.** (2004). *User Stories Applied: For Agile Software Development*. Addison-Wesley, Reading.
- Cole, F., Sanik, K., DeCarlo, D., Finkelstein, A., Funkhouser, T., Rusinkiewicz, S., Singh, M.** (2009). How well do line drawings depict shape? *ACM Trans. Graph.*, 28:28:1–28:9.
- Coles, T., Meglan, D., John, N.** (2011). The Role of Haptics in Medical Training Simulators: A Survey of the State of the Art. *IEEE Trans. on Haptics*, 4(1):51–66.
- Conner, D., Snibbe, S., Herndon, K., Robbins, D., Zeleznik, R., van Dam, A.** (1992). Three-dimensional widgets. In *Proc. of ACM Interactive 3D Graphics*, S. 183–188.
- Cook, M. T., Agah, A.** (2009). A survey of sketch-based 3-D modeling techniques. *Interact. Comput.*, 21:201–211.
- Cooper, A.** (1999). *The inmates are running the asylum*. Macmillan.
- Cooper, A., Reimann, R., Cronin, D.** (2007). *About Face 3: The Essentials of Interaction Design*. Wiley Publishing.
- Cordes, J., Mühler, K., Oldhafer, K. J., Stavrou, G., Hillert, C., Preim, B.** (2007). Szenariobasierte Entwicklung eines chirurgischen Trainingssystemes. In *Proc. of Workshop der GMDS AG*, S. 17–30.
- Cordes, J., Hintz, K., Franke, J., Bochwitz, C., Preim, B.** (2008). Conceptual Design and Prototyping Implementation of a Case-based Training System for Spine Surgery. In *Proc. of e-Learning Baltics*, S. 169–178.
- Cordes, J., Dornheim, J., Preim, B.** (2009). Szenariobasierte Entwicklung von Systemen für Training und Planung in der Chirurgie. *i-Com*, 8(1): 5–12.
- Corsten, C., Wacharamanatham, C., Borchers, J.** (2013). Fillables: Everyday Vessels As Tangible Controllers with Adjustable Haptics. In *Proc. of CHI '13 Extended Abstracts*, S. 2129–2138.
- Cossairt, O. S., Napoli, J., Hill, S. L., Dorval, R. K., Favalora, G. E.** (2007). Occlusion-capable multiview volumetric three-dimensional

- display. *Applied Optics*, 46(8):1244–1250.
- Crossan, A., McGill, M., Brewster, S., Murray-Smith, R.** (2009). Head Tilting for Interaction in Mobile Contexts. In *Proc. of MobileHCI*, S. 6:1–6:10.
- Crow, F.** (1977). Shadow Algorithms for Computer Graphics. In *Proc. of ACM SIGGRAPH*, S. 242–248.
- Cruz-Neira, C., Sandin, D. J., DeFanti, T. A.** (1993). Surround-screen projection-based virtual reality: the design and implementation of the CAVE. In *Proc. of ACM SIGGRAPH*, S. 135–142.
- Czernuszenko, M., Pape, D., Sandin, D., DeFanti, T., Dawe, G. L., Brown, M. D.** (1997). The ImmersaDesk and Infinity Wall projection-based virtual reality displays. *SIGGRAPH Comput. Graph.*, 31:46–49.
- Czerwinski, M., Tan, D.S., Robertson, G. G.** (2002). Women take a wider view. In *Proc. of ACM CHI*, S. 195–202.
- Dachselt, R.** (2014). Multimodale Interaktion mit großen Displays. *Informatik-Spektrum*, 37(5):397–401.
- Dachselt, R., Buchholz, R.** (2008). Throw and Tilt – Seamless Interaction across Devices Using Mobile Phone Gestures. In *Proc. of Mobile and Embedded Interactive Systems*, S. 272–278.
- Dachselt, R., Buchholz, R.** (2009). Natural Throw and Tilt Interaction between Mobile Phones and Distant Displays. In *Proc. of CHI '09 Extended Abstracts*, S. 3253–3258.
- Dachselt, R., Hinz, M.** (2005). Three-Dimensional Widgets Revisited - Towards Future Standardization. In *Proc. of the Workshop New Directions in 3D User interfaces*, S. 89–92.
- Dachselt, R., Hübner, A.** (2007). Virtual Environments: Three-dimensional menus: A survey and taxonomy. *Computers & Graphics*, 31:53–65.
- Dachselt, R., Häkkinä, J., Jones, M., Löchtefeld, M., Rohs, M., Rukzio, E.** (2012). Pico Projectors: Firefly or Bright Future? *interactions*, 19(2): 24–29.
- Dahlbäck, N., Jönsson, A., Ahrenberg, L.** (1993). Wizard of Oz Studies: Why and How. In *Proc. of IUI*, S. 193–200.
- Daiber, F., Schöning, J., Krüger, A.** (2009). Whole body interaction with geospatial data. In *Proc. of Smart Graphics*, S. 81–92.
- Daiber, F., Gehring, S., Löchtefeld, M., Krüger, A.** (2012). TouchPosing: Multi-modal Interaction with Geospatial Data. In *Proc. of ACM MUM*, S. 8:1–8:4.
- Dalgaard, P.** (2008). *Introductory Statistics with R. 2. Auflage*. Springer New York.
- Dalgaard, P., Halskov, K.** (2014). Tangible 3D Tabletops. *interactions*, 21 (5):42–47.
- Dann, W., Cooper, S., Pausch, R.** (2006). *Learning to Program with Alice*. Prentice Hall.
- Darken, R. P., Sibert, J. L.** (1996). Wayfinding strategies and behaviors in large virtual worlds. In *Proc. of ACM CHI*, S. 142–149.
- Das, K., Borst, C. W.** (2010). An evaluation of menu properties and pointing techniques in a projection-based VR environment. In *Proc. of IEEE 3D UI*, S. 47–50.
- de Boor, C.** (2001). *A Practical Guide to Splines*. Springer.
- de Haan, G.** (2009). *Techniques and Architectures for 3D Interaction*. PhD Thesis, TU Delft.

- De Ruiter, J. P.** (2007). Postcards from the mind: The relationship between speech, imagistic gesture, and thought. *Gesture*, 7(1):21–38.
- DeFanti, T. A., Dawe, G., Sandin, D. J. et al.** (2009). The StarCAVE, a Third-generation CAVE and Virtual Reality OptIPortal. *Future Generation Computing Systems*, 25(2):169–178.
- Diaper, D., Stanton, N.** (2003). *The Handbook of Task Analysis for Human-Computer Interaction*. Lawrence Erlbaum Assoc Inc.
- Diefenbach, S., Hassenzahl, M., Kloeckner, K., Nass, C., Maier, A.** (2010). Ein Interaktionsvokabular: Dimensionen zur Beschreibung der Ästhetik von Interaktion. In *Proc. of German UPA*, S. 27–32.
- Diepstraten, J.** (2006). *Interactive Visualization Methods for Mobile Applications*. PhD Thesis, Universität Stuttgart.
- Diepstraten, J., Weiskopf, D., Ertl, T.** (2003). Interactive Cutaway Illustrations. *Computer Graphics Forum*, 22(3):523–532.
- Dietz, P., Leigh, D.** (2001). Diamond-Touch: a multi-user touch technology. In *Proc. of ACM UIST*, S. 219–226.
- Dipietro, L., Sabatini, A. M., Dario, P.** (2008). A Survey of Glove-Based Systems and Their Applications. *IEEE Trans. on Systems, Man, and Cybernetics, Part C*, 38(4):461–482.
- Dittert, N., Katterfeldt, E.-S., Reichel, M.** (2012). TechKreativ: Tangible Interfaces in Lernwelten. In B. Robben und H. Schelhowe, Herausgeber, *Be-greifbare Interaktionen – Der all-gegenwärtige Computer*, S. 293–304, Bielefeld. Transcript.
- Döllner, J., Baumann, K., Buchholz, H.** (2006). Virtual 3D City Models as Foundation of Complex Urban Information Spaces. In *Proc. of Urban Planning and Spatial Development in the Information Society*, S. 107–112.
- Donner, P., Mortl, A., Hirche, S., Buss, M.** (2013). Human-robot cooperative object swinging. In *Proc. of IEEE ICRA*, S. 4343–4349.
- Donovan, J., Brereton, M.** (2005). Movements in gesture interfaces. In *Proc. of the Workshop on Approaches to Movement-Based Interaction*, S. 6–10.
- Dooley, D., Cohen, M. F.** (1990). Automatic illustration of 3D geometric models: lines. In *Proc. of ACM I3D*, S. 77–82.
- Döring, T., Sylvester, A., Schmidt, A.** (2012). Be-greifen „beyond the Surface“ – Eine Materialperspektive auf Tangible User Interfaces. In B. Robben und H. Schelhowe, Herausgeber, *Be-greifbare Interaktionen – Der allgegenwärtige Computer*, S. 273–292, Bielefeld. Transcript.
- Dörner, R., Geiger, C., Haller, M., Paelke, V.** (2002). Authoring mixed reality - a component and framework-based approach. In *Proc. of IFIP Workshop on Entertainment Computing (IWEC)*, S. 405–413.
- Dörner, R., Broll, W., Grimm, P., Jung, B.** (2014). *Virtual und Augmented Reality (VR/AR): Grundlagen und Methoden der Virtuellen und Augmentierten Realität*. Springer.
- Dornheim, J., Born, S., Zachow, S., Gessat, M., Wellein, D., Strauß, G., Preim, B., Bartz, D.** (2008). Bildanalyse, Visualisierung und Modellerstellung für die Implantatplanung im Mittelohr. In *Proc. of Simulation and Visualization*, S. 139–154.
- dos Santos, C.R., Gros, P., Abel, P., Loisel, D., Trichaud, N., Paris, J.P.** (2000). Metaphor-Aware 3D Na-

- vigation. In *Proc. of IEEE Information Visualization*, S. 155–165.
- Dourish, P.** (2001). *Where The Action Is: The Foundations of Embodied Interaction*. MIT Press, Cambridge.
- Dow, S., Lee, J., Oezbek, C., MacIntyre, B., Bolter, J. D., Gandy, M.** (2005). Wizard of Oz Interfaces for Mixed Reality Applications. In *Proc. of CHI'05 Extended Abstracts*, S. 1339–1342.
- Drewes, H., Schmidt, A.** (2007). Interacting with the Computer Using Gaze Gestures. In *Proc. of INTERACT*, S. 475–488.
- Driskill, E., Cohen, E.** (1995). Interactive design, analysis, and illustration of assemblies. In *Proc. of ACM I3D*, S. 27–34.
- Duchowski, A.** (2011). *Eye Tracking Methodology: Theory and Practice*. Springer.
- Dumas, B., Lalanne, D., Oviatt, S.** (2009). Human Machine Interaction. chapter Multimodal Interfaces: A Survey of Principles, Models and Frameworks, S. 3–26.
- Dumas, J. S.** (2003). The human-computer interaction handbook. chapter User-based evaluations, S. 1093–1117. L. Erlbaum Associates Inc., Hillsdale, NJ, USA.
- Dumas, J. S., Loring, B. A.** (2008). *Usability Tests: Principles & Practices for Interacting*. Elsevier, Morgan Kaufmann Publishers.
- Dumas, J. S., Molich, R., Jeffries, R.** (2004). Describing usability problems: are we sending the right message? *Interactions*, 11(4):24–29.
- Edge, D., Blackwell, A. F.** (2009). Bimanual tangible interaction with mobile phones. In *Proc. of Tangible and Embedded Interaction*, TEI '09, S. 131–136.
- Ehmann, S. A., Lin, M. C.** (2001). Accurate and Fast Proximity Queries Between Polyhedra Using Convex Surface Decomposition. *Computer Graphics Forum*, 20(3):500–511.
- El Ali, A., Kildal, J., Lantz, V.** (2012). Fishing or a Z?: Investigating the Effects of Error on Mimetic and Alphabet Device-based Gesture Interaction. In *Proc. of ACM Multimodal Interaction*, S. 93–100.
- Elliott, C., Schechter, G., Yeung, R., Abi-Ezzi, S.** (1994). TBAG: a high level framework for interactive, animated 3D graphics applications. In *Proc. of ACM SIGGRAPH*, S. 421–434.
- Elmqvist, N., Tudoreanu, M.E., Tsigas, P.** (2008). Evaluating motion constraints for 3D wayfinding in immersive and desktop virtual environments. In *Proc. of ACM CHIs*, S. 1769–1778.
- Ericsson, K., Simon, H.** (1993). *Protocol Analysis: Verbal Reports as Data (2nd ed.)*. Boston: MIT Press.
- Erol, A., Bebis, G., Nicolescu, M., Boyle, R. D., Twombly, X.** (2007). Vision-based hand pose estimation: A review. *Computer Vision and Image Understanding*, 108(1-2):52–73.
- Essmaeel, K., Gallo, L., Damiani, E., Pietro, G., Dipanda, A.** (2014). Comparative evaluation of methods for filtering Kinect depth data. *Multimedia Tools and Applications*, S. 1–24.
- Faeth, A., Oren, M., Harding, C.** (2008). Combining 3-D Geovisualization with Force Feedback Driven User Interaction. In *Proc. of the ACM GIS*, S. 25:1–25:9.
- Fang, G., Gao, W., Zhao, D.** (2003). Large Vocabulary Sign Language Recognition Based on Hierarchical De-

- cision Trees. In *Proc. of Multimodal Interfaces*, S. 125–131.
- Färber, M., Hummel, F., Gerloff, C., Handels, H.** (2009). Virtual reality simulator for the training of lumbar punctures. *Methods of information in medicine*, 48:493–501.
- Farin, G.** (2001). *Curves and Surfaces for CAGD: A Practical Guide*. Morgan Kaufmann.
- Faulkner, L.** (2003). Beyond the five-user assumption: Benefits of increased sample sizes in usability testing. *Behavior Research Methods, Instruments and Computers*, 35(3):379–383.
- Fehrle, T.** (1993). *Mensch-Computer-Kommunikation: Benutzergerechte Systeme auf dem Weg in die Praxis*, chapter Empirische Evaluation von Benutzungsschnittstellen, S. 91–99. Springer, Heidelberg.
- Feiner, S., MacIntyre, B., Hollerer, T., Webster, A.** (1997). A Touring Machine: Prototyping 3D Mobile Augmented Reality Systems for Exploring the Urban Environment. In *Proc. of IEEE Symposium on Wearable Computers*, S. 74–.
- Fernaes, Y., Tholander, J., Jonsson, M.** (2008). Beyond representations: towards an action-centric perspective on tangible interaction. *International Journal of Arts and Technology*, 1 (3/4):249–267.
- Finstad, K., Xu, W., Kapoor, S., Canakapalli, S., Gladding, J.** (2009). Bridging the gaps between enterprise software and end users. *interactions*, 16(2):10–14.
- Fischer, H., Kluge, O., Polkehn, K. et al.** (2013). Do you speak usability? Aktueller Stand des Glossars und des Curriculums für den Certified Professional for Usability and User Experience (CPUX) der German UPA. In *Proc. of German Chapter der UPA*, S. 28–36.
- Fischer, M., Strauß, G., Gahr, S., Richter, I., Müller, S., Burgert, O., et al.** (2009). Three-dimensional Visualization for Preoperative Planning and Evaluation in Head and Neck Surgery. *Laryngo-Rhino-Otologie*, 88: 229–233.
- Fishkin, K. P.** (2004). A taxonomy for and analysis of tangible interfaces. *Personal Ubiquitous Computing*, 8(5):347–358.
- Fishkin, K. P., Gujar, A., Harrison, B. L., Moran, T. P., Want, R.** (2000). Embodied user interfaces for really direct manipulation. *CACM*, 43(9):74–80.
- Fitzmaurice, G. W.** (1996). *Graspable User Interfaces*. PhD Thesis, University of Toronto, Canada.
- Fitzmaurice, G. W., Ishii, H., Buxton, W. A. S.** (1995). Bricks: laying the foundations for graspable user interfaces. In *Proc. of ACM SIGCHI*, S. 442–449.
- Fjeld, M., Bichsel, M., Rauterberg, M.** (1998). BUILD-IT: An Intuitive Design Tool Based on Direct Object Manipulation. In *Proc. of Gesture and Sign Language in Human-Computer Interaction*, S. 297–308.
- Flores, P., Hourcade, J. P.** (2009). UNDER DEVELOPMENT: One year of experiences with XO laptops in Uruguay. *interactions*, 16(4):52–55.
- Föllmer, S., Leithinger, D., Olwal, A., Hogge, A., Ishii, H.** (2013). inFORM: Dynamic Physical Affordances and Constraints Through Shape and Object Actuation. In *Proc. of ACM UIST*, S. 417–426.
- Følstad, A., Law, E. Lai-Chong and Hornbæk, K.** (2010). Analysis in

- usability evaluations: an exploratory study. In *Proc. of NordiCHI*, S. 647–650.
- Følstad, A., Law, E., Hornbæk, K.** (2012). Analysis in practical usability evaluation: a survey study. In *Proc. of ACM CHI*, S. 2127–2136.
- Forlines, C., Shen, C.** (2005). DTLens: multi-user tabletop spatial data exploration. In *Proc. of ACM UIST*, S. 119–122.
- Forlizzi, J., Battarbee, K.** (2004). Understanding experience in interactive systems. In *Proc. of Designing Interactive Systems (DIS)*, S. 261–268.
- Forsberg, A., Herndon, K., Zeleznik, R.** (1996). Aperture based selection for immersive virtual environments. In *Proc. of ACM UIST*, S. 95–96.
- Francese, R., Passero, I., Tortora, G.** (2012). Wiimote and Kinect: Gestural User Interfaces Add a Natural Third Dimension to HCI. In *Proc. of Advanced Visual Interfaces (AVI)*, S. 116–123.
- Freeman, D., Benko, H., Morris, M. R., Wigdor, D.** (2009). ShadowGuides: Visualizations for In-situ Learning of Multi-touch and Whole-hand Gestures. In *Proc. of ACM ITS*, S. 165–172.
- Frees, S., Kessler, D. G., Kay, E.** (2007). PRISM interaction for enhancing control in immersive virtual environments. *ACM Trans. on CHI*, 14(1).
- Frei, P., Su, V., Mikhak, B., Ishii, H.** (2000). Curlybot: Designing a New Class of Computational Toys. In *Proc. of ACM SIGCHI*, S. 129–136.
- Freitag, G., Wegner, M., Traenkner, M., Wacker, M.** (2013). Look without feel - a basal gap in the multi-touch prototyping process. In *Proc. of Mensch & Computer*, S. 159–168.
- Frisch, M., Dachsel, R.** (2014). *Kombinierte Multi-Touch und Stift-Interaktion: Ein Gesten-Set zum Editieren von Diagrammen*, S. 89–116. Xpert.press. Springer.
- Frisch, M., Heydekorn, J., Dachsel, R.** (2009). Investigating Multi-touch and Pen Gestures for Diagram Editing on Interactive Surfaces. In *Proc. of ACM ITS*, S. 149–156.
- Frisch, M., Heydekorn, J., Dachsel, R.** (2010). Diagram editing on interactive displays using multi-touch and pen gestures. In *Proc. of the International Conference on the Theory and Application of Diagrams*, S. 182–196.
- Frisch, M., Kleinau, S., Langner, R., Dachsel, R.** (2011). Grids & Guides: Multi-touch Layout and Alignment Tools. In *Proc. of ACM CHI*, S. 1615–1618.
- Frisch, M., Langner, R., Dachsel, R.** (2011). Neat: A Set of Flexible Tools and Gestures for Layout Tasks on Interactive Displays. In *Proc. of ACM ITS*, S. 1–10.
- Frisch, M., Langner, R., Dachsel, R.** (2011). NEAT: A Set of Flexible Tools and Gestures for Layout Tasks on Interactive Displays. In *Proc. of ITS*, S. 1–10.
- Fröhlich, B.** (2014). Virtual reality: 3d-input. Vorlesungsmanuskript, Bauhaus-Universität Weimar, 2014.
- Fröhlich, B., Plate, J.** (2000). The cubic mouse: a new device for three-dimensional input. In *Proc. of ACM CHI*, S. 526–531.
- Fröhlich, B., Plate, J.** (2005). The Quest for Intuitive 3D Input Devices. In *Proc. of HCI International*, S. 526–531.
- Fröhlich, B., Barrass, S., Zehner, B., Plate, J., Göbel, M.** (1999). Exploring Geo-Scientific Data in Virtual



- Environments. In *Proc. of IEEE Visualization*, S. 169–173.
- Fröhlich, B., Hochstrate, J., Kulik, A., Huckauf, A.** (2006). On 3D Input Devices. *IEEE CGA*, 26(2):15–19.
- Fröhlich, B., Hochstrate, J., Skuk, V., Huckauf, A.** (2006). The GlobeFish and the GlobeMouse: two new six degree of freedom input devices for graphics applications. In *Proc. of ACM CHI*, S. 191–199.
- Fuchs, J., Rädle, R., Sacha, D., Fischer, F., Stoffel, A.** (2014). Collaborative Data Analysis with Smart Tangible Devices. In *Proc. of Visualization and Data Analysis*, volume 9017, S. 1–15. IS&T/SPIE.
- Furht, B.** (2011). *Handbook of Augmented Reality*. Springer.
- Gale, S.** (1996). A collaborative approach to developing style guides. In *Proc. of ACM CHI*, S. 362–367.
- Gallo, L., De Pietro, G., Coronato, A., Marra, I.** (2008). Toward a natural interface to virtual medical imaging environments. In *Proc. of Advanced Visual Interfaces (AVI)*, S. 429–432.
- Gallo, L., De Pietro, G., Marra, I.** (2008). 3D Interaction with Volumetric Medical Data: Experiencing the Wiimote. In *Proc. of Ambient Media and Systems*, S. 14:1–14:6.
- Gallo, L., Minutolo, A., De Pietro, G.** (2010). A User Interface for VR-ready 3D Medical Imaging by Off-the-shelf Input Devices. *Comput. Biol. Med.*, 40(3):350–358.
- Galyean, T. A.** (1995). Guided navigation of virtual environments. In *Proc. of ACM I3D*, S. 103–104.
- Galyean, T. A., Hughes, J. F.** (1991). Sculpting: an interactive volumetric modeling technique. In *Proc. of ACM SIGGRAPH*, S. 267–274.
- Gandy, M., Starner, T., Auxier, J., Ashbrook, D.** (2000). The Gesture Pendant: A Self-illuminating, Wearable, Infrared Computer Vision System for Home Automation Control and Medical Monitoring. In *Proc. of the IEEE Symposium on Wearable Computers*, S. 87–94.
- Gardner, D. L.** (1989). The Power Glove. *Design News*, 35:63–68.
- Gardner, L. D., Grigsby, J.** (2011). *Head First Mobile Web*. O'Reilly Media, Inc., 1st edition.
- Gasteiger, R., Neugebauer, M., Beuing, O., Preim, B.** (2011). The FLOWLENS: A Focus-and-Context Visualization Approach for Exploration of Blood Flow in Cerebral Aneurysms. *IEEE Trans. Vis. Comput. Graph.*, 17(12):2183–2192.
- Gebhardt, S., Pick, S., Leithold, F., Hentschel, B., Kuhlen, T.** (2013). Extended Pie Menus for Immersive Virtual Environments. *IEEE Trans. Vis. Comput. Graph.*, 19(4):644–651.
- Gediga, G., Hamborg, K.-C., Düntsch, I.** (1999). The IsoMetrics Usability Inventory: An operationalisation of ISO 9241-10. *Behaviour and Information Technology*, 18:158–164.
- Geis, T., Hartwig, R.** (1998). Auf die Finger geschaut - Neue ISO-Norm für benutzergerechte interaktive Systeme. *ct*, 14:168–171.
- Geisler, S., Geyer, C., Wolter, S.** (2013). Erwartungen von Experten an das automobile HMI der Zukunft. In *Proc. of Workshopband der Mensch & Computer*, S. 95–102.
- Gelb, J., Gardiner, J. J.** (1997). Developing a company style guide. In *Proc. of Society for Technical Communication (STC)*.

- Gerhardt-Powals, J.** (1996). Cognitive engineering principles for enhancing human-computer performance. *Int. J. Hum.-Comput. Interact.*, 8(2):189–211.
- Ghomi, E., Huot, S., Bau, O., Beaudouin-Lafon, M., Mackay, W. E.** (2013). Arpège: Learning Multitouch Chord Gestures Vocabularies. In *Proc. of ACM ITS*, S. 209–218.
- Gibson, J. J.** (1979). *The Ecological Approach to Visual Perception*. Houghton Mifflin, Boston, MA.
- Gloger, B.** (2011). *Scrum-Produkte zuverlässig und schnell entwickeln*. Hanser Verlag, 3. auflage edition.
- Göbel, F., Klamka, K., Siegel, A., Vogt, S., Stellmach, S., Dachsel, R.** (2013). Gaze-supported Foot Interaction in Zoomable Information Spaces. In *Proc. of CHI '13 Extended Abstracts*, S. 3059–3062.
- Goh, W. B., Kasun, L. L. C., Fitriani and Tan, J., Shou, W.** (2012). The i-Cube: design considerations for block-based digital manipulatives and their applications. In *Proc. of Designing Interactive Systems (DIS)*, S. 398–407.
- Gothelf, J., Seiden, J.** (2013). *Lean UX – Applying Lean Principles to Improve User Experience*. O'Reilly.
- Götzelmann, T.** (2007). *Correlating Illustrations and Text through Interactive Annotation*. PhD Thesis, Universität of Magdeburg.
- Götzelmann, T., Hartmann, K., Strothotte, T.** (2006). Contextual Grouping of Labels. In *Proc. of Simulation and Visualization*, S. 245–258.
- Gould, J. D., Lewis, C.** (1985). Design for Usability: Key Principles and What Designers Think. *CACM*, 28(3): 300–311.
- Gould, J. D., Conti, J., Hovanyecz, T.** (1982). Composing letters with a simulated listening typewriter. In *Proc. of ACM CHI*, S. 367–370.
- Gould, J. D., Boies, S. J., Levy, S., Richards, J. T., Schoonard, J.** (1987). The 1984 Olympic Message System: a test of behavioral principles of system design. *CACM*, 30 (9):758–769.
- Graham, T. C. N., Schumann, I., Patel, M., Bellay, Q., Dachsel, R.** (2013). Villains, Architects and Micro-managers: What Tabula Rasa Teaches Us About Game Orchestration. In *Proc. of ACM CHI*, S. 705–714.
- Grammenos, D., Mourouzis, A., Stephanidis, C.** (2006). Virtual prints: Augmenting virtual environments with interactive personal marks. *International Journal of Man-Machine Studies*, 64(3):221–239.
- Grasso, M. A., Ebert, D. S., Finin, T. W.** (1998). The Integrality of Speech in Multimodal Interfaces. *ACM Trans. on CHI*, 5(4):303–325.
- Graves-Petersen, M., Halskov-Madsen, K. H., A. Kjær, A.** (2002). The usability of everyday technology: emerging and fading opportunities. *ACM Trans. on CHI*, 9(2):74–105.
- Gray, W. D., Salzman, M. C.** (1998). Damaged merchandise? a review of experiments that compare usability evaluation methods. *Hum.-Comput. Interact.*, 13(3):203–261.
- Green, M., Halliday, S.** (1996). A Geometric Modeling and Animation System. *CACM*, 39(5):46–53.
- Greenberg, S., Buxton, W.** (2008). Usability evaluation considered harmful (some of the time). In *Proc. of ACM CHI*, S. 111–120.

- Greenberg, S., Fitchett, C.** (2001). Phidgets: Easy Development of Physical Interfaces through Physical Widgets. In *Proc. of ACM UIST*, S. 209–218.
- Greenberg, S., Marquardt, N., Ballendat, T., Diaz-Marino, R., Wang, M.** (2011). Proxemic Interactions: The New Ubicomp? *interactions*, 18(1): 42–50.
- Greenberg, S., Carpendale, S., Marquardt, N., Buxton, B.** (2012). The Narrative Storyboard: Telling a Story About Use and Context over Time. *interactions*, 19(1):64–69.
- Greenberg, S., Carpendale, S., Marquardt, N., Buxton, B.** (2012). *Sketching User Experiences - The Workbook*. Morgan Kaufmann.
- Grimm, P., Herold, R., Hummel, J., Broll, W.** (2014). *Virtual und Augmented Reality (VR/AR): Grundlagen und Methoden der Virtuellen und Augmentierten Realität*, chapter VR-Eingabegeräte, S. 97–125. Springer.
- Grimm, P., Herold, R., Reiners, D., Cruz-Neira, C.** (2014). *Virtual und Augmented Reality (VR/AR): Grundlagen und Methoden der Virtuellen und Augmentierten Realität*, chapter VR-Ausgabegeräte, S. 97–125. Springer.
- Groh, R., Gründer, T., Keck, M.** (2012). Metaphernproduktion für Begreifbare Benutzerschnittstellen. *i-com*, 11(2):44–49.
- Gross, A., Bongartz, S.** (2012). Why do I like it?: investigating the product-specificity of user experience. In *Proc. of NordiCHI*, S. 322–330.
- Gross, T., Koch, M.** (2007). *Computer-supported cooperative work*. Oldenbourg, München.
- Grossman, T., Balakrishnan, R.** (2006). An Evaluation of Depth Perception on Volumetric Displays. In *Proc. of Advanced Visual Interfaces (AVI)*, S. 193–200.
- Grossman, T., Balakrishnan, R.** (2006). The Design and Evaluation of Selection Techniques for 3D Volumetric Displays. In *Proc. of ACM UIST*, S. 3–12.
- Grossman, T., Balakrishnan, R.** (2008). Collaborative Interaction with Volumetric Displays. In *Proc. of ACM CHI*, S. 383–392.
- Grossman, T., Wigdor, D.** (2007). Going Deeper: a Taxonomy of 3D on the Tabletop. In *Proc. of ACM ITS*, S. 137–144.
- Grossman, T., Baudisch, P., Hinckley, K.** (2009). Handle flags: efficient and flexible selections for inking applications. In *Proc. of Graphics Interface*, S. 167–174.
- Grudin, J.** (1991). Interactive Systems: Bridging the Gaps Between Developers and Users. *IEEE Computer*, 24(4):59–69.
- Grudin, J., Pruitt, J.** (2002). Personas, Participatory Design and Product Development: An Infrastructure for Engagement. In *Proc. of PDC*, S. 144–161.
- Guiard, Y.** (1987). Asymmetric division of labor in human skilled bimanual action: The kinematic chain as a model. *Journal of Motor Behavior*, 19: 486–517.
- Gulliksen, J., Sandblat, B.** (1995). Domain specific design of user interfaces. *International Journal of Human-Computer Interaction*, 7(1):135–151.
- Gunn, T. J., Irani, P., Anderson, J.** (2009). An evaluation of techniques for selecting moving targets. In *Proc. of CHI '09 Extended Abstracts*, S. 3329–3334.

- Gustafson, S., Bierwirth, D., Baudisch, P.** (2010). Imaginary Interfaces: Spatial Interaction with Empty Hands and Without Visual Feedback. In *Proc. of ACM UIST*, S. 3–12.
- Haase, T.** (2005). *Explosionsdarstellungen für virtuelle Trainings szenarien*. Master's Thesis, Fakultät für Informatik, Universität Magdeburg.
- Hall, R. R.** (1999). *Human Factors in Product Design: Current Practice and Future Trends*, chapter Usability and Product Design: A case study, S. 85–301. Taylor & Francis.
- Haller, M., Leitner, J., Seifried, T., Wallace, J. R., Scott, S. D., Richter, C., Brandl, P., Gokcezaade, A., Hunter, S.** (2010). The NiCE Discussion Room: Integrating Paper and Digital Media to Support Co-Located Group Meetings. In *Proc. of ACM CHI*, S. 609–618.
- Hamborg, K.-C.** (2002). Gestaltungsunterstützende Evaluation von Software: Zur Effektivität und Effizienz des IsoMetricsL Verfahrens. In *Proc. of Mensch & Computer*, S. 303–312.
- Han, J.** (2005). Low-cost multi-touch sensing through frustrated total internal reflection. In *Proc. of ACM UIST*, S. 115–118.
- Hansmann, U., Merk, L., Nicklous, M.S., Stober, Th.** (2003). *Pervasive Computing: The Mobile World*. Springer, 2nd edition.
- Hanson, A. J., Wernert, E.** (1997). Constrained 3D Navigation with 2D Controllers. In *Proc. of Dagstuhl Seminar on Scientific Visualization*, S. 175–182.
- Harris, A., Rick, J., Bonnett, V., Yuill, N., Fleck, R., Marshall, P., Rogers, Y.** (2009). Around the table: are multiple-touch surfaces better than single-touch for children's collaborative interactions? In *Proc. CSCL*, S. 335–344. International Society of the Learning Sciences.
- Hart, S. G.** (2006). NASA-Task Load Index (NASA-TLX); 20 Years Later. In *Proc. of the Human Factors and Ergonomics Society*, S. 904–908.
- Hart, S. G., Staveland, L. E.** (2003). *Human Mental Workload*, chapter Development of NASA-TLX (Task Load Index): Results of empirical and theoretical research, S. 139–183. Amsterdam: North Holland Press.
- Hartmann, B., Klemmer, S. R., Bernstein, M., Abdulla, L., Burr, B., Robinson-Mosher, A., Gee, J.** (2006). Reflective Physical Prototyping Through Integrated Design, Test, and Analysis. In *Proc. of the ACM UIST*, S. 299–308.
- Hartmann, K., Götzelmann, T., Ali, K., Strothotte, T.** (2005). Metrics for Functional and Aesthetic Label Layouts. In *Proc. of Smart Graphics*, S. 115–126.
- Hartwig, R., Hassenzahl, M.** (2005). Certified Fun - Stehen hedonische Qualitätsaspekte und Qualitätssicherung im Widerspruch? In *Proc. of German Chapter der UPA*, S. 148–152.
- Hasan, H. S., Kareem, S. A.** (2012). Human Computer Interaction for Vision Based Hand Gesture Recognition: A Survey. In *Proc. of Advanced Computer Science Applications and Technologies*, S. 55–60.
- Hasenfratz, J. M., Lapierre, M., Holzschuch, N., Sillion, F.** (2003). A Survey of Real-Time Soft Shadows Algorithms. *Computer Graphics Forum*, 22(4):753–774.
- Hassenzahl, M.** (2004). The interplay of beauty, goodness, and usability in in-

- teractive products. *Hum.-Comput. Interact.*, 19(4):319–349.
- Hassenzahl, M.** (2010). *Experience Design: Technology for All the Right Reasons (Synthesis Lectures on Human-Centered Informatics)*. Morgan and Claypool Publishers.
- Hassenzahl, M.** (2012). *The Encyclopedia of Human-Computer Interaction, 2nd edition*, chapter User Experience and Experience Design, S. 941–963. Aarhus, Denmark: The Interaction Design Foundation.
- Hassenzahl, M., Tractinsky, N.** (2006). User experience - a research agenda. *Behaviour & IT*, 25(2):91–97.
- Hassenzahl, M., Platz, A., Burmester, M., Lehner, K.** (2000). Hedonic and ergonomic quality aspects determine a software's appeal. In *Proc. of ACM CHI*, S. 201–208.
- Hassenzahl, M., Burmester, M., Koller, F.** (2003). AttrakDiff: Ein Fragebogen zur Messung wahrgenommener hedonischer und pragmatischer Qualität. In *Proc. of Mensch & Computer*, S. 187–196.
- Hassenzahl, M., Burmester, M., Koller, F.** (2008). Der User Experience (UX) auf der Spur: Zum Einsatz von www.attrakdiff.de. In *Proc. of the German UPA*, S. 78–82.
- Hassenzahl, M., Eckholdt, K., Thielsch, M.** (2009). User Experience und Experience Design; Konzepte und Herausforderungen. In *Proc. of German Chapter der UPA*, S. 233–237.
- Hastreiter, P., Rezk-Salama, C., Tomandl, B., Eberhardt, K. and Ertl, T.** (1998). Fast Analysis of Intracranial Aneurysms based on Interactive Direct Volume Rendering and CT Angiography. In *Proc. of Medical Image Computing and Computer Assisted Intervention (MICCAI)*, S. 660–669.
- Hauri, C., Rosati, S.** (2012). Die nachhaltige Einführung und Verankerung von User Experience in Unternehmen: Gesamtheitliche Betrachtung von Kultur, Prozess und Mensch basierend auf einer Untersuchung bei Schweizer Unternehmen im Jahr 2011. In *Proc. of Usability Professionals*, S. 319–324.
- Häussler, R., Schwerdtner, A., Leister, N.** (2008). Large holographic displays as an alternative to stereoscopic displays. In *Proc. SPIE*, volume 6803, S. 68030M–68030M–9.
- He, T., Kaufman, A.** (1996). Fast stereo volume rendering. In *Proc. of IEEE Visualization*, S. 49–56.
- Hecker, C., Raabe, B., Enslow, R.W., DeWeese, J., Maynard, J., van Prooijen, K.** (2008). Real-time motion retargeting to highly varied user-created morphologies. *ACM Trans. Graph.*, 27:27:1–27:11.
- Hedges, L., Olkin, I.** (1985). *Statistical Methods for MetaAnalysis*. Academic Press, New York.
- Heer, J., Bostock, M.** (2010). Crowdsourcing graphical perception: using mechanical turk to assess visualization design. In *Proc. of ACM CHI*, S. 203–212.
- Hemmje, M.** (1993). A 3D Based User Interface for Information Retrieval Systems. In *Proc. of Database Issues for Data Visualization*, S. 194–209.
- Hennecke, F., Wimmer, R., Vodicka, E., Butz, A.** (2012). Vertibles: using vacuum self-adhesion to create a tangible user interface for arbitrary interactive surfaces. In *Proc. of Tangible, Embedded and Embodied Interaction, TEI '12*, S. 303–306.

- Henriksen, K., Sporning, J., Hornbæk, K.** (2004). Virtual Trackballs Revisited. *IEEE Trans. Vis. Comput. Graph.*, 10(2):206–216.
- Henze, N., Löcken, A., Boll, S., Hesselmann, T., Pielot, M.** (2010). Free-hand Gestures for Music Playback: Deriving Gestures with a User-centred Process. In *Proc. of Mobile and Ubiquitous Multimedia*, S. 16:1–16:10.
- Herczeg, M.** (2009). *Software-Ergonomie: Theorien, Modelle und Kriterien für gebrauchstaugliche interaktive Computersysteme*. Oldenbourg.
- Hering, D., Kraft, X., Schwartz, T., Wulf, V.** (2013). Usability-Hindernisse bei Software entwickelnden KMU. In *Proc. of Workshop-Band der Mensch & Computer*, S. 9–18.
- Herndon, K. P., Zeleznik, R., Robbins, D., Connerand, B., Snibbe, S., van Dam, A.** (1992). Interactive shadows. In *Proc. of ACM UIST*, S. 1–6.
- Herndon, K. P., van Dam, A., Gleicher, M.** (1994). The challenges of 3D interaction: a CHI '94 workshop. *SIG-CHI Bull.*, 26:36–43.
- Heuwing, B., Mandl, T., Weichert, S.** (2012). Wissensmanagement für Usability Herausforderungen und Perspektiven. In *Proc. of Usability Professionals*, S. 108–113.
- Heydekorn, J., Frisch, M., Dachsel, R.** (2011). Evaluating a User-Elicited Gesture Set for Interactive Displays. In *Proc. of Mensch und Computer 2011*, S. 191–200.
- Hincapié-Ramos, J. D., Roscher, S., Büschel, W., Kister, U., Dachsel, R., Irani, P.** (2014). car: Contact augmented reality with transparent-display mobile devices. In *Proc. of the International Symposium on Pervasive Displays*, S. 80:80–80:85.
- Hincapié-Ramos, J. D., Roscher, S., Büschel, W., Kister, U., Dachsel, R., Irani, P.** (2014). cAR: Contact Augmented Reality with Transparent-Display Mobile Devices. In *Proc. of The ACM International Symposium on Pervasive Displays*, S. 80:80–80:85.
- Hincapié-Ramos, J. D., Roscher, S., Büschel, W., Kister, U., Dachsel, R., Irani, P.** (2014). tPad: Designing Transparent-display Mobile Interactions. In *Proc. of the Conference on Designing Interactive Systems, DIS '14*, S. 161–170.
- Hinckley, K.** (1997). *Haptic issues for virtual manipulation*. PhD Thesis, University of Virginia.
- Hinckley, K., Pausch, R., Goble, J. C., Kassell, N. F.** (1994). Passive real-world interface props for neurosurgical visualization. In *Proc. of ACM CHI*, S. 452–458.
- Hinckley, K., Czerwinski, M., Sinclair, M.** (1998). Interaction and modeling techniques for desktop two-handed input. In *Proc. of ACM UIST*, S. 49–58.
- Hinckley, K., Ramos, G., Guimbretiere, F., Baudisch, P., Smith, M.** (2004). Stitching: Pen Gestures That Span Multiple Displays. In *Proc. of AVI*, S. 23–31.
- Hinckley, K., Pierce, J., Horvitz, E., Sinclair, M.** (2005). Foreground and Background Interaction with Sensor-enhanced Mobile Devices. *ACM Trans. on CHI*, 12(1):31–52.
- Hinrichs, U., Carpendale, S.** (2011). Gestures in the Wild: Studying Multi-touch Gesture Sequences on Interactive Tabletop Exhibits. In *Proc. of ACM CHI*, S. 3023–3032.



- Hinrichs, U., Schmidt, H., Carpendale, S.** (2008). EMDialog: Bringing Information Visualization into the Museum. *IEEE Trans. Vis. Comput. Graph.*, 14(6):1181–1188.
- Hirsch, R.** (1981). Procedures of the human factors at san jose. *IBM Systems Journal*, 20(2):123–171.
- Hoggan, E., Brewster, S. A., Johnston, J.** (2008). Investigating the Effectiveness of Tactile Feedback for Mobile Touchscreens. In *Proc. of ACM CHI*, S. 1573–1582.
- Hoggan, E., Trendafilov, D., Ahmanie-mi, T., Raisamo, R.** (2011). Squeeze vs. Tilt: A Comparative Study Using Continuous Tactile Feedback. In *Proc. of CHI '11 Extended Abstracts*, S. 1309–1314.
- Hollerer, T.H.** (2004). *User interfaces for mobile augmented reality systems*. PhD Thesis, New York, NY, USA.
- Holliman, N. S., Dodgson, N. A., Favalora, G. E., Pockett, L.** (2011). Three-Dimensional Displays: A Review and Applications Analysis. *IEEE Trans. on Broadcasting*, 57(2):362–371.
- Holmquist, L. E., Redström, J., Ljungstrand, P.** (1999). Token-Based Access to Digital Information. In *Proc. of Handheld and Ubiquitous Computing*, HUC '99, S. 234–245.
- Holmqvist, K., Nystrom, M., Andersson, R., Dewhurst, R., Jarodzka, H., van de Weijer, J.** (2011). *Eye Tracking. A comprehensive guide to methods and measures*. Oxford University Press.
- Holt, E. M., Winter, D., Thomaschewski, J.** (2012). Von der Idee zum Prototypen. In *Proc. of Usability Professionals*.
- Holtzblatt, K.** (2003). *The Human Computer Interaction Handbook*, chapter Contextual Design, S. 941–963. Lawrence Erlbaum.
- Holtzblatt, K., Beyer, H.** (1998). *Contextual Design: A Customer-Centered Approach to Systems Designs*. Morgan Kaufmann.
- Holtzblatt, K., Wendell, J.B., Wood, S.** (2004). *Rapid Contextual Design: A How-to-Guide to Key Techniques User-Centered Design*. Morgan Kaufmann.
- Holz, C., Baudisch, P.** (2010). The Generalized Perceived Input Point Model and How to Double Touch Accuracy by Extracting Fingerprints. In *Proc. of ACM CHI*, S. 581–590.
- Holz, C., Baudisch, P.** (2011). Understanding Touch. In *Proc. of ACM CHI*, S. 2501–2510.
- Holz, C., Baudisch, P.** (2013). FibeRio: A Touchscreen that Senses Fingerprints. In *Proc. of ACM UIST*, S. 41–50.
- Holz, D., Ullrich, S., Wolter, M., Kühlen, T.** (2008). Multi-Contact Grasp Interaction for Virtual Environments. *Journal of Virtual Reality and Broadcasting*, 5(7).
- Holzinger, A.** (2005). Usability engineering methods for software developers. *CACM*, 48(1):71–74.
- Holzinger, A., Slany, W.** (2006). XP + UE -> XU Praktische Erfahrungen mit eXtreme Usability. *Informatik Spektrum*, 29(2):91–97.
- Hong, L., Muraki, S., Kaufman, A. E., Bartz, D., He, T.** (1997). Virtual voyage: interactive navigation in the human colon. In *Proc. of ACM SIGGRAPH*, S. 27–34.
- Hook, K.** (2013). *Affective Computing*. The Interaction Design Foundation, Aarhus, Denmark.
- Horn, M., Atrash-Leong, Z., Block, F., Diamond, J., Evans, E. M., Phil-**

- lips, B., Shen, C.** (2012). Of BATs and APes: an interactive tabletop game for natural history museums. In *Proc. of ACM CHI*, S. 2059–2068.
- Hornbæk, K., Frøkjær, E.** (2005). Comparing usability problems and redesign proposals as input to practical systems development. In *Proc. of ACM CHI*, S. 391–400.
- Hornbæk, K., Frøkjær, E.** (2008). Making use of business goals in usability evaluation: an experiment with novice evaluators. In *Proc. of ACM CHI*, S. 903–912.
- Hornecker, E.** (2008). „I don’t understand it either, but it is cool“ – visitor interactions with a multi-touch table in a museum. In *Proc. of IEEE Workshop on Horizontal Interactive Human Computer Systems*, S. 113–120.
- Hornecker, E., Buur, J.** (2006). Getting a grip on tangible interaction: a framework on physical space and social interaction. In *Proc. of ACM SIGCHI*, S. 437–446.
- Hornecker, E., Israel, J. H., Brade, M., Kammer, D.** (2012). Themenschwerpunkt Be-greifbare Interaktion. *i-com*, 11(2):1–2.
- Hsu, W., Hughes, J., Kaufman, H.** (1992). Direct manipulation of free-form deformations. In *Proc. of ACM SIGGRAPH*, volume 26(2), S. 177–184.
- Hudson, T. C., Lin, M. C., Cohen, J., Gottschalk, S., Manocha, D.** (1997). V-COLLIDE: accelerated collision detection for VRML. In *Proc. of ACM VRML*, S. 117–ff.
- Hummels, C., Overbeeke, K. C., Klooster, S.** (2007). Move to Get Moved: A Search for Methods, Tools and Knowledge to Design for Expressive and Rich Movement-based Interaction. *Personal Ubiquitous Computing*, 11(8):677–690.
- Hussain, Z., Slany, W., Holzinger, A.** (2009). Current State of Agile User-Centered Design: A Survey. In *Proc. of Symposium of the Workgroup Human-Computer Interaction and Usability Engineering of the Austrian Computer Society (USAB)*, S. 416–427.
- Hvannberg, E. T., Law, E. Lai-Chong, Lárusdóttir, M. K.** (2007). Heuristic evaluation: Comparing ways of finding and reporting usability problems. *Interact. Comput.*, 19(2):225–240.
- Hwang, W., Salvendy, G.** (2010). Number of people required for usability evaluation: the 10+/-2 rule. *CACM*, 53(5):130–133.
- Iaboni, D., MacGregor, C.** (2009). The Design of a Virtual Trailblazing Tool. In *Proc. of HCI International*, S. 186–195.
- Iacolina, S. A., Soro, A., Scateni, R.** (2011). Natural Exploration of 3D Models. In *Proc. of ACM CHI Italian Chapter on Computer-Human Interaction*, S. 118–121.
- Igarashi, T., Hinckley, K.** (2000). Speed-dependent automatic zooming for browsing large documents. In *Proc. of ACM UIST*, S. 139–148.
- Igarashi, T., Hughes, J. F.** (2003). Smooth meshes for sketch-based free-form modeling. In *Proc. of ACM I3D*, S. 139–142.
- Igarashi, T., Matsuoka, S., Kawachi, S., Tanaka, H.** (1997). Interactive beautification: a technique for rapid geometric design. In *Proc. of ACM UIST*, S. 105–114.
- Igarashi, T., Matsuoka, S., Tanaka, H.** (1999). Teddy: a sketching interface for 3D freeform design. In *Proc. of ACM SIGGRAPH*, S. 409–416.

- Inkpen, K., Hawkey, K., Kellar, M., Mandryk, R., Parker, K. and Reilly, D., Scott, S., Whalen, T.** (2005). Exploring Display Factors that Influence Co-Located Collaboration: Angle, Size, Number, and User Arrangement. In *Proc. HCI International*.
- Interrante, V.** (1997). Illustrating surface shape in volume data via principal direction-driven 3D line integral convolution. In *Proc. of ACM SIGGRAPH*, S. 109–116.
- Isenberg, P., Tang, A., Carpendale, S.** (2008). An Exploratory Study of Visual Information Analysis. In *Proc. of ACM CHI*, S. 1217–1226.
- Isenberg, P., Hinrichs, U., Hancock, M., Carpendale, S.** (2010). Digital Tables for Collaborative Information Exploration. In C. Müller-Tomfelde, Herausgeber, *Tabletops – Horizontal Interactive Displays*, Human-Computer Interaction Series, S. 387–405. Springer London.
- Isenberg, P., Klum, S., Langner, R., Fekete, J.-D., Dachsel, R.** (2012). Stackables: faceted browsing with stacked tangibles. In *Proc. of CHI '12 Extended Abstracts*, S. 1083–1086.
- Isenberg, P., Isenberg, T., Hesselmann, T., Lee, B., von Zadow, U., Tang, A.** (2013). Data Visualization on Interactive Surfaces: A Research Agenda. *IEEE CGA*, 33(2):16–24.
- Isenberg, T., Hancock, M.** (2012). Gestures vs. Postures: 'Gestural' Touch Interaction in 3D Environments. In *Proc. of the CHI Workshop on "The 3rd Dimension of CHI: Touching and Designing 3D User Interfaces"*, S. 53–61.
- Ishii, H.** (2008). Tangible bits: beyond pixels. In *Proc. of Tangible and Embodied Interaction*, TEI '08, S. xv–xxv.
- Ishii, H., Ullmer, B.** (1997). Tangible bits: towards seamless interfaces between people, bits and atoms. In *Proc. of ACM SIGCHI*, S. 234–241.
- Ishii, H., Mazalek, A., Lee, J.** (2001). Bottles as a minimal interface to access digital information. In *Proc. of CHI '01 Extended Abstracts*, S. 187–188.
- Ishii, H., Ratti, C., Piper, B., Wang, Y., Biderman, A., Ben-Joseph, E.** (2004). Bringing Clay and Sand into Digital Design – Continuous Tangible user Interfaces. *BT Technology Journal*, 22(4):287–299.
- Ishii, H., Lakatos, D., Bonanni, L., Labruno, J.-B.** (2012). Radical atoms: beyond tangible bits, toward transformable materials. *interactions*, 19(1): 38–51.
- Israel, J. H.** (2010). *Hybride Interaktionstechniken des immersiven Skizzierens in frühen Phasen der Produktentwicklung*. PhD Thesis, Berlin, Germany.
- Israel, J. H., Wiese, E., Mateescu, M., Zöllner, C., Stark, R.** (2009). Investigating three-dimensional sketching for early conceptual design—Results from expert discussions and user studies. *Computers & Graphics*, 33(4): 462–473.
- Istance, H., Hyrskykari, A., Immonen, L., Mansikkamaa, S., Vickers, S.** (2010). Designing Gaze Gestures for Gaming: An Investigation of Performance. In *Proc. of the Symposium on Eye-Tracking Research & Applications*, S. 323–330.
- Izard, C. E., Libero, D. Z., Putnam, P., Haynes, O. M.** (1993). Stability of emotion experiences and their relations to traits of personality. *Journal*

- of Personality and Social Psychology*, 64:847–860.
- Jacob, R. J. K., Sibert, L. E.** (1992). The perceptual structure of multidimensional input device selection. In *Proc. of ACM CHI*, S. 211–218.
- Jacob, R. J. K., Sibert, L. E., McFarlane, D. C., Mullen, Jr., M. Preston** (1994). Integrality and separability of input devices. *ACM Trans. Comput.-Hum. Interact.*, 1:3–26.
- Jacob, R. J. K., Girouard, A., Hirschfield, L. M. et al.** (2008). Reality-based interaction: a framework for post-WIMP interfaces. In *Proc. of ACM CHI*, S. 201–210.
- Jacobs, J., Stengel, M., Fröhlich, B.** (2012). A generalized God-object method for plausible finger-based interactions in virtual environments. In *Proc. of IEEE 3DUI*, S. 43–51.
- Jacobson, I.** (1992). *Object Oriented Software Engineering: A Use Case Driven Approach*. Addison-Wesley Professional.
- Jacoby, R., Ellis, S.** (1992). Using virtual menus in a virtual environment. In *Proc. of SPIE: Visual Data Interpretation*, S. 39–48.
- Jaimes, A., Sebe, N.** (2007). Multimodal human-computer interaction: A survey. *Comput. Vis. Image Underst.*, 108(1-2):116–134.
- Jakobsen, M. R., Hornbæk, K.** (2014). Up Close and Personal: Collaborative Work on a High-resolution Multitouch Wall Display. *ACM Trans. Comput.-Hum. Interact.*, 21(2):11:1–11:34.
- Janke, C.** (2006). *Gestaltung einer präoperativen Software für den HNO-chirurgischen Bereich*. Master's Thesis, Hochschule Magdeburg-Stendal (FH), Fachbereich Industriedesign.
- Janke, C., Tietjen, C., Baer, A. et al.** (2006). Design und Realisierung eines Softwareassistenten zur Planung von Halsoperationen. In *Proc. of Mensch & Computer*, S. 373–378.
- Janneck, M., Gussmann, S., Jandt, I., Teichmann, F.** (2013). E-Books: Nutzung und Usability. In *Proc. of Mensch & Computer*, S. 99–108.
- Jansen, Y., Karrer, T., Borchers, J.** (2010). MudPad: Tactile Feedback and Haptic Texture Overlay for Touch Surfaces. In *Proc. of ACM ITS*, S. 11–14.
- Jansen, Y., Dragicevic, P., Fekete, J.-D.** (2012). Tangible Remote Controllers for Wall-size Displays. In *Proc. of ACM SIGCHI*, S. 2865–2874.
- Jansen, Y., Dragicevic, P., Fekete, J.-D.** (2013). Evaluating the Efficiency of Physical Visualizations. In *Proc. of ACM SIGCHI*, S. 2593–2602.
- Jetter, H.-C., Gerken, J., Zöllner, M., Reiterer, H., Milic-Frayling, N.** (2011). Materializing the query with facet-streams: a hybrid surface for collaborative search on tabletops. In *Proc. of ACM SIGCHI*, S. 3013–3022.
- Jetter, H.-C., Dachselt, R., Reiterer, H.** (2013). Theme issue on designing collaborative interactive spaces. *Personal Ubiquitous Computing*, S. 1–3.
- Jetter, H.-C., Reiterer, H., Geyer, F.** (2014). Blended Interaction: Understanding Natural Human—computer Interaction in post-WIMP Interactive Spaces. *Personal Ubiquitous Computing*, 18(5):1139–1158.
- John, N. W.** (2007). The impact of Web3D technologies on medical education and training. *Computers & Education*, 49(1):43–51.
- Jones, A., McDowall, I., Yamada, H., Bolas, M., Debevec, P.** (2007). Ren-

- dering for an Interactive 360&Deg; Light Field Display. In *Proc. of ACM SIGGRAPH*.
- Jones, B. R., Benko, H., Ofek, E., Wilson, A. D.** (2013). IllumiRoom: Peripheral Projected Illusions for Interactive Experiences. In *Proc. of ACM CHI*, S. 869–878.
- Jones, M., Marsden, G.** (2006). *Mobile Interaction Design*. Wiley & Sons.
- Jordà, S.** (2008). On stage: the reactable and other musical tangibles go real. *International Journal of Arts and Technology*, 1(3):268–287.
- Jordà, S., Geiger, G., Alonso, M., Kaltenbrunner, M.** (2007). The reactTable: exploring the synergy between live music performance and tabletop tangible interfaces. In *Proc. of Tangible and Embedded Interaction*, TEI '07, S. 139–146.
- Jordan, P. W.** (2002). *Designing Pleasurable Products*. Taylor and Friends, London, New York.
- Jorke, H., Fritz, M.** (2005). INFI-TEC - New Stereoscopic Visualisation Tool by Wavelength Multiplex Imaging. *Journal of Three Dimensional Images*, 19(3):50–56.
- Kabbash, P., Buxton, W., Sellen, A.** (1994). Two-handed input in a compound task. In *Proc. of ACM CHI*, S. 417–423.
- Kalkofen, D., Mendez, E., Schmalstieg, D.** (2007). Interactive Focus and Context Visualization for Augmented Reality. In *Proc. of the IEEE and ACM ISMAR*, S. 1–10.
- Kaltenbrunner, M., Bencina, R.** (2007). reactIVision: a computer-vision framework for table-based tangible interaction. In *Proc. of Tangible and Embedded Interaction*, TEI '07, S. 69–74.
- Kameyama, K.-I.** (1997). Virtual clay modeling system. In *Proc. of ACM VRST*, S. 197–200.
- Kantner, L., Keirnan, T.** (2003). Field research in commercial product development. In *Proc. of German Chapter der UPA*.
- Kantner, L., Rosenbaum, S.** (1997). Usability Studies of WWW Sites: Heuristic Evaluation vs. Laboratory Testing. In *Proc. of SIGDOC*, S. 153–160.
- Kantner, L., Sova, D., Anschuetz, L.** (2005). Organizing qualitative data from lab and field: challenges and methods. In *Proc. of German Chapter der UPA*.
- Kappel, K., Tomitsch, M., Költringer, T., Grechenig, T.** (2006). Developing user interface guidelines for DVD menus. In *Proc. of CHI '06 Extended Abstracts*, S. 177–182.
- Kaptein, M., Robertson, J.** (2012). Rethinking statistical analysis methods for CHI. In *Proc. of ACM CHI*, S. 1105–1114.
- Karam, M.** (2006). *A framework for research and design of gesture-based human-computer interactions*. PhD Thesis, University of Southampton.
- Karam, M., Schraefel, M. C.** (2005). *A taxonomy of gestures in human computer interactions*. Technical Report, University of Southampton.
- Karapanos, E., Zimmerman, J., Forlizzi, J., Martens, J.-B.** (2009). User experience over time: an initial framework. In *Proc. of ACM CHI*, S. 729–738.
- Kasap, Z., Magnenat-Thalmann, N.** (2007). Intelligent Virtual Humans with Autonomy and Personality: State-of-the-art. *Int. Dec. Tech.*, 1 (1,2):3–15.

- Kato, H., Billinghurst, M.** (1999). Marker tracking and hmd calibration for a video-based augmented reality conferencing system. In *Proc. of the IEEE and ACM Workshop on AR*, S. 85–94.
- Kato, H., Billinghurst, M., Poupyrev, I., Tetsutani, N., Tachibana, K.** (2001). Tangible Augmented Reality for Human Computer Interaction. In *Proc. of Nicograph*, S. 39–44.
- Kawakita, J.** (1982). *The original KJ-method*. Technical Report, Kawakita Research Institute.
- Kaye, J.** (2006). I just clicked to say i love you: rich evaluations of minimal communication. In *Proc. of CHI '06 Extended Abstracts*, S. 363–368.
- Keirse, D.** (1998). *Please Understand Me II: Temperament, Character, Intelligence*. Prometheus Nemesis Book Company.
- Kelc, R.** (2012). Zygote Body: A New Interactive 3-Dimensional Didactical Tool for Teaching Anatomy. *Webmed-Central ANATOMY*, 3(1).
- Kellermann, K., Neugebauer, M., Preim, B.** (2011). A 6DOF Interaction Method for the Virtual Training of Minimally Invasive Access to the Spine. In *Proc. of CURAC*, S. 143–148.
- Kelley, J. F.** (1983). An empirical methodology for writing user-friendly natural language computer applications. In *Proc. of ACM CHI*, S. 193–196.
- Kelley, J. F.** (1984). An iterative design methodology for user-friendly natural language office information applications. *ACM Trans. Inf. Syst.*, 2(1):26–41.
- Kelly, D., Reilly-Delannoy, J., Mc Donald, J., Markham, C.** (2009). A Framework for Continuous Multimodal Sign Language Recognition. In *Proc. of Multimodal Interfaces*, S. 351–358.
- Kendon, A.** (2004). *Gesture - Visible Action as Utterance*. Cambridge University Press, Cambridge.
- Kendon, A.** (1972). Some relationships between body motion and speech. In A. W. Siegman und B. Pope, Herausgeber, *Studies in dyadic communication*, S. 177–210. Pergamon Press, New York, USA.
- Kendon, A.** (1980). Gesticulation and Speech: Two Aspects of the Process of Utterance. In M. R. Key, Herausgeber, *The Relationship of Verbal and Nonverbal Communication*, S. 207–227. Mouton, The Hague, Netherlands.
- Kendon, A.** (1986). Current issues in the study of gesture. In *The Biological Foundations of Gestures: Motor and Semiotic Aspects*, S. 23–47. Lawrence Erlbaum Associates, Inc., Hillsdale, USA.
- Khalilbeigi, M., Lissermann, R., Mühlhäuser, M., Steimle, J.** (2011). Xpaaand: Interaction Techniques for Rollable Displays. In *Proc. of ACM CHI*, S. 2729–2732.
- Khalilbeigi, M., Lissermann, R., Kleine, W., Steimle, J.** (2012). FoldMe: Interacting with Double-sided Foldable Displays. In *Proc. of Tangible, Embedded and Embodied Interaction, TEI '12*, S. 33–40.
- Kharrufa, A., Leat, D., Olivier, P.** (2010). Digital mysteries: designing for learning at the tabletop. In *Proc. of ACM ITS*, S. 197–206.
- Kim, D., Hilliges, O., Izadi, S., Butler, A. D., Chen, J. and Oikonomidis, I., Olivier, P.** (2012). Digits: Freehand 3D Interactions Anywhere Using a Wrist-worn Gloveless Sensor. In *Proc. of ACM UIST*, S. 167–176.



- Kim, J.-S., Gracanin, D., Quek, F.** (2012). Sensor-fusion Walking-in-place Interaction Technique Using Mobile Devices. In *Proc. of IEEE VR*, S. 39–42.
- Kim, S., Hagh-Shenas, H., Interrante, V.** (2003). Showing shape with texture - two directions seen better than one. *Human Vision and Electronic Imaging VIII (Proc. of the SPIE)*, 5007:332–339.
- Kim, Y. L., Otaduy, M. A., Lin, M. C., Manocha, D.** (2003). Fast penetration depth estimation using rasterization on hardware and hierarchical refinement. In *Proc. of ACM Symposium on Computational Geometry*, S. 386–387.
- Kin, K., Miller, T., Bollensdorff, B., DeRose, T., Hartmann, B., Agrawala, M.** (2011). Eden: a professional multitouch tool for constructing virtual organic environments. In *Proc. of ACM CHI*, S. 1343–1352.
- Kirstein, E., Schoenherr, N., Schubert, U.** (2012). Icon Design im großen Stil: Erfahrungen zu Gestaltung und Einsatz von umfangreichen Icon-Bibliotheken. In *Proc. of Usability Professionals*, S. 60–165.
- Kister, U., Reipschläger, P., Dachsel, R.** (2014). Multi-Touch Manipulation of Magic Lenses for Information Visualization. In *Proc. of ACM ITS*, S. 431–434.
- Kjeldskov, J.** (2013). *Mobile Computing*. The Interaction Design Foundation, Aarhus, Denmark.
- Klemmer, S. R., Sinha, A. K., Chen, J., Landay, J. A., Aboobaker, N., Wang, A.** (2000). Suede: A Wizard of Oz Prototyping Tool for Speech User Interfaces. In *Proc. of ACM UIST*, S. 1–10.
- Klemmer, S. R., Li, J., Lin, J., Landay, J. A.** (2004). Papier-mache: toolkit support for tangible input. In *Proc. of ACM SIGCHI*, S. 399–406.
- Klinkhammer, D., Nitsche, M., Specht, M., Reiterer, H.** (2011). Adaptive Personal Territories for Co-located Tabletop Interaction in a Museum Setting. In *Proc. of ACM ITS*, S. 107–110.
- Kloss, J.** (2009). *X3D: Programmierung interaktiver 3D-Anwendungen für das Internet*. Addison Wesley.
- Klum, S., Isenberg, P., Langner, R., Fekete, J.-D., Dachsel, R.** (2012). Stackables: combining tangibles for faceted browsing. In *Proc. of AVI*, S. 241–248.
- Knobel, M., Hassenzahl, M., Lamera, M., Sattler, T., Schumann, J., Eckoldt, K., Butz, A.** (2012). *Clique Trip: feeling related in different cars*. In *Proc. of Designing Interactive Systems (DIS)*, S. 29–37.
- Knoll, S. W., Horton, G.** (2011). *Technology for Creativity and Innovation: Tools, Techniques and Applications*, chapter The Structure of Idea Generation Techniques: Three Rules for Generating Goal-Oriented Ideas, S. 183–201. IGI Global.
- Knoll, S. W., Chelvier, R., Horton, G.** (2007). Formalised online creativity using thinxels. In *Proc. of European Conference on Creativity and Innovation*.
- Kockro, R. A., Tsai, Y. T., Hwang, P., Zhu, C., Agusanto, K., Hong, L. X., Serra, L.** (2009). Dex-Ray: Augmented Reality Neurosurgical Navigation with a Handheld Probe. *Neurosurgery*, 65(4):795–808.
- Kolb, A., Lambers, M., Todt, S., Cuntz, N., Rezk-Salama, C.** (2009). Immersive Rear Projection

- on Curved Screens. In *Proc. of IEEE VR*, S. 285–286.
- Koleva, B., Benford, S., Ng, K. H., Rodden, T.** (2003). A Framework for Tangible User Interfaces. In *Proc. of Physical Interaction (PI03) – Workshop on Real World User Interfaces*, S. 46–50.
- Kolli, R.** (1993). Using Video Scenarios to Present Consumer Product Interfaces. In *Proc. of INTERACT and ACM CHI*, S. 61–62.
- Konrad-Verse, O., Preim, B., Littmann, A.** (2004). Virtual Resection with a Deformable Cutting Plane. In *Proc. of Simulation und Visualisierung*, S. 203–214. SCS.
- Kontio, J., Lehtola, L., Bragge, J.** (2004). Using the Focus Group Method in Software Engineering: Obtaining Practitioner and User Experiences. In *Proc. of IEEE Empirical Software Engineering*.
- Kopp, S., Wachsmuth, I.** (2004). Synthesizing Multimodal Utterances for Conversational Agents: Research Articles. *Comput. Animat. Virtual Worlds*, 15(1):39–52.
- Kopp, S., Jung, B., Leßmann, N., Wachsmuth, I.** (2003). Max – a multimodal assistant in virtual reality construction. *KI - Künstliche Intelligenz*, 4(03):11–17.
- Kopp, S., Gesellensetter, L., Krämer, N. C., Wachsmuth, I.** (2005). A Conversational Agent As Museum Guide: Design and Evaluation of a Real-world Application. In *Proc. of Intelligent Virtual Agents (IVA'05)*, S. 329–343.
- Kopper, R., Bowman, D. A., Silva, M. G., McMahan, R. P.** (2010). A human motor behavior model for distal pointing tasks. *Int. J. Hum.-Comput. Stud.*, 68(10):603–615.
- Kopper, R., Bacim, F., Bowman, D. A.** (2011). Rapid and accurate 3D selection by progressive refinement. In *Proc. of IEEE 3DUI*, S. 67–74.
- Kortum, P.** (2008). *HCI Beyond the GUI: Design for Haptic, Speech, Olfactory, and Other Nontraditional Interfaces*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA.
- Kosara, R., Miksch, S., Hauser, H.** (2001). Semantic Depth of Field. In *Proc. of INFOVIS*, S. 97–104.
- Kratz, S., Rohs, M.** (2009). HoverFlow: Expanding the Design Space of Around-device Interaction. In *Proc. of MobileHCI*, S. 4:1–4:8.
- Kratz, S., Rohs, M.** (2010). Extending the Virtual Trackball Metaphor to Rear Touch Input. In *Proc. of IEEE 3DUI*, S. 111–114.
- Kratz, S., Westermann, T., Rohs, M., Essl, G.** (2011). CapWidgets: tangible widgets versus multi-touch controls on mobile devices. In *Proc. of CHI '11 Extended Abstracts*, S. 1351–1356.
- Kray, C., Nesbitt, D., Dawson, J., Rohs, M.** (2010). User-defined Gestures for Connecting Mobile Phones, Public Displays, and Tabletops. In *Proc. of MobileHCI*, S. 239–248.
- Krueger, M. W.** (1983). *Artificial Reality*. Addison-Wesley.
- Krueger, M. W., Gionfriddo, T., Hinrichsen, K.** (1985). VIDEOPLACE – an Artificial Reality. In *Proc. of ACM CHI*, S. 35–40.
- Krueger, W., Fröhlich, B.** (1994). The Responsive Workbench. *IEEE CGA*, 14:12–15.
- Krüger, A., Kubisch, C., Strauß, G., Preim, B.** (2008). Sinus Endoscopy - Application of Advanced GPU Volume Rendering for Virtual Endoscopy.

- IEEE Trans. Vis. Comput. Graph.*, 14 (6):1491–1498.
- Krüger, A., Stampe, K., Irrgang, S., Richter, I., Strauß, G., Preim, B.** (2008). Eingabegeräte und Interaktionstechniken für die virtuelle Endoskopie. In *Proc. of Mensch & Computer*, S. 237–246.
- Kubisch, C., Tietjen, C., Preim, B.** (2010). GPU-based Smart Visibility Techniques for Tumor Surgery Planning. *International Journal of Computer Assisted Radiology and Surgery*, S. 667–678.
- Kuniavsky, M., Raghavan, S.** (2005). Guidelines are a tool: building a design knowledge management system for programmers. In *Proc. of Designing for User eXperience (DUX)*.
- Kunz, A., Fjeld, M.** (2010). From Table-System to Tabletop: Integrating Technology into Interactive Surfaces. In C. Müller-Tomfelde, Herausgeber, *Tabletops – Horizontal Interactive Displays*, Human-Computer Interaction Series, S. 51–69. Springer London.
- Kunz, A., Alavi, A., Landgren, J., Yantaç, A. E., Woźniak, P., Sárosi, Z., Fjeld, M.** (2013). Tangible Tabletops for Emergency Response: An Exploratory Study. In *Proc. of the International Conference on Multimedia, Interaction, Design and Innovation*, MI-DI '13, S. 10:1–10:8.
- Kurtenbach, G., Hulteen, E.** (1990). Gestures in Human-Computer Communication. In B. Laurel, Herausgeber, *The Art and Science of Interface Design*, S. 309–317. Addison-Wesley Publishing Co., Reading, USA.
- Kusiak, A.** (2007). The university of iowa, innovation: The living laboratory perspective. *Computer-Aided Design & Applications*, 4(6):863–876.
- Lam, H., Bertini, E., Isenberg, P., Plaisant, C., Carpendale, S.** (2012). Empirical Studies in Information Visualization: Seven Scenarios. *IEEE Trans. Vis. Comput. Graph.*, 18(9): 1520–1536.
- Lampe, S.** (2012). *Spatial Augmented Reality: Untersuchungen zur Genauigkeit und Wahrnehmung Projektionsbasierter Augmented Reality Verfahren*. Master's Thesis, Fakultät für Informatik, Univesität Magdeburg.
- Landay, J. A., Myers, B. A.** (1995). Interactive Sketching for the Early Stages of User Interface Design. In *Proc. of ACM CHI*, S. 43–50.
- Lang, P. J.** (1980). *Technology in mental health care delivery systems*, chapter Behavioral treatment and bio-behavioral assessment: computer applications, S. 119–137. Norwood, NJ: Ablex.
- Langner, R., Brosz, J., Dachsel, R., Carpendale, S.** (2010). PhysicsBox: Playful Educational Tabletop Games. In *Proc. of ACM ITS*, S. 273–274.
- Langner, R., Augsburg, A., Dachsel, R.** (2014). CubeQuery: Tangible Interface for Creating and Manipulating Database Queries. In *Proc. of ACM ITS*.
- Laschke, M., Hassenzahl, M., Mehner, K.** (2010). *linked.:* a relatedness experience for boys. In *Proc. of NordiCHI*, S. 839–844.
- Lavery, D., Cockton, G., Atkinson, M. P.** (1997). Comparison of Evaluation Methods Using Structured Usability Problem Reports. *Behaviour and Information Technology*, 16(4):246–266.
- Lavie, T., Tractinsky, N.** (2004). Assessing dimensions of perceived visual

- aesthetics of web sites. *Int. J. Hum.-Comput. Stud.*, 60(3):269–298.
- LaViola, J., Bowman, D., Kruijff, E., Poupyrev, I., Stuerzlinger, W.** (2009). 3d user interfaces: Design, implementation, usability. Course at ACM CHI, 2009.
- Law, E. L.-C.** (2011). The measurability and predictability of user experience. In *Proc. of ACM Engineering Interactive Computing Systems*, S. 1–10.
- Law, E. L.-C., Hvannberg, E. T.** (2002). Complementarity and convergence of heuristic evaluation and usability test: a case study of universal brokerage platform. In *Proc. of NordiCHI*, S. 71–80.
- Law, E. L.-C., Hvannberg, E. T.** (2004). Analysis of combinatorial user effect in international usability tests. In *Proc. of ACM CHI*, S. 9–16.
- Law, E. L.-C., Roto, V., Hassenzahl, M., Vermeeren, A. P. O., Kort, J.** (2009). Understanding, scoping and defining user experience: a survey approach. In *Proc. of ACM CHI*, S. 719–728.
- Lawonn, K., Preim, B.** (2015). *Feature Lines for Illustrating Medical Surface Models: Mathematical Background and Survey*, chapter Visualization in Medicine and Life Sciences III, S. in print. Springer.
- Lazar, J.** (2005). *Web Usability: A User-Centered Design Approach*. Addison Wesley Pub.
- Lee, B., Isenberg, P., Riche, N.H., Carpendale, S.** (2012). Beyond Mouse and Keyboard: Expanding Design Considerations for Information Visualization Interactions. *IEEE Trans. Vis. Comput. Graph.*, 18(12):2689–2698.
- Lee, C., Ghyme, S., Park, C., Wohn, K.** (1998). The Control of Avatar Motion Using Hand Gesture. In *Proc. of ACM VRST*, S. 59–65.
- Lee, J., Post, R., Ishii, H.** (2011). ZeroN: Mid-air Tangible Interaction Enabled by Computer Controlled Magnetic Levitation. In *Proc. of ACM UIST*, S. 327–336.
- Lee, J., Olwal, A., Ishii, H., Boulanger, C.** (2013). SpaceTop: Integrating 2D and Spatial 3D Interactions in a See-through Desktop Environment. In *Proc. of ACM CHI*, S. 189–192.
- Lee, S. K., Buxton, W., Smith, K. C.** (1985). A Multi-touch Three Dimensional Touch-sensitive Tablet. In *Proc. of ACM CHI*, S. 21–25.
- Leiner, U., Honold, P.** (2003). User interfaces for mobile phones: New UI challenges and solutions for small mobile communication devices. In *Proc. of Human Factors in Telecommunication*, S. 187–192.
- Leiner, U., Preim, B., Ressel, S.** (1997). Entwicklung von 3D-Widgets – Überblicksvortrag. In *Proc. of Simulation und Animation*, S. 171–188.
- Leitner, J., Haller, M.** (2011). Geckos: combining magnets and pressure images to enable new tangible-object design and interaction. In *Proc. of ACM SIGCHI*, S. 2985–2994.
- Leitner, J., Haller, M., Yun, K., Woo, W., Sugimoto, M., Inami, M.** (2008). Incretable, a mixed reality tabletop game experience. In *Proc. of ACE*, S. 9–16.
- Leitner, J., Haller, M., Yun, K., Woo, W., Sugimoto, M., Inami, M., Cheok, A. D., Been-Lirn, H. D.** (2010). Physical interfaces for tabletop games. *Comput. Entertain.*, 7(4):61:1–61:21.
- Lenz, E., Diefenbach, S., Hassenzahl, M., Lienhard, S.** (2012). Mo. shared

- music, shared moment. In *Proc. of NordiCHI*, S. 736–741.
- Lewis, C., Rieman, J.** (1994). *Task-Centered User Interface Design - A Practical Introduction*. published by the authors, available online.
- Lewis, J. R.** (2001). Evaluation of Procedures for Adjusting Problem-Discovery Rates Estimated From Small Samples. *International Journal of Human-Computer Interaction*, 13(4):445–479.
- Lewis, J. R.** (2006). *Handbook of Human Factors and Ergonomics*, 3. Auflage, chapter Usability Testing, S. 1275–1316. Lawrence Erlbaum.
- Leykin, A., Tuceryan, M.** (2004). Automatic Determination of Text Readability over Textured Backgrounds for Augmented Reality Systems. In *Proc. of IEEE/ACM ISMAR*, S. 224–230.
- Li, W., Agrawala, M., Salesin, D.** (2004). Interactive image-based exploded view diagrams. In *Proc. of Graphics Interface*, S. 203–212.
- Li, W., Agrawala, M., Curless, B., Salesin, D.** (2008). Automated generation of interactive 3d exploded view diagrams. *ACM Trans. Graph.*, 27.
- Liang, J., Green, M.** (1994). JCAD: a highly interactive 3D modeling system. *Computer & Graphics*, 18:499–506.
- Lin, J., Wu, Y., Huang, T. S.** (2000). Modeling the constraints of human hand motion. In *Proc. of Workshop on Human Motion*, S. 121–126.
- Lindlbauer, D., Aoki, T., Höchtl, A., Uema, Y., Haller, M., Inami, M., Müller, J.** (2014). A Collaborative See-through Display Supporting On-demand Privacy. In *ACM SIGGRAPH 2014 Emerging Technologies*, S. 1:1–1:1.
- Litosseliti, L.** (2005). *Using Focus Groups In Research*. Continuum.
- Littmann, A., Schenk, A., Preim, B. et al.** (2003). Kombination von Bildanalyse und physikalischer Simulation für die Planung von Behandlungen maligner Lebertumoren mittels laser-induzierter Thermotherapie. In *Proc. of Bildverarbeitung für die Medizin*, S. 428–432.
- Löffler, J., Polkehn, K., Hüttner, J.** (2013). Erfolgreiche Usability & UX in Unternehmen: Thesen und Erfolgsfaktoren zu Usability/UX-Prozessen, Strategie und Chance. In *Proc. of German Chapter der UPA*, S. 22–27.
- Lopes, P., Baudisch, P.** (2013). Muscle-propelled Force Feedback: Bringing Force Feedback to Mobile Devices. In *Proc. of ACM SIGCHI*, S. 2577–2580.
- Lotterbach, S.** (2010). Formatives Usability Testing: Ziel, Rahmenbedingungen, Ablauf und Ergebnisse. In *Proc. of German Chapter der UPA*, S. 168–174.
- Löwgren, J.** (2004). Animated use sketches as design representations. *interactions*, 11(6):22–27.
- Lundström, C., Rydell, T., Forsell, C., Persson, A., Ynnerman, A.** (2011). Multi-touch table system for medical visualization: Application to orthopedic surgery planning. *IEEE Trans. Vis. Comput. Graph.*, 17(12): 1775–1784.
- Maass, S., Döllner, J.** (2008). Seamless Integration of Labels into Interactive Virtual 3D Environments Using Parameterized Hulls. In *Proc. of Computational Aesthetics*, S. 33–40.
- Macefield, R.** (2009). How To Specify the Participant Group Size for Usability Studies: A Practitioners Guide.

- Journal of Usability Studies*, 5(1):34–45.
- Mackinlay, J. D., Card, S. K., Robertson, G. G.** (1990). Rapid controlled movement through a virtual 3D workspace. In *Proc. of ACM SIGGRAPH*, S. 171–176.
- Maes, P., Darrell, T., Blumberg, B., Pentland, A.** (1995). The ALIVE System: Full-body Interaction with Autonomous Agents. In *Proc. of Computer Animation*, S. 11–18.
- Maguire, M. C.** (1999). A review of user-interface design guidelines for public information kiosk systems. *Int. J. Hum.-Comput. Stud.*, 50(3):263–286.
- Mahatody, T., Sagar, M., Kolski, C.** (2010). State of the Art on the Cognitive Walkthrough Method, Its Variants and Evolutions. *International Journal of Human Computer Interaction*, 26(8):741–785.
- Mahlke, S., Thüring, M.** (2007). Studying antecedents of emotional experiences in interactive contexts. In *Proc. of ACM CHI*, S. 915–918.
- Manches, A., O'Malley, C.** (2012). Tangibles for learning: a representational analysis of physical manipulation. *Personal Ubiquitous Computing*, 16(4):405–419.
- Mann, S.** (2013). *Wearable Computing*. The Interaction Design Foundation, Aarhus, Denmark.
- Mantei, M. M., Teorey, T. J.** (1988). Cost/benefit analysis for incorporating human factors in the software lifecycle. *CACM*, 31(4): 428–439.
- Marcel, S.** (2002). *Gestures for Multi-Model Interfaces: A Review*. Technical Report, Idiap Research Institute, Martigny, Switzerland.
- Marcus, A.** (2012). *The Past 100 Years of the Future: Human-Computer Interaction in Science-Fiction Movies and Television*. Aaron Marcus and Associates, Inc.
- Margolis, M.** (2009). *Arduino Kochbuch*. O'Reilly, Köln.
- Marquardt, N., Kiemer, J., Greenberg, S.** (2010). What Caused That Touch?: Expressive Interaction with a Surface Through Fiduciary-tagged Gloves. In *Proc. of ACM ITS*, S. 139–142.
- Marquardt, N., Hinckley, K., Greenberg, S.** (2012). Cross-device Interaction via Micro-mobility and F-formations. In *Proc. of ACM UIST*, S. 13–22.
- Marquardt, N., Hinckley, K., Greenberg, S.** (2012). Cross-device Interaction via Micro-mobility and F-formations. In *Proc. of ACM UIST*, S. 13–22.
- Marsden, G.** (2008). New users, new paradigms, new challenges. *interactions*, 15(1):59–60.
- Marshall, C., Rossman, G. B.** (1994). *Designing Qualitative Research*. Sage, London.
- Marshall, P.** (2007). Do tangible interfaces enhance learning? In *Proc. of Tangible and Embedded Interaction*, TEI '07, S. 163–170.
- Marshall, P., Rogers, Y., Hornecker, E.** (2007). Are tangible interfaces really any better than other kinds of interfaces? In *Proc. of CHI'07 Workshop on Tangible User Interfaces in Context & Theory*.
- Martin, F., Mikhak, B., Silverman, B.** (2000). Metacricknet: a designer's kit for making computational devices. *IBM Syst. J.*, 39(3-4):795–815.
- Masliah, M. R., Milgram, P.** (2000). Measuring the allocation



- of control in a 6 degree-of-freedom docking experiment. In *Proc. of ACM CHI*, S. 25–32.
- Massie, T. H., Salisbury, J. K.** (1994). The PHANToM haptic interface: A device for probing virtual objects. In *Proc. of the ASME Dynamic Systems and Control Division*, S. 295–301.
- Matejka, J., Grossman, T., Lo, J., Fitzmaurice, G.** (2009). The Design and Evaluation of Multi-finger Mouse Emulation Techniques. In *Proc. of ACM CHI*, S. 1073–1082.
- Matsushita, N., Rekimoto, J.** (1997). HoloWall: Designing a Finger, Hand, Body, and Object Sensitive Wall. In *Proc. of ACM UIST*, S. 209–210.
- Matulic, F., Norrie, M.C.** (2013). Pen and Touch Gestural Environment for Document Editing on Interactive Tabletops. In *Proc. of ACM ITS*, S. 41–50.
- Maulsby, D., Greenberg, S., Mander, R.** (1993). Prototyping an intelligent agent through Wizard of Oz. In *Proc. of INTERACT '93 and ACM CHI '93*, S. 277–284.
- Mayhew, D.** (1999). *The Usability Engineering Lifecycle: A Practitioner's Handbook for User Interface Design*. Prentice Hall.
- Mayhew, D.** (2003). *The Human Computer Interaction Handbook*, chapter Requirements Specifications Within the Usability Engineering Lifecycle, S. 914–921. Lawrence Erlbaum.
- Mazalek, A., van den Hoven, E.** (2009). Framing tangible interaction frameworks. *Artif. Intell. Eng. Des. Anal. Manuf.*, 23(3):225–235.
- McCarthy, J., Wright, P.** (2007). *Technology as Experience*. Massachusetts Institute of Technology.
- McCrickard, D. S., Harrison, S., Wahid, S., Branham, S.** (2008). Putting creativity first - inspiring with image-based design rationale. In *Proc. of Workshop on Creativity and Rationale*.
- McFarland, D. J., Wolpaw, J. R.** (2011). Brain-computer Interfaces for Communication and Control. *CACM*, 54(5):60–66.
- McNeill, D.** (1992). *Hand and Mind: What Gestures Reveal about Thought*. The University of Chicago Press.
- McNeill, D.** (2000). *Language and Gesture*. Cambridge University Press.
- McNeill, D.** (2005). *Gesture and Thought*. University of Chicago Press.
- McNerney, T. S.** (2004). From turtles to Tangible Programming Bricks: explorations in physical language design. *Personal Ubiquitous Computing*, 8(5):326–337.
- Mehta, N.** (1982). *A Flexible Human Machine Interface*. M.a.sc. thesis, Department of Electrical Engineering, University of Toronto.
- Memmel, T.** (2009). *User interface specification for interactive software systems*. PhD Thesis, Universität Konstanz.
- Memmel, T., Reiterer, H.** (2008). User Interface Entwicklung mit interaktiven Spezifikationen. In *Proc. of Mensch & Computer*, S. 357–366.
- Menk, C., Jundt, E., Koch, R.** (2011). Visualisation Techniques for Using Spatial Augmented Reality in the Design Process of a Car. *Computer Graphics Forum*, 30(8):2354–2366.
- Merlo, M., Bachman, M.** (2011). A Rapid Prototyping Tool for Interactive Device Development. In *Proc. of*

- Human-computer Interaction: Part I*, HCII'11.
- Merrill, D., Kalanithi, J., Maes, P.** (2007). Siftables: towards sensor network user interfaces. In *Proc. of Tangible and Embedded Interaction*, TEI '07, S. 75–78.
- Meurer, J., Stein, M., Stevens, G.** (2013). Living Labs zur Gestaltung innovativer Mobilitätskonzepte für ältere Menschen. In *Proc. of Workshopband der Mensch & Computer*, S. 95–102.
- Mi, H., Sugimoto, M.** (2011). HATs: Interact Using Height-adjustable Tangibles in Tabletop Interfaces. In *Proc. of ITS*, S. 71–74.
- Milgram, P., Takemura, H., Utsumi, A., Kishino, F.** (1995). Augmented Reality: A class of displays on the reality-virtuality continuum. In *Proc. of the SPIE Conference on Telem manipulator and Telepresence Technologies*, SPIE, Vol. 2351, S. 282–292.
- Miller, A.** (1996). Integrating human factors in customer support systems development using a multi-level organisational approach. In *Proc. of ACM CHI*, S. 368–375.
- Millward, L.** (2008). *Research Methods in Psychology, 4th edition*, chapter Focus Groups, S. 411–438. Sage Publications, London.
- Mine, M. R., Brooks, F., Sequin, C.** (1997). Moving objects in space: exploiting proprioception in virtual-environment interaction. In *Proc. of ACM SIGGRAPH*, S. 19–26.
- Minge, M., Riedel, M.** (2013). meCUE - Ein modularer Fragebogen zur Erfassung des Nutzererlebens. In *Proc. of Mensch & Computer*, S. 89–98.
- Mistry, P., Maes, P., Chang, L.** (2009). WUW - Wear Ur World: A Wearable Gestural Interface. In *Proc. of CHI '09 Extended Abstracts*, S. 4111–4116.
- Mitra, S., Acharya, T.** (2007). Gesture recognition: A survey. *IEEE Trans. on Systems, Man and Cybernetics - Part C: Applications and Reviews*, 37(3): 311–324.
- Moehring, M., Froehlich, B.** (2011). Natural Interaction Metaphors for Functional Validations of Virtual Car Models. *IEEE Trans. Vis. Comput. Graph.*, 17(9):1195–1208.
- Molich, R., Bevan, N., Curson, I., Butler, S., Kindlund, E. and Miller, D., Kirakowski, J.** (1998). Comparative evaluation of usability tests. In *Proc. of the Usability Professionals Association*, S. 189–200.
- Molich, R., Ede, M. R., Kaasgaard, K., Karyukin, B.** (2004). Comparative usability evaluation. *Behaviour & IT*, 23(1):65–74.
- Moll, J., Huang, Y., Sallnäs, E.-L.** (2010). Audio makes a difference in haptic collaborative virtual environments. *Interacting with Computers*, 22(6):544–555.
- Mönch, J., Mühler, K., Hansen, C., Oldhafer, K. J., Stavrou, G., Hillert, C., Logge, C., Preim, B.** (2013). The LiverSurgeryTrainer: training of computer-based planning in liver resection surgery. *International Journal of CARS*, 8(5):809–818.
- Mone, G.** (2013). The Future is Flexible Displays. *Commun. ACM*, 56(6):16–17.
- Morency, L.-P., Darrell, T.** (2006). Head Gesture Recognition in Intelligent Interfaces: The Role of Context in Improving Recognition. In *Proc. of IUI*, S. 32–38.
- Morris, D., Collett, P., Mash, P., O'Shaughnessy, M.** (1979). *Gestu-*

- res: their Origins and Distribution.* Jonathan Cape.
- Morris, M. R.** (2012). Web on the wall: Insights from a multimodal interaction elicitation study. In *Proc. of ACM ITS*, S. 95–104.
- Morris, M. R., Huang, A., Paepcke, A., Winograd, T.** (2006). Cooperative Gestures: Multi-user Gestural Interactions for Co-located Groupware. In *Proc. of ACM CHI*, S. 1201–1210.
- Mörzl, A., Lawitzky, M., Kucukyilmaz, A., Sezgin, M., Basdogan, C., Hirche, S.** (2012). The role of roles: Physical cooperation between humans and robots. *The International Journal of Robotics Research*, 31(13):1656–1674.
- Moscovich, T.** (2009). Contact area interaction with sliding widgets. In *Proc. of ACM UIST*, S. 13–22.
- Mueller, F., Gibbs, M. R., Vetere, F.** (2008). Taxonomy of Exertion Games. In *Proc. of OZCHI*, S. 263–266.
- Mühler, K., Preim, B.** (2009). Automatic Textual Annotation for Surgical Planning. In *Proc. of Vision, Modeling, and Visualization (VMV)*, S. 277–284.
- Mühler, K., Tietjen, C., Ritter, F., Preim, B.** (2010). The Medical Exploration Toolkit: An Efficient Support for Visual Computing in Surgical Planning and Training. *IEEE Trans. Vis. Comput. Graph.*, 16(1)(1):133–146.
- Mühler, K., Neugebauer, M., Preim, B.** (2011). Interactive Medical Volume Visualizations for Surgical Online Applications. In *Proc. of HCI International Conference*, volume 6768, S. 398–405.
- Mulder, J. D.** (2005). Menu Selection in Desktop Virtual Reality. In *Proc. of Central European Multimedia and Virtual Reality Conference.*
- Mulder, S., Yaar, Z.** (2007). *The User Is Always Right: A Practical Guide to Creating and Using Personas for the Web.* New Riders.
- Mullenbach, J., Shultz, C., Piper, A. M., Peshkin, M., Colgate, J. E.** (2013). Surface haptic interactions with a tpad tablet. In *Proc. of the Adjunct Publication of ACM UIST*, S. 7–8.
- Müller, J., Schwarz, T., Butscher, S., Reiterer, H.** (2014). Back to Tangibility: A post-WIMP Perspective on Control Room Design. In *Proc. of AVI*, S. 57–64.
- Müller, M.** (2007). *Information Retrieval for Music and Motion.* Springer-Verlag Berlin Heidelberg.
- Müller, M., Heidelberger, B., Teschner, M., Gross, M. H.** (2005). Meshless deformations based on shape matching. *ACM Trans. Graph.*, 24(3): 471–478.
- Müller-Tomfelde, C. (Hrsg.)** (2010). *Tabletops - Horizontal Interactive Displays.* Human-Computer Interaction Series. Springer.
- Müller-Tomfelde, C., Fjeld, M.** (2010). Introduction: A Short History of Tabletop Research, Technologies, and Products. In *Tabletops*, S. 1–24.
- Müller-Tomfelde, C., Wessels, A., Schremmer, C.** (2008). Tilted tabletops: In between horizontal and vertical workspaces. In *Proc. of ACM ITS*, S. 49–56.
- Murugappan, S., Vinayak and Elmqvist, N., Ramani, K.** (2012). Extended multitouch: Recovering touch posture and differentiating users using a depth camera. In *Proc. of ACM UIST*, S. 487–496.

- Museth, K., Breen, D. E., Whitaker, R. T., Barr, A. H.** (2002). Level set surface editing operators. In *Proc. of ACM SIGGRAPH*, S. 330–338.
- Myers, B., Hudson, S. E., Pausch, R.** (2000). Past, present, and future of user interface software tools. *ACM Trans. on CHI*, 7(1):3–28.
- Myers, B. A.** (1998). A brief history of human-computer interaction technology. *Interactions*, 5(2):44–54.
- Nacenta, M. A., Baudisch, P., Benko, H., Wilson, A.** (2009). Separability of spatial manipulations in multi-touch interfaces. In *Proc. of Graphics Interface*, S. 175–182.
- Nacenta, M. A., Kamber, Y., Qiang, Y., Kristensson, P. O.** (2013). Memorability of Pre-designed and User-defined Gesture Sets. In *Proc. of ACM CHI*, S. 1099–1108.
- Nealen, A., Sorkine, O., Alexa, M., Cohen-Or, D.** (2005). A sketch-based interface for detail-preserving mesh editing. *ACM Trans. Graph.*, 24(3): 1142–1147.
- Nealen, A., Igarashi, T., Sorkine, O., Alexa, M.** (2007). FiberMesh: designing freeform surfaces with 3D curves. *ACM Trans. Graph.*, 26(3):41.
- Negroponte, N.** (1970). *The Architecture Machine: Toward a More Human Environment*. The MIT Media Press, Cambridge, USA.
- Neumann, P., Isenberg, T., Carpendale, S.** (2007). NPR Lenses: Interactive Tools for Non-photorealistic Line Drawings. In *Proc. of Smart Graphics*, S. 10–22.
- Neumuth, T., Durstewitz, N., Fischer, M. et al.** (2006). Structured Recording of Intraoperative Surgical Workflows. In *Proc. of SPIE Medical Imaging - PACS and Imaging Informatics*. SPIE: Bellingham.
- Newman, W. M., Lamming, M. G., Lamming, M.** (1995). *Interactive System Design*. Addison-Wesley Longman Publishing Co., Inc., Boston, MA, USA.
- Ni, T., Bowman, D., Chen, J.** (2006). Increased display size and resolution improve task performance in Information-Rich Virtual Environments. In *Proc. of Graphics Interface*, S. 139–146.
- Nielsen, J.** (1993). *Usability Engineering*. Morgan Kaufman.
- Nielsen, J.** (1993). Noncommand User Interfaces. *CACM*, 36(4):83–99.
- Nielsen, J.** (1997). *The Computer Science and Engineering Handbook*, chapter Usability Engineering, S. 1440–1460. CRC Press.
- Nielsen, J., Levy, J.** (1994). Measuring usability: Preference vs. performance. *CACM*, 37(4):66–75.
- Nielsen, M., Stårring, M., Moesl, T. B., Granum, E.** (2004). A Procedure for Developing Intuitive and Ergonomic Gesture Interfaces for HCI. In *Gesture-Based Communication in Human-Computer Interaction*, volume 2915 of *LNCIS*, S. 409–420. Springer.
- Niiyama, R., Yao, L., Ishii, H.** (2013). Weight and Volume Changing Device with Liquid Metal Transfer. In *Proc. of Tangible, Embedded and Embodied Interaction*, TEI '14, S. 49–52.
- Nijboer, M., Gerl, M., Isenberg, T.** (2010). Exploring Frame Gestures for Fluid Freehand Sketching. In *Proc. of Sketch Based Interfaces and Modeling (SBM)*, S. 57–62.
- Nørgaard, M., Hornbæk, K.** (2006). What do usability evaluators do in practice?: an explorative study of think-aloud testing. In *Proc. of De-*

- signing Interactive Systems (DIS)*, S. 209–218.
- Norman, D.** (2004). Ad-hoc personas & empathetic focus. (accessed: 30.11.2012, 2004).
- Norman, D. A.** (1998). *The invisible computer*. MIT Press.
- Norman, D. A.** (1999). Affordance, conventions, and design. *interactions*, 6(3):38–43.
- Norman, D. A.** (2010). Natural User Interfaces Are Not Natural. *interactions*, 17(3):6–10.
- Norman, D. A., Draper, S.** (1986). *User Centered System Design: New Perspectives on Human-Computer Interaction*. L. Erlbaum Associates Inc., Hillsdale, NJ, USA.
- Norman, D. A., Nielsen, J.** (2010). Gestural Interfaces: A Step Backward in Usability. *interactions*, 17(5):46–49.
- Nowacka, D., Ladha, K., Hammerla, N.Y. et al.** (2013). Touchbugs: Actuated Tangibles on Multi-touch Tables. In *Proc. of ACM SIGCHI*, S. 759–762.
- Nowke, C., Schmidt, M., van Albeda, S. J., Eppler, J. M., Bakker, R., Diesmann, M., Henschel, B., Kuhlen, T.** (2013). VisNEST - Interactive analysis of neural activity data. In *Proc. of IEEE BioVis*, S. 65–72.
- Obendorf, H., Finck, M.** (2007). Szenariotechniken & agile softwareentwicklung. In *Proc. of Mensch & Computer*, S. 19–28.
- Odendahl, M., Finn, J., Wenger, A.** (2012). *Arduino – Physical Computing für Bastler, Designer und Geeks*. O'Reilly, Köln.
- Oeltze-Jafra, S., Preim, B.** (2014). Survey of Labeling Techniques in Medical Visualizations. In *Proc. of EG Workshop on Visual Computing for Biology and Medicine (VCBM)*, S. 79–88.
- Ogawa, H., Ando, N., Onodera, S.** (2005). Smallconnection: designing of tangible communication media over networks. In *Proc. of ACM Multimedia*, S. 1073–1074.
- Oh, J., Stuerzlinger, W.** (2005). Moving objects with 2D input devices in CAD systems and Desktop Virtual Environments. In *Proc. of Graphics Interface*, S. 195–202.
- Oh, J., Stuerzlinger, W., Dadgari, D.** (2006). Group Selection Techniques for Efficient 3D Modeling. In *Proc. of IEEE 3D UI*, S. 95–102.
- Oh, J.-Y., Stuerzlinger, W., Danahy, J.** (2006). SESAME: towards better 3D conceptual design systems. In *Proc. of Designing Interactive Systems*, S. 80–89.
- O'Hara, K., Harper, R., Mentis, H., Sellen, A., Taylor, A.** (2013). On the Naturalness of Touchless: Putting the „Interaction“ Back into NUI. *ACM Trans. on CHI*, 20(1):5:1–5:25.
- O'Hara, K., Gonzalez, G., Sellen, A. et al.** (2014). Touchless Interaction in Surgery. *CACM*, 57(1):70–77.
- Ohly, S., Sonnentag, S., Niessen, C., Zapf, D.** (2010). Diary studies in organizational research. an introduction and some practical recommendations. *Journal of Personnel Psychology*, 9(2):79–93.
- Okabe, M., Owada, S., Igarashi, T.** (2005). Interactive Design of Botanical Trees using Freehand Sketches and Example-based Editing. *Computer Graphics Forum*, 24(3):487–496.
- Olafsdottir, H., Appert, C.** (2014). Multi-touch Gestures for Discrete and Continuous Control. In *Proc. of AVI*, S. 177–184.
- Olberding, S., Wessely, M., Steimle, J.** (2014). PrintScreen: Fabricating Highly Customizable Thin-film

- Touch-displays. In *Proc. of ACM UIST*, S. 281–290.
- Oldhafer, K. J., Preim, B., Dörge, C., Peitgen, H.-O., Broelsch, C. E.** (2002). Akzeptanz einer computer-gestützten Operationsplanung in der Viszeralchirurgie - Ergebnisse einer bundesweiten Befragung. *Zentralblatt für Chirurgie*, 1(127):128–133.
- Olwal, A., Feiner, S.** (2003). The Flexible Pointer: An Interaction Technique for Augmented and Virtual Reality. In *Proc. of ACM UIST*, S. 81–82.
- O'Malley, C., Stanton Fraser, D.** (2004). Literature Review in Learning with Tangible Technologies. *Technology*, 12:48.
- Oppenheim, A. N.** (2000). *Questionnaire Design, Interviewing and Attitude Measurement*. Continuum, London.
- Oppl, S., Stary, C.** (2012). Be-greifbare Gestaltung von eLearning-Szenarien. In B. Robben und H. Schelhowe, Herausgeber, *Be-greifbare Interaktionen – Der allgegenwärtige Computer*, S. 273–292, Bielefeld. Transcript.
- Ortega, M., Redon, S., Coquillart, S.** (2007). A Six Degree-of-Freedom God-Object Method for Haptic Display of Rigid Bodies with Surface Properties. *IEEE Trans. Vis. Comput. Graph.*, 13(3):458–469.
- Oster, N., Groenefeld, J., Kühner, M.** (2012). Anforderungen an HMIs in industriellen Bereichen: Potential und Fallstricke bei der Erstellung von maschinennahen Bedienoberflächen. In *Proc. of German Chapter der UPA*.
- O'Sullivan, D., Igoe, T.** (2004). *Physical Computing: Sensing and Controlling the Physical World with Computers*. Course Technology Press, Boston, MA, United States.
- Otto, O., Roberts, D. J., Wolff, R.** (2006). A review on effective closely-coupled collaboration using immersive CVE's. In *Proc. of ACM VRCIA*, S. 145–154.
- Oviatt, S.** (1996). Multimodal Interfaces for Dynamic Interactive Maps. In *Proc. of ACM CHI*, S. 95–102.
- Owada, S., Nielsen, F., Nakazawa, K., Igarashi, T.** (2003). A Sketching Interface for Modeling the Internal Structures of 3D Shapes. In *Proc. of Smart Graphics*, S. 49–57.
- Pangaro, G., Maynes-Aminzade, D., Ishii, H.** (2002). The Actuated Workbench: Computer-controlled Actuation in Tabletop Tangible Interfaces. In *Proc. of ACM UIST*, S. 181–190.
- Pastoor, S., Wöpping, M.** (1997). 3-D Displays: A Review of Current Technologies. *DISPLAY*, 17:100–110.
- Paul, M., Rosenspieß, A., Herczeg, M.** (2013). UsER - Ein prozessorientiertes Entwicklungssystem für Usability Engineering. In *Proc. of Mensch & Computer*, S. 181–190.
- Pavlovic, V. I., Sharma, R., Huang, T. S.** (1997). Visual interpretation of hand gestures for human-computer interaction: a review. *IEEE Trans. on Pattern Analysis and Machine Intelligence*, 19(7):677–695.
- Pearson, G., Weiser, M.** (1986). Of Moles and Men: The Design of Foot Controls for Workstations. In *Proc. of ACM CHI*, S. 333–339.
- Pedersen, E. W., Hornbæk, K.** (). mi-xiTUI: a tangible sequencer for electronic live performances.
- Pedersen, E. W., Hornbæk, K.** (2011). Tangible Bots: Interaction with Active Tangibles in Tabletop Interfaces. In *Proc. of ACM SIGCHI*, S. 2975–2984.



- Pellacini, F., Tole, P., Greenberg, D.P.** (2002). A user interface for interactive cinematic shadow design. In *Proc. of ACM SIGGRAPH*, S. 563–566.
- Pellacini, F., Battaglia, F., Morley, R. K., Finkelstein, A.** (2007). Lighting with paint. *ACM Trans. Graph.*, 26.
- Perlin, K., Paxia, S., Kollin, J. S.** (2000). An Autostereoscopic Display. In *Proc. of ACM SIGGRAPH*, S. 319–326.
- Perry, R.N., Frisken Gibson, S.F.** (2001). Kizamu: a system for sculpting digital characters. In *Proc. of ACM SIGGRAPH*, S. 47–56.
- Peschke, J., Göbel, F., Gründer, T., Keck, M., Kammer, D., Groh, R.** (2012). DepthTouch: An Elastic Surface for Tangible Computing. In *Proc. of AVI*, S. 770–771.
- Peterka, T., Kooima, R. L., Sandin, D. J., Johnson, A., Leigh, J., DeFanti, T. A.** (2008). Advances in the Dynallax Solid-State Dynamic Parallax Barrier Autostereoscopic Visualization Display System. *IEEE Trans. Vis. Comput. Graph.*, 14(3):487–499.
- Petersik, A., Pflesser, B., Tiede, U., Höhne, K.-H., Leuwer, R.** (2003). Realistic haptic interaction in volume sculpting for surgery simulation. In *Proc. of Surgery Simulation and Soft Tissue Modeling*, S. 194–202.
- Petrie, H., Johnson, V., Strothotte, T., Raab, A., Michel, R., Reichert, L., Schalt, A.** (1997). MoBIC: an aid to increase the independent mobility of blind travellers. *British Journal of Visual Impairment*, 15(2):63–66.
- Petrovic, K., Göring, K., Kowalik, P.** (2012). Personas für Business Software. In *Proc. of Usability Professionals*, S. 59–65.
- Picard, R. W.** (1997). *Affective Computing*. MIT Press, Cambridge, MA, USA.
- Pick, S., Hentschel, B., Tedjo-Palczynski, I., Wolter, M., Kuhlen, T.** (2010). Automated Positioning of Annotations in Immersive Virtual Environments. In *Proc. of Joint Virtual Reality Conference of EGVE/EuroVR/VEC*, S. 1–8.
- Pierce, J. S., Forsberg, A. S., Conway, M. J., Hong, S., Zeleznik, R. C., Mine, M. R.** (1997). Image plane interaction techniques in 3D immersive environments. In *Proc. of the ACM I3D*, S. 39–43.
- Pinelle, D., Gutwin, C.** (2002). Groupware walkthrough: adding context to groupware usability evaluation. In *Proc. of ACM CHI*, S. 455–462.
- Pinelle, D., Wong, N.** (2008). Heuristic evaluation for games: usability principles for video game design. In *Proc. of ACM CHI*, S. 1453–1462.
- Piper, B., Ratti, C., Ishii, H.** (2002). Illuminating clay: a 3-D tangible interface for landscape analysis. In *Proc. of ACM SIGCHI*, S. 355–362.
- Pohl, K., Rupp, C.** (2009). *Basiswissen Requirements Engineering*. Dpunkt.Verlag.
- Polson, P. G., Lewis, C., Rieman, J., Wharton, C.** (1992). Cognitive walkthroughs: a method for theory-based evaluation of user interfaces. *Int. J. Man-Mach. Stud.*, 36(5):741–773.
- Poltrock, S. E., Grudin, J.** (1994). Organizational obstacles to interface design and development: two participant-observer studies. *ACM Trans. on CHI*, 1(1):52–80.
- Portigal, S.** (2008). True Tales - Persona non grata. *Interactions*, 15(1):72–73.

- Poslad, S.** (2009). *Ubiquitous Computing: Smart Devices, Environments and Interactions*. Wiley Publishing.
- Potter, R. L., Weldon, L. J., Shneiderman, B.** (1988). Improving the Accuracy of Touch Screens: An Experimental Evaluation of Three Strategies. In *Proc. of ACM CHI*, S. 27–32.
- Poulin, P., Fournier, A.** (1992). Lights from highlights and shadows. In *Proc. of ACM I3D*, S. 31–38.
- Poupyrev, I., Billinghurst, M., Weghorst, S., Ichikawa, T.** (1996). The Go-Go Interaction Technique: Non-linear Mapping for Direct Manipulation in VR. In *Proc. of ACM UIST*, S. 79–80.
- Poupyrev, I., Weghorst, S., Billinghurst, M., Ichikawa, T.** (1998). Ego-centric object manipulation in virtual environments: empirical evaluation of interaction techniques. *Computer Graphics Forum*, 17(3):41–52.
- Poupyrev, I., Nashida, T., Okabe, M.** (2007). Actuation and Tangible User Interfaces: The Vaucanson Duck, Robots, and Shape Displays. In *Proc. of Tangible and Embedded Interaction*, TEI '07, S. 205–212.
- Preim, B., Botha, C.** (2013). *Visual Computing for Medicine*. Morgan Kaufmann Publishers.
- Preim, B., Raab, A.** (1998). Annotation von topographisch komplizierten 3D-Modellen. In *Proc. of Simulation und Visualisierung*, S. 128–140.
- Preim, B., Raab, A., Strothotte, T.** (1997). Coherent Zooming of Illustrations with 3D-Graphics and Text. In *Proc. of Graphics Interface*, S. 105–113.
- Preim, B., Tietjen, C., Spindler, W., Peitgen, H.-O.** (2002). Integration of Measurement Tools in Medical Visualizations. In *Proc. of IEEE Visualization*, S. 21–28.
- Premaratne, P.** (2014). *Human Computer Interaction Using Hand Gestures*. Springer.
- Price, S.** (2008). A representation approach to conceptualizing tangible learning environments. In *Proc. of Tangible and Embedded Interaction*, TEI '08, S. 151–158.
- Probst, K., Lindlbauer, D., Haller, M., Schwartz, B., Schrempf, A.** (2014). A Chair As Ubiquitous Input Device: Exploring Semaphoric Chair Gestures for Focused and Peripheral Interaction. In *Proc. of ACM CHI*, S. 4097–4106.
- Pruitt, J., Grudin, J.** (2003). Personas: practice and theory. In *Proc. of Designing for user experiences (DUX '03)*, S. 1–15.
- Pschyrembel, W.** (1993). *Pschyrembel – Medizinisches Wörterbuch*. deGruyter, 257. edition.
- Pyreskin, D., Hancock, M., Hoey, J.** (2012). Comparing Elicited Gestures to Designer-created Gestures for Selection Above a Multitouch Surface. In *Proc. of ACM ITS*, S. 1–10.
- Qualter, J., Sculli, F., Olikier, A. et al.** (2012). The BioDigital Human: A Web-based 3D Platform for Medical Visualization and Education. *Studies in health technology and informatics*, 173:359–361.
- Quek, F., McNeill, D., Bryll, R. et al.** (2002). Multimodal Human Discourse: Gesture and Speech. *ACM Trans. on CHI*, 9(3):171–193.
- Raab, A., Rieger, M.** (1996). Interactive visualisation of structures and relations in complex graphics. In *Proc. of 3D Image Analysis and Synthesis*, S. 125–132.

- Rädle, R., Jetter, H.-C., Butscher, S., Reiterer, H.** (2013). The Effect of Egocentric Body Movements on Users' Navigation Performance and Spatial Memory in Zoomable User Interfaces. In *Proc. of ACM ITS*, S. 23–32.
- Raffle, H. S., Parkes, A. J., Ishii, H.** (2004). Topobo: a constructive assembly system with kinetic memory. In *Proc. of ACM SIGCHI*, S. 647–654.
- Ramachandran, M.** (2011). *Knowledge Engineering for Software Development Life Cycles: Support Technologies and Applications*. IGI Global.
- Ramakers, R., Vanacken, D., Luyten, K., Coninx, K., Schöning, J.** (2012). Carpus: a non-intrusive user identification technique for interactive surfaces. In *Proc. of ACM UIST*, S. 35–44.
- Ramakers, R., Schöning, J., Luyten, K.** (2014). Paddle: Highly Deformable Mobile Devices with Physical Controls. In *Proc. of ACM CHI*, S. 2569–2578.
- Ramey, J., Boren, T., Cuddihy, E., Dumas, J., Guan, Z., Van den Haak, M. J., de Jong, M. D. T.** (2006). Does think aloud work?: how do we know? In *Proc. of CHI '06 Extended Abstracts*, S. 45–48.
- Rauschenberger, M., Hinderks, A., Thomaschewski, J.** (2011). Benutzererlebnis bei Unternehmenssoftware: Ein Praxisbericht über die Umsetzung attraktiver Unternehmenssoftware. In *Proc. of Usability Professionals*, S. 158–162.
- Razzaque, S.** (2005). *Redirected Walking*. PhD Thesis, University of North Carolina at Chapel Hill.
- Razzaque, S., Swapp, D., Slater, M., Whitton, M. C., Steed, A.** (2002). Redirected walking in place. In *Proc. of the EG Workshop on Virtual Environments*, S. 123–130.
- Read, J., MacFarlane, S., Casey, C.** (2002). Endurability, engagement and expectations: Measuring children's fun. In *Proc. of Interaction Design and Children*, S. 189–198.
- Redish, J., Wixon, D.** (2003). *The Human Computer Interaction Handbook*, chapter Task Analysis, S. 922–940. Lawrence Erlbaum.
- Reetz, A., Gutwin, C.** (2014). Making Big Gestures: Effects of Gesture Size on Observability and Identification for Co-located Group Awareness. In *Proc. of ACM CHI*, S. 4087–4096.
- Reitinger, B., Bornik, A., Beichel, R., Schmalstieg, D.** (2006). Liver Surgery Planning Using Virtual Reality. *IEEE CGA*, 26(6):36–47.
- Rekimoto, J.** (1996). Tilting Operations for Small Screen Interfaces. In *Proc. of ACM UIST*, S. 167–168.
- Rekimoto, J.** (2002). SmartSkin: An Infrastructure for Freehand Manipulation on Interactive Surfaces. In *Proc. of ACM CHI*, S. 113–120.
- Rekimoto, J., Matsushita, N.** (1997). Perceptual Surfaces: Towards a Human and Object Sensitive Interactive Display, 1997.
- Rekimoto, J., Nagao, K.** (1995). The World Through the Computer: Computer Augmented Interaction with Real World Environments. In *Proc. of ACM UIST*, S. 29–36.
- Rekimoto, J., Saitoh, M.** (1999). Augmented Surfaces: A Spatially Continuous Work Space for Hybrid Computing Environments. In *Proc. of ACM CHI*, S. 378–385.
- Ren, G., O'Neill, E.** (2013). Freehand Gestural Text Entry for Interactive TV. In *Proc. of European Conference*

- on *Interactive TV and Video*, S. 121–130.
- Rendl, C., Greindl, P., Haller, M., Zirkl, M., Stadlober, B., Hartmann, P.** (2012). PyzoFlex: Printed Piezoelectric Pressure Sensing Foil. In *Proc. of ACM UIST*, S. 509–518.
- Rengger, R.** (1991). *Human-Aspects in Computing: Design and Use of Interactive Systems and Work with Terminals*, chapter Indicators of usability based on performance, S. 656–660. Amsterdam: Elsevier.
- Resnick, M., Martin, F., Sargent, R., Silverman, B.** (1996). Programmable bricks: toys to think with. *IBM Syst. J.*, 35(3-4):443–452.
- Resnick, M., Martin, F., Berg, R. et al.** (1998). Digital manipulatives: new toys to think with. In *Proc. of ACM SIGCHI*, S. 281–287.
- Richter, S., Holz, C., Baudisch, P.** (2012). Bootstrapper: Recognizing Tabletop Users by Their Shoes. In *Proc. of ACM CHI*, S. 1249–1252.
- Rick, J., Marshall, P., Yuill, N.** (2011). Beyond one-size-fits-all: how interactive tabletops support collaborative learning. In *Proc. of Interaction Design and Children (IDC)*, S. 109–117.
- Rico, J., Brewster, S.** (2010). Usable Gestures for Mobile Interfaces: Evaluating Social Acceptability. In *Proc. of ACM CHI*, S. 887–896.
- Riener, A.** (2012). Gestural Interaction in Vehicular Applications. *Computer*, 45(4):42–47.
- Rittenbruch, M., Sorensen, A., Donovan, J., Polson, D., Docherty, M., Jones, J.** (2013). The Cube: A Very Large-scale Interactive Engagement Space. In *Proc. of ACM ITS*, S. 1–10.
- Ritter, F., Preim, B., Deussen, O., Strothotte, T.** (2000). Using a 3D Puzzle as a Metaphor for Learning Spatial Relations. In *Proc. of Graphics Interface*, S. 171–178.
- Ritter, F., Hansen, C., Preim, B., Dicken, V., Konrad-Verse, O.** (2006). Real-Time Illustration of Vascular Structures for Surgery. *IEEE Trans. Vis. Comput. Graph.*, 12: 877–884.
- Ritter, F., Hansen, C., Wilkens, K., Köhn, A., Peitgen, H.-O.** (2009). Benutzungsschnittstellen für den direkten Zugriff auf 3D-Planungsdaten im OP. *i-com*, 8(1):24–31.
- Robben, B., Schelhowe, H.** (2012). *Begreifbare Interaktionen – Der allgegenwärtige Computer: Touchscreens, Wearables, Tangibles und Ubiquitous Computing*. Transcript, Bielefeld.
- Roberts, D. J., Wolff, R., Otto, O., Steed, A.** (2003). Constructing a gazebo: Supporting team work in a tightly coupled, distributed task in virtual reality. *Presence*, 12(6):644–657.
- Roberts, D. W., Strohhenn, J. W., Hatch, J. F., Murray, W., Kettenberger, H.** (1986). A frameless stereotactic integration of computerized tomographic imaging and the operating microscope. *Journal of Neurosurgery*, 65:545–549.
- Robertson, G. G., Mackinlay, J. D., Card, S. K.** (1991). Cone Trees: animated 3D visualizations of hierarchical information. In *Proc. of ACM CHI*, S. 189–194.
- Robertson, G. G., Card, S. K., Mackinlay, J. D.** (1993). Information visualization using 3D interactive animation. *CACM*, 36(4):57–71.
- Robertson, S., Robertson, J.** (2006). *Mastering the Requirements Process*. Addison-Wesley Professional.

- Rogalla, O., Ehrenmann, M., Zollner, R., Becher, R., Dillmann, R.** (2002). Using gesture and speech control for commanding a robot assistant. In *Proc. of IEEE Robot and Human Interactive Communication*, S. 454–459.
- Rogers, Y.** (2012). *HCI Theory: Classical, Modern, and Contemporary*. Morgan Claypool Publishers.
- Rolland, J. P., Thompson, K. P., Urey, H., Thomas, M.** (2012). See-Through Head Worn Display (HWD) Architectures. In J. Chen, W. Cranton, und M. Fihn, Herausgeber, *Handbook of Visual Display Technology*, S. 2145–2170. Springer.
- Ropinski, T., Hinrichs, K.** (2004). Real-Time Rendering of 3D Magic Lenses having arbitrary convex Shapes. In *Proc. of Winter School on Computer Graphics (WSCG)*, S. 379–386.
- Ropinski, T., Steinicke, F., Hinrichs, K.** (2005). A constrained road-based VR navigation technique for traveling in 3D city models. In *Proc. of Augmented Tele-existence, ICAT '05*, S. 228–235.
- Rosenbaum, S.** (2008). *Maturing Usability*, chapter The Future of Usability Evaluation: Increasing Impact on Value, S. 344–378. Springer.
- Rosenzweig, E.** (1996). Design guidelines for software products: a common look and feel or a fantasy? *interactions*, 3(5):21–26.
- Rössling, I., Cyrus, C., Dornheim, L., Boehm, A., Preim, B.** (2010). Fast and flexible distance measures for treatment planning. *International Journal of CARS*, 5(6):633–646.
- Rössling, I., Dornheim, J., Dornheim, L., Boehm, A., Preim, B.** (2011). The Tumor Therapy Manager - Design, Refinement and Clinical Use of a Software Product for ENT Surgery Planning and Documentation. In *Proc. of IPCAI*, S. 1–12.
- Rosson, M. B., Carroll, J. M.** (2003). chapter Scenario-based design, S. 1032–1050. L. Erlbaum Associates Inc., Hillsdale, NJ, USA.
- Rosson, M. B., Carroll, J. M.** (2002). *Usability Engineering: Scenario-Based Development of Human-Computer Interaction*. Morgan Kaufman.
- Roth, V., Schmidt, P., Güldenring, B.** (2010). The IR Ring: Authenticating Users' Touches on a Multi-touch Display. In *Proc. of ACM UIST*, S. 259–262.
- Roudaut, A., Huot, S., Lecolinet, E.** (2008). TapTap and MagStick: Improving One-handed Target Acquisition on Small Touch-screens. In *Proc. of AVI*, S. 146–153.
- Roudaut, A., Pohl, H., Baudisch, P.** (2011). Touch Input on Curved Surfaces. In *Proc. of ACM CHI*, S. 1011–1020.
- Roudaut, A., Rau, A., Sterz, C., Plauth, M., Lopes, P., Baudisch, P.** (2013). Gesture Output: Eyes-free Output Using a Force Feedback Touch Surface. In *Proc. of ACM CHI*, S. 2547–2556.
- Rubin, J., Chisnell, D.** (2008). *Handbook of Usability Testing: How to Plan, Design, and Conduct Effective Tests, 2nd edition*. Wiley Publishing.
- Rubio, S., Diaz, E., Martin, J., Puente, J. M.** (2004). Evaluation of Subjective Mental Workload: A Comparison of SWAT, NASA-TLX, and Workload Profile Methods. *Applied Psychology*, 53:61–86.
- Ruddle, R. A.** (2005). The Effect of Trails on First-time and Subsequent

- Navigation in a Virtual Environment. In *Proc. of IEEE VR*, S. 115–122.
- Ruiz, J., Li, Y., Lank, E.** (2011). User-defined Motion Gestures for Mobile Interaction. In *Proc. of ACM CHI*, S. 197–206.
- Rummel, B.** (2013). Bummel und Schummel: wie effizient ist mein UI wirklich? Bearbeitungszeiten analysieren und verstehen mit Probability Plots. In *Proc. of German Chapter der UPA*, S. 60–65.
- Rupp, C.** (2009). *die SOPHISTen: Requirements-Engineering und -Management: Professionelle, iterative Anforderungsanalyse für die Praxis*. Dpunkt.Verlag.
- Rupprecht, D., Blum, R., Bomsdorf, B.** (2012). Evaluation von Freihandgesten im Kontext einer virtuellen Anprobe. In *Proc. of Mensch & Computer 2012*, S. 373–376.
- Russell, J. A., Weiss, A., Mendelsohn, G. A.** (1989). Affect Grid: A single-item scale of pleasure and arousal. *Journal of Personality and Social Psychology*, 57(3):493–502.
- Saffer, D.** (2008). *Designing Gestural Interfaces*. O'Reilly Media.
- Saito, T., Takahashi, T.** (1990). Comprehensible rendering of 3-D shapes. In *Proc. of ACM SIGGRAPH*, S. 197–206.
- Salah, Z., Preim, B., Rose, G.** (2010). Prototype of an AR-Based System for Enhanced Visualization Functionality in Navigated Neurosurgery. In *Proc. of Virtual Reality, Digitales Engineering und virtuelle Techniken*, S. 329–336.
- Sallnäs, E. L.** (2005). Effects of Communication Mode on Social Presence, Virtual Presence, and Performance in Collaborative Virtual Environments. *Presence*, 14(4):434–449.
- Salzman, T., Stachniak, S., Stürzlinger, W.** (2001). Unconstrained vs. Constrained 3D Scene Manipulation. In *Proc. of the IFIP International Conference on Engineering for Human-Computer Interaction*, S. 207–220.
- Sangiorgi, U.** (2012). Addressing Multiplatform Collaborative Sketching. In *Proc. of ACM Symposium on Engineering Interactive Computing Systems*, S. 309–312.
- Sangsuriyachot, N., Sugimoto, M.** (2012). Novel Interaction Techniques Based on a Combination of Hand and Foot Gestures in Tabletop Environments. In *Proc. of Asia Pacific Conference on Computer Human Interaction*, S. 21–28.
- Saponas, T. Scott and Tan, D. S., Morris, D., Balakrishnan, R. and Turner, J., Landay, J. A.** (2009). Enabling Always-available Input with Muscle-computer Interfaces. In *Proc. of ACM UIST*, S. 167–176.
- Sarodnick, F., Brau, H.** (2011). *Methoden der Usability Evaluation: Wissenschaftliche Grundlagen und praktische Anwendung*. Huber, Bern, 2. Auflage.
- Sauer, J., Franke, H., Ruettinger, B.** (2008). Designing interactive consumer products: Utility of paper prototypes and effectiveness of enhanced control labelling. *Applied Ergonomics*, 39(1):71–85.
- Sauro, J., Lewis, J. R.** (2009). Correlations among prototypical usability metrics: evidence for the construct of usability. In *Proc. of ACM CHI*, S. 1609–1618.
- Sauro, J., Lewis, J. R.** (2012). *Quantifying the User Experience: Practical Statistics for User Research*. Morgan Kaufmann.



- Sawyer, P., Flanders, A., Wixon, D. R.** (1996). Making a difference - the impact of inspections. In *Proc. of ACM CHI*, S. 376–382.
- Schaffer, D., Zuo, Z., Greenberg, S., Bartram, L., Dill, J. and Dubs, S., Roseman, M.** (1996). Navigating hierarchically clustered networks through fisheye and full-zoom methods. *ACM Trans. on CHI*, 3:162–188.
- Schelhowe, H.** (2012). Interaktionsdesign für reflexive Erfahrung – Digitale Medien für Bildung. In B. Robben und H. Schelhowe, Herausgeber, *Be-greifbare Interaktionen – Der allgegenwärtige Computer*, S. 253–272, Bielefeld. Transcript.
- Scheurich, D., Stuerzlinger, W.** (2013). A One-Handed Multi-touch Method for 3D Rotations. In *Proc. of INTERACT*, S. 56–69.
- Schlechtweg, S., Strothotte, T.** (2002). *Non-photorealistic computer graphics: modeling, rendering, and animation*. Morgan Kaufman.
- (2014). Xpert.press. Springer Berlin Heidelberg.
- Schlömer, T., Poppinga, B., Henze, N., Boll, S.** (2008). Gesture Recognition with a Wii Controller. In *Proc. of Tangible and Embedded Interaction*, TEI '08, S. 11–14.
- Schmettow, M.** (2012). Sample size in usability studies. *CACM*, 55(4):64–70.
- Schmidt, A., Churchill, E.** (2012). Interaction Beyond the Keyboard. *Computer*, 45(4):21–24.
- Schmidt, A., Grasnack, A.** (2002). Multiviewpoint autostereoscopic displays from 4D-Vision GmbH. In *Proc. SPIE*, volume 4660, S. 212–221.
- Schmidt, D., Chehimi, F., Rukzio, E., Gellersen, H.** (2010). PhoneTouch: A Technique for Direct Phone Interaction on Surfaces. In *Proc. of ACM UIST*, S. 13–16.
- Schmidt, D., Chehimi, F., Rukzio, E., Gellersen, H.** (2010). PhoneTouch: A Technique for Direct Phone Interaction on Surfaces. In *Proc. of ACM UIST*, S. 13–16.
- Schmidt, D., Ramakers, R., Pedersen, E. W. et al.** (2014). Kickables: Tangibles for Feet. In *Proc. of ACM SIGCHI*, S. 3143–3152.
- Schmidt, R., Wyvill, B., Sousa, M. C., Jorge, J. A.** (2005). ShapeShop: sketch-based solid modeling with BlobTrees. In *Proc. of EG Workshop on Sketch-Based Interfaces and Modeling*.
- Schmidt, R., Singh, R., Balakrishnan, R.** (2008). Sketching and composing widgets for 3d manipulation. *Computer Graphics Forum*, 27(2):301–310.
- Schmidt, S., Nacenta, M. A., Dachsett, R., Carpendale, S.** (2010). A Set of Multi-touch Graph Interaction Techniques. In *Proc. of ACM ITS*, S. 113–116.
- Schmitz, M., Endres, C., Butz, A.** (2007). A Survey of Human-computer Interaction Design in Science Fiction Movies. In *Proc. of INTETAIN '08*, S. 7:1–7:10.
- Schöning, J., Brandl, P., Daiber, F. et al.** (2008). *Multi-Touch Surfaces: A Technical Guide*. Technical Report TUM-I0833, TU München.
- Schöning, J., Daiber, F., Krüger, A., Rohs, M.** (2009). Using Hands and Feet to Navigate and Manipulate Spatial Data. In *Proc. of CHI '09 Extended Abstracts*, S. 4663–4668.
- Schöning, J., Krüger, A., Olivier, P.** (2009). Multi-Touch is Dead, Long live Multi-touch. In *Proc. of CHI*

- Workshop on Multitouch and Surface Computing*, S. 7–11.
- Schoor, W., von Tenspolde, H., Mecke, R., Preim, B.** (2007). Chain-Tube: Modellierung und Manipulation von deformierbaren, schlauchähnlichen Objekten in einer Virtual Reality-Trainingsumgebung. In *Proc. of Simulation and Visualization*, S. 29–42.
- Schrammel, J., Lugmayr, M., Hämmerle, F., Murtinger, M. and Tschelligi, M.** (2012). Flexible und erfolgreiche Implementierung eines User Interface Styleguides basierend auf DITA-Maps. In *Proc. of Usability Professionals*, S. 141–145.
- Schumacher, J., Feuerstein, K.** (2007). Living labs - a new multi-stakeholder approach to user integration. In *Proc. of Interoperability of Enterprise Systems and Applications*.
- Schumann, J., Strothotte, T., Laser, S., Raab, A** (1996). Assessing the Effect of Non-Photorealistic Rendered Images in CAD. In *Proc. of ACM CHI*, S. 35–41.
- Schwarz, T., Mueller, J., Butscher, S., Reiterer, H.** (2012). Holistic Workspace – Neue Interaktionsformen für die Leitwarte der Zukunft. In *Proc. of Useware*.
- Schwerdtfeger, B., Pustka, D., Hofhauser, A., Klinker, G.** (2008). Using laser projectors for augmented reality. In *Proc. of ACM VRST*, S. 134–137.
- Schwerdtner, A., Heidrich, H.** (1998). Dresden 3d display (d4d). In *Proc. of SPIE*, S. 203–210.
- Schwerdtner, A., Häussler, R., Leister, N.** (2008). Large holographic displays for real-time applications. In *Proc. SPIE*, volume 6912, S. 69120T–69120T–8.
- Scott, J., Dearman, D., Yatani, K., Truong, K. N.** (2010). Sensing Foot Gestures from the Pocket. In *Proc. of ACM UIST*, S. 199–208.
- Scott, S. D., Carpendale, S.** (2010). Theory of tabletop territoriality. In C. Müller-Tomfelde, Herausgeber, *Tabletops - Horizontal Interactive Displays*, Human-Computer Interaction Series, S. 357–385. Springer.
- Scott, S. D., Carpendale, M. S. T., Inkpen, K. M.** (2004). Territoriality in collaborative tabletop workspaces. In *Proc. CSCW*, S. 294–303.
- Sebe, N.** (2009). Multimodal Interfaces: Challenges and Perspectives. *J. Ambient Intell. Smart Environ.*, 1(1):23–30.
- Serrano, M., Ens, B. M., Irani, P. P.** (2014). Exploring the Use of Hand-to-face Input for Interacting with Head-worn Displays. In *Proc. of ACM CHI*, S. 3181–3190.
- Shaer, O., Hornecker, E.** (2010). Tangible User Interfaces: Past, Present, and Future Directions. *Found. Trends Hum.-Comput. Interact.*, 3(1–2):1–137.
- Shaer, O., Jacob, R. J. K.** (2009). A specification paradigm for the design and implementation of tangible user interfaces. *ACM Trans. Comput.-Hum. Interact.*, 16(4):20:1–20:39.
- Shaer, O., Leland, N., Calvillo-Gamez, E. H., Jacob, R. J. K.** (2004). The TAC paradigm: specifying tangible user interfaces. *Personal Ubiquitous Computing*, 8(5):359–369.
- She, J., Crowcroft, J., Fu, H., Li, F.** (2014). Convergence of Interactive Displays with Smart Mobile Devices for Effective Advertising: A Survey. *ACM Trans. Multimedia Comput. Commun. Appl.*, 10(2):17:1–17:16.

- Shelly, G. B., Cashman, T. J., Herbert, C. W.** (2007). *Alice 2.0: Introductory Concepts and Techniques*. Thomson Course Technology.
- Shinya, M., Forgue, M. C.** (1995). Laying out objects with geometric and physical constraints. *The Visual Computer*, 11(4):188–201.
- Shneiderman, B.** (1983). Direct manipulation: A step beyond programming languages. *IEEE Computer*, 16(8): 57–69.
- Shneiderman, B.** (1997). *Designing the User Interface: Strategies for Effective Human Computer Interaction*. Addison Wesley, 3. Auflage.
- Shneiderman, B., Plaisant, C.** (2009). *Designing the User Interface: Strategies for Effective Human Computer Interaction*. Addison Wesley, 5. Auflage.
- Shoemake, K.** (1992). ARCBALL: a user interface for specifying three-dimensional orientation using a mouse. In *Proc. of Graphics interface*, S. 151–156.
- Sielhorst, T., Bichlmeier, C., Heining, S., Navab, N.** (2006). Depth perception a major issue in medical AR: Evaluation study by twenty surgeons. In *Proc. of Medical Image Computing and Computer Assisted Intervention (MICCAI)*, S. 364–372.
- Sielhorst, T., Feuerstein, M., Navab, N.** (2008). Advanced Medical Displays: A Literature Review of Augmented Reality. *IEEE/OSA Journal of Display Technology; Special Issue on Medical Displays*, 4(4):451–467.
- Silpasuwanchai, C., Ren, X.** (2014). Jump and Shoot!: Prioritizing Primary and Alternative Body Gestures for Intense Gameplay. In *Proc. of ACM CHI*, S. 951–954.
- Singh, M.** (2004). Lightness constancy through transparency: Internal consistency in layered surface representations. *Vision Research*, 44:1827–1842.
- Singh, M., Anderson, B.** (2002). Perceptual assignment of opacity to translucent surfaces: The role of image blur. *Perception*, 31:531–552.
- Singh, M., Anderson, B.** (2002). Toward a perceptual theory of transparency. *Psychological Review*, 109: 492–519.
- Slater, M., Steed, A., Usoh, M.** (1995). The virtual treadmill: a naturalistic metaphor for navigation in immersive virtual environments. In *Proc. of the EG Workshop on Virtual Environments*, S. 135–148.
- Smith, G., Salzman, T., Stuerzlinger, W.** (2001). 3D scene manipulation with 2D devices and constraints. In *Proc. of Graphics Interface*, S. 135–142.
- Snibbe, S. S.** (1995). A Direct Manipulation Interface for 3D Computer Animation. *Computer Graphics Forum*, 14(3):271–284.
- Snibbe, S. S., Herndon, K.P., Robbins, D.C., Brookshire Conner, D., van Dam, A.** (1992). Using deformations to explore 3D widget design. In *Proc. of ACM SIGGRAPH*, S. 351–358.
- Snyder, C.** (2003). *Paper Prototyping: The Fast and Easy Way to Design and Refine User Interfaces*. Morgan Kaufmann.
- Solovey, E., Schermerhorn, P., Scheutz, M., Sassaroli, A., Fantini, S., Jacob, R.** (2012). Brainput: Enhancing Interactive Systems with Streaming FNIRS Brain Input. In *Proc. of ACM CHI*, S. 2193–2202.
- Sonnet, H.** (2007). *Embedding metadata in computer graphics for interaction*. PhD Thesis.

- Špakov, O., Majaranta, P.** (2012). Enhanced Gaze Interaction Using Simple Head Gestures. In *Proc. of ACM UbiComp*, S. 705–710.
- Sonnet, H., Carpendale, S., Strothotte, T.** (2004). Integrating expanding annotations with a 3D explosion probe. In *Proc. of Advanced visual interfaces (AVI)*, S. 63–70.
- Spencer, R.** (2000). The streamlined cognitive walkthrough method, working around social constraints encountered in a software development company. In *Proc. of ACM CHI*, S. 353–359.
- Spindler, M., Dachzelt, R.** (2012). Die Magische Dimension: Be-Greifbare Interaktion auf und über Tabletops. *i-com*, 11(2):5–11.
- Spindler, M., Stellmach, S., Dachzelt, R.** (2009). PaperLens: advanced magic lens interaction above the tabletop. In *Proc. of ITS*, S. 69–76.
- Spindler, M., Hauschild, M., Dachzelt, R.** (2010). Towards Making Graphical User Interface Palettes Tangible. In *Proc. of ACM ITS*, S. 291–292.
- Spindler, M., Tominski, C., Schumann, H., Dachzelt, R.** (2010). Tangible Views for Information Visualization. In *Proc. of ITS*, S. 157–166.
- Spindler, M., Büschel, W., Dachzelt, R.** (2012). Use your Head: Tangible Windows for 3D Information Spaces in a Tabletop Environment. In *Proc. of ITS*, S. 245–254.
- Spindler, M., Martsch, M., Dachzelt, R.** (2012). Going Beyond the Surface: Studying Multi-layer Interaction Above the Tabletop. In *Proc. of ACM CHI*, S. 1277–1286.
- Spindler, M., Cheung, V., Dachzelt, R.** (2013). Dynamic Tangible User Interface Palettes. In *Human-Computer Interaction – INTERACT 2013*, volume 8120 of *LNCS*, S. 159–176. Springer.
- Spindler, M., Büschel, W., Winkler, C., Dachzelt, R.** (2014). Tangible Displays for the Masses: Spatial Interaction with Handheld Displays by Using Consumer Depth Cameras. *Personal Ubiquitous Computing*, 18(5):1213–1225.
- Spindler, M., Schuessler, M., Martsch, M., Dachzelt, R.** (2014). Pinch-drag-flick vs. Spatial Input: Rethinking Zoom & Pan on Mobile Displays. In *Proc. of ACM CHI*, S. 1113–1122.
- Srinivasan, M. A., Basdogan, C.** (1997). Haptics in virtual environments: Taxonomy, research status, and challenges. *Computers & Graphics*, 21(4):393–404.
- Stade, M., Reckin, R., Brandenburg, S., Thüring, M.** (2013). Usability in KMU etablieren: Von schneller Problemlösung zu ressourcenorientiertem Usability Engineering. In *Proc. of Workshop-Band der Mensch & Computer*, S. 19–27.
- Stannus, S., Rolf, D., Lucieer, A., Chinthammit, W.** (2011). Gestural Navigation in Google Earth. In *Proc. of OzCHI*, S. 269–272.
- Stanton, N.** (2003). *The Human Computer Interaction Handbook*, chapter Human Error Identification in Human-Computer Interaction, S. 371–383. Lawrence Erlbaum.
- Steimle, J.** (2012). *Pen-and-Paper User Interfaces – Integrating Printed and Digital Documents*. Human-Computer Interaction Series. Springer.
- Steinicke, F., Ropinski, T., Hinrichs, K.** (2006). Object Selection In Virtual Environments Using an Improved Virtual Pointing Metaphor. *Computer Vision and Graphics*, 32:320–326.

- Steinicke, F., Bruder, G., Jerald, J., Frenz, H., Lappe, M.** (2010). Estimation of Detection Thresholds for Redirected Walking Techniques. *IE-EE Trans. Vis. Comput. Graph.*, 16(1): 17–27.
- Stellmach, S.** (2013). *Gaze-supported Multimodal Interaction*. Verlag Dr. Hut.
- Stellmach, S., Dachsel, R.** (2012). Look & Touch: Gaze-supported Target Acquisition. In *Proc. of ACM CHI*, S. 2981–2990.
- Stellmach, S., Dachsel, R.** (2012). Investigating Gaze-supported Multimodal Pan and Zoom. In *Proc. of the Symposium on Eye Tracking Research and Applications*, ETRA '12, S. 357–360.
- Stellmach, S., Dachsel, R.** (2013). Still Looking: Investigating Seamless Gaze-supported Selection, Positioning, and Manipulation of Distant Targets. In *Proc. of ACM CHI*, S. 285–294.
- Stellmach, S., Stober, S., Nürnberger, A., Dachsel, R.** (2011). Designing Gaze-supported Multimodal Interactions for the Exploration of Large Image Collections. In *Proc. of Novel Gaze-Controlled Applications*, S. 1:1–1:8.
- Stellmach, S., Jüttner, M., Nywelt, C., Schneider, J., Dachsel, R.** (2012). Investigating Freehand Pan and Zoom. In *Proc. of Mensch & Computer*, S. 303–312.
- Stewart, C., Rohs, M., Kratz, S., Essl, G.** (2010). Characteristics of Pressure-based Input for Mobile Devices. In *Proc. of ACM CHI*, S. 801–810.
- Stewart, T., Trevis, D.** (2003). *The Human Computer Interaction Handbook*, chapter Guidelines, Standards and Styleguides, S. 991–1005. Lawrence Erlbaum.
- Stoakley, R., Conway, M. J., Pausch, R.** (1995). Virtual Reality on a WIM: Interactive Worlds in Miniature. In *Proc. of ACM CHI*, S. 265–272.
- Stollenberger, R.L., Milgram, P.** (1993). Effects of stereoscopic and rotational display of a three-dimensional path-tracing task. *Human Factors*, 35(18):483–499.
- Strauss, P. S., Carey, R.** (1992). An object-oriented 3D graphics toolkit. In *Proc. of ACM SIGGRAPH*, S. 341–349.
- Streitz, N. A., Geißler, J., Holmer, T. et al.** (1999). i-LAND: An interactive Landscape for Creativity and Innovation. In *Proc. of ACM CHI*, S. 120–127.
- Stuerzlinger, W., Wingrave, C. A.** (2011). The Value of Constraints for 3D User Interfaces. In G. Brunnett, S. Coquillart, und G. Welch, Herausgeber, *Virtual Realities*, S. 203–223. Springer.
- Sturman, D. J., Zeltzer, D.** (1993). A Design Method for "Whole-hand" Human-computer Interaction. *ACM Trans. Inf. Syst.*, 11(3):219–238.
- Su, C.-H., Chan, L., Weng, C.-T., Liang, R.-H., Cheng, K.-Y., Chen, B.-Y.** (2013). NailDisplay: Bringing an Always Available Visual Display to Fingertips. In *Proc. of ACM CHI*, S. 1461–1464.
- Suchman, L. A.** (1983). Office Procedure as Practical Action: Models of Work and System Design. *ACM Trans. Inf. Syst.*, 1(4):320–328.
- Suchman, L. A.** (1988). Designing with the user. *ACM Trans. on Office Information Systems*, 6:173–183.
- Sullivan, T., Norris, C., Peet, M., Soloway, E.** (2000). When Kids Use the

- Web: A Naturalistic Comparison of Children's Navigation Behavior and Subjective Preference on two Websites. In *Proc. of Human Factors and the Web*.
- Sutcliffe, A. G.** (2012). *The Encyclopedia of Human-Computer Interaction, 2nd Ed.*, chapter Requirements Engineering, S. 1006–1031. Aarhus, Denmark: The Interaction Design Foundation.
- Sutcliffe, A. G., Maiden, N. A. M., Minocha, S., Manuel, D.** (1998). Supporting Scenario-Based Requirements Engineering. *IEEE Trans. Software Eng.*, 24(12):1072–1088.
- Sutherland, I. E.** (1963). Sketchpad, A Man-Machine Graphical Communication System. In *AFIPS Conference Proceedings*, volume 23, S. 629–636.
- Sutherland, I. E.** (1968). A head-mounted three dimensional display. In *Proc. of Fall Joint Computer Conference, part I*, AFIPS, S. 757–764.
- Suzuki, H., Kato, H.** (1993). Algodblock: a tangible programming language, a tool for collaborative learning. In *Proc. of Eurologo*, S. 297–303.
- Suzuki, H., Kato, H.** (1995). Interaction-level support for collaborative learning: AlgoBlock—an open programming language. In *Proc. of CSCL*, S. 349–355.
- Swan II, J. E., Jones, A., Kolstad, E., Livingston, M. A., Smallman, H. S.** (2007). Egocentric Depth Judgments in Optical, See-Through Augmented Reality. *IEEE Trans. Vis. Comput. Graph.*, 13:429–442.
- Sy, D.** (2007). Adapting Usability Investigations for Agile User-Centered Design. *Journal of Usability Studies*, 2 (3):112–132.
- Szalavari, Z., Gervautz, M.** (1997). The Personal Interaction Panel - a Two-Handed Interface for Augmented Reality. 16(3):335–346.
- Tan, D. S., Nijholt, A.** (2010). *Brain-Computer Interfaces – Applying our Minds to Human-Computer Interaction*. Human-Computer Interaction Series. Springer-Verlag.
- Tan, D. S., Robertson, G. G., Czerwinski, M.** (2001). Exploring 3D navigation: combining speed-coupled flying with orbiting. In *Proc. of ACM CHI*, S. 418–425.
- Tatzgern, M., Kalkofen, D., Schmalstieg, D.** (2010). Compact explosion diagrams. In *Proc. of Non-Photorealistic Animation and Rendering (NPAR)*, S. 17–26.
- Teather, R. J., Stuerzlinger, W.** (2007). Guidelines for 3D positioning techniques. In *Proc. of Futureplay*, S. 61–68.
- Templeton, J. F.** (1994). *The Focus Group: A Strategic Guide to Organizing, Conducting and Analyzing the Focus Group Interview*. McGraw-Hill.
- Teo, L., John, B. E.** (2006). Comparisons of keystroke-level model predictions to observed data. In *Proc. of CHI '06 Extended Abstracts*, S. 1421–1426.
- Teo, L., John, B. E., Blackmon, M. H.** (2012). CogTool-Explorer: a model of goal-directed user exploration that considers information layout. In *Proc. of ACM CHI*, S. 2479–2488.
- Terrenghi, L., Kranz, M., Holleis, P., Schmidt, A.** (2006). A cube to learn: a tangible user interface for the design of a learning appliance. *Personal Ubiquitous Computing*, 10(2-3):153–158.
- Terrenghi, L., Kirk, D., Sellen, A., Izadi, S.** (2007). Affordances for Ma-



- nipulation of Physical Versus Digital Media on Interactive Surfaces. In *Proc. of ACM CHI*, S. 1157–1166.
- Terrenghi, L., Kirk, D., Richter, H., Krämer, S., Hilliges, O., Butz, A.** (2008). Physical Handles at the Interactive Surface: Exploring Tangibility and Its Benefits. In *Proc. of AVI*, S. 138–145.
- Teschner, M., Kimmerle, S., Heidelberg, B. et al.** (2005). Collision Detection for Deformable Objects. *Computer Graphics Forum*, 24(1):61–81.
- Thimbleby, H.** (1990). *User Interface Design*. Addison-Wesley.
- Thorndyke, P. W., Hayes-Roth, B.** (1982). Differences in spatial knowledge acquired from maps and navigation. *Cognitive Psychology*, 14:560–589.
- Thüring, M.** (2013). Nutzererleben: Komponenten, Phasen, Phänomene. In *Proc. of Workshop-Band der Mensch & Computer*, S. 113–120.
- Tietjen, C., Preim, B., Hertel, I., Strauß, G.** (2006). A Software-Assistant for Pre-operative Planning and Visualization of Neck Dissections. In *Proc. of Curac*, S. 176–177.
- Tognazzini, B.** (1994). The &Ldquo;Starfire&Rdquo; Video Prototype Project: A Case History. In *Proc. of ACM CHI*, S. 99–105.
- Tominski, C., Gladisch, S., Kister, U., Dachsel, R., Schumann, H.** (2014). A Survey on Interactive Lenses in Visualization. In *EuroVis State-of-the-Art Reports*.
- Troiano, G. M., Pedersen, E. W., Hornbæk, K.** (2014). User-defined Gestures for Elastic, Deformable Displays. In *Proc. of AVI*, S. 1–8.
- Tullis, T., Alber, W.** (2008). *Measuring the User Experience: Collecting, Analyzing, and Presenting Usability Metrics*. Morgan Kaufmann.
- Turk, M.** (2014). Multimodal Interaction: A Review. *Pattern Recognition Lett.*, 36:189–195.
- Turquin, E., Wither, J., Boissieux, L., Cani, M.-P., Hughes, J.F.** (2007). A Sketch-Based Interface for Clothing Virtual Characters. *IEEE CGA*, 27(1): 72–81.
- Ulich, E.** (2005). *Arbeitspsychologie*. Schäffer-Poeschel Verlag; 6. Auflage.
- Ullmer, B., Ishii, H.** (1997). The meta-DESK: models and prototypes for tangible user interfaces. In *Proc. of ACM UIST*, S. 223–232.
- Ullmer, B., Ishii, H.** (2000). Emerging frameworks for tangible user interfaces. *IBM Syst. J.*, 39(3-4):915–931.
- Ullmer, B., Ishii, H., Jacob, R. J. K.** (2003). Tangible Query Interfaces: Physically Constrained Tokens for Manipulating Database Queries. In *Proc. of Interact '03*, S. 279–286.
- Ullmer, B., Ishii, H., Jacob, Robert J. K.** (2005). Token+constraint systems for tangible interaction with digital information. *ACM Trans. Comput.-Hum. Interact.*, 12(1):81–118.
- Ullrich, D., Diefenbach, S.** (2010). INTUI. Exploring the Facets of Intuitive Interaction. In *Proc. of Mensch & Computer 2010*, S. 251–260, München. Oldenbourg Verlag.
- Underkoffler, J., Ishii, H.** (1998). Illuminating light: an optical design tool with a luminous-tangible interface. In *Proc. of ACM SIGCHI*, S. 542–549.
- Underkoffler, J., Ishii, H.** (1999). Urp: a luminous-tangible workbench for urban planning and design. In *Proc. of ACM SIGCHI*, S. 386–393.
- Industry usability reporting group** (2001). *Common industry format for usability test reports*

- (ANSI-NCITS 354-2001). NIST Industry USability Reporting.
- Usoh, M., Arthur, K., Whitton, M. C., Bastos, R., Steed, A., Slater, M., Brooks, Jr., F.P.** (1999). Walking, walking-in-place, flying, in virtual environments. In *Proc. of ACM SIGGRAPH*, S. 359–364.
- Vaaranemi, M., Treib, M., Westermann, R.** (2012). Temporally coherent real-time labeling of dynamic scenes. In *Proc. of Computing for Geospatial Research and Applications*, S. 17:1–17:10.
- Vaaranemi, M., Freidank, M., Westermann, R.** (2013). Enhancing the Visibility of Labels in 3D Navigation Maps. In *Proc. of Progress and New Trends in 3D Geoinformation Sciences*, S. 23–40.
- Valkov, D., Steinicke, F., Bruder, G., Hinrichs, K.** (2010). A multi-touch enabled human-transporter metaphor for virtual 3D traveling. In *Proc. of IEEE 3D UI*, S. 79–82.
- Valkov, D., Mantler, A., Hinrichs, K.** (2013). Haptic Props: Semi-actuated Tangible Props for Haptic Interaction on the Surface. In *Proc. of ACM UIST*, S. 113–114.
- van Beurden, M. H., Ijsselstein, W. A., de Kort, Y. A.** (2012). User Experience of Gesture Based Interfaces: A Comparison with Traditional Interaction Methods on Pragmatic and Hedonic Qualities. In *Proc. of Gesture and Sign Language in Human-Computer Interaction and Embodied Communication*, S. 36–47.
- van Dam, A.** (1997). Post-WIMP User Interfaces. *CACM*, 40(2):63–67.
- van Dam, A., Laidlaw, D. H., Simpson, R. S.** (2002). Experiments in Immersive Virtual Reality for Scientific Visualization. *Computers & Graphics*, 26(4):535–555.
- Van der Lelie, C.** (2006). The Value of Storyboards in the Product Design Process. *Personal Ubiquitous Computing*, 10(2-3):159–162.
- van Lamsweerde, A.** (2009). *Requirements Engineering: From System Goals to UML Models to Software Specifications*. Wiley.
- van Teylingen, R., Ribarsky, W., van der Mast, C.** (1997). Virtual Data Visualizer. *IEEE Trans. Vis. Comput. Graph.*, 3:65–74.
- Vermeulen, J., Luyten, K., van den Hoven, E., Coninx, K.** (2013). Crossing the Bridge over Norman’s Gulf of Execution: Revealing Feedforward’s True Identity. In *Proc. of ACM CHI*, S. 1931–1940.
- Vertegaal, R.** (2003). Introduction to the Special Issue on Attentive User Interfaces. *CACM*, 46(3):30–33.
- Vertelney, L.** (1989). Using Video to Prototype User Interfaces. *SIGCHI Bulletin*, 21(2):57–61.
- Viega, J., Conway, M. J., Williams, G., Pausch, R.** (1996). 3d magic lenses. In *Proc. of ACM UIST*, S. 51–58.
- Vinson, N.** (1999). Design guidelines for landmarks to support navigation in virtual environments. In *Proc. of ACM CHI*, S. 278–285.
- Virzi, R. A.** (1992). Refining the test phase of usability evaluation: how many subjects is enough? *Human Factors*, 34(4):457–468.
- Virzi, R. A., Sokolov, J. L., Karis, D.** (1996). Usability Problem Identification Using Both Low- and High-Fidelity Prototypes. In *Proc. of ACM CHI*, S. 236–243.
- Vogel, D., Baudisch, P.** (2007). Shift: A Technique for Operating Pen-based

- Interfaces Using Touch. In *Proc. of ACM CHI*, S. 657–666.
- von Zadow, U., Daiber, F., Schöning, J., Krüger, A.** (2011). GeoLens: Multi-User Interaction with Rich Geographic Information. In *Proc. DEXIS Workshop at ITS*, S. 16–19.
- von Zadow, U., Buron, S., Harms, T., Behringer, F., Sostmann, K., Dachsel, R.** (2013). SimMed: Combining Simulation and Interactive Tabletops for Medical Education. In *Proc. of ACM CHI*, S. 1469–1478.
- von Zadow, U., Büschel, W., Langner, R., Dachsel, R.** (2014). SleeD: Using a Sleeve Display to Interact with Touch-sensitive Display Walls. In *Proc. of ACM ITS*, S. 129–138.
- Vu, T., Baid, A., Gao, S. et al.** (2012). Distinguishing Users with Capacitive Touch Communication. In *Proc. of Mobicom*, S. 197–208.
- Wachs, J. P., Stern, H. I., Edan, Y., Gillam, M., Handler, J., Feied, C., Smith, M.** (2008). A Gesture-based Tool for Sterile Browsing of Radiology Images. *Journal of the American Medical Informatics Association*, 15(3):321–323.
- Wachs, J. P., Kölsch, M., Stern, H., Edan, Y.** (2011). Vision-based hand-gesture applications. *CACM*, 54(2): 60–71.
- Wachsmuth, I.** (2008). Cognitive Interaction Technology: Humans, Robots, and Max. In *Proc. of Informatics Education and Research for Knowledge-Circulating Society (ICKS)*, S. 4–5.
- Wagner, E., Piccoli, G.** (2007). Moving beyond user participation to achieve successful is design. *CACM*, 50(12): 51–55.
- Wagner, J., Nancel, M., Gustafson, S. G., Huot, S., Mackay, W. E.** (2013). Body-centric Design Space for Multi-surface Interaction. In *Proc. of ACM CHI*, S. 1299–1308.
- Wagner, P., Malisz, Z., Kopp, S.** (2014). Gesture and speech in interaction: An overview. *Speech Communication*, 57(0):209–232.
- Wang, F., Ren, X.** (2009). Empirical Evaluation for Finger Input Properties in Multi-touch Interaction. In *Proc. of ACM CHI*, S. 1063–1072.
- Wang, L., Zhao, Y., Mueller, K., Kaufman, A. E.** (2005). The Magic Volume Lens: An Interactive Focus+Context Technique for Volume Rendering. In *Proc. of IEEE Visualization*, S. 47–54.
- Wang, L., Teunissen, K., Tu, Y., Chen, L., Zhang, P., Zhang, T., Heynderickx, I.** (2011). Crosstalk Evaluation in Stereoscopic Displays. *Journal of Display Technology*, 7(4):208–214.
- Wang, R. Y., Popović, J.** (2009). Real-time Hand-tracking with a Color Glove. *ACM Trans. Graph.*, 28(3): 63:1–63:8.
- Wang, S. W., Kaufman, A. E.** (1995). Volume sculpting. In *Proc. of ACM I3D*, S. 151–156.
- Wanger, L. C., Ferwerda, J. A., Greenberg, D. P.** (1992). Perceiving Spatial Relationships in Computer-Generated Images. *IEEE CGA*, 12(3):44–51.
- Ware, C., Franck, G.** (1996). Evaluating stereo and motion cues for visualizing information nets in three dimensions. *ACM Trans. Graph.*, 15: 121–140.
- Wartell, Z., Hodges, L.F., Ribarsky, W.** (2001). Characterizing image fusion techniques in stereoscopic htds. In *Proc. of Graphics interface*, S. 223–232.
- Wartell, Z., Hodges, L.F., Ribarsky, W.** (2002). A geometric comparison

- of algorithms for fusion control in stereoscopic HTDs. *IEEE Trans. Vis. Comput. Graph.*, 8(4):129–143.
- Weber, H., Bornemann, B.** (2012). Nachhaltige Barrierefreiheit in Websites: Die Bedeutung der Redakteure für die Qualitätssicherung. In *Proc. of Usability Professionals*, S. 156–161.
- Wegener, R.** (2014). *Adding Haptic Feedback to Geodesy Analysis Tools used in Planetary Surface Exploration*. Master's Thesis, Fakultät für Informatik, Universität Magdeburg.
- Weiser, M.** (1991). The Computer for the 21st Century. *Scientific American*, 265(3):94–104.
- Weiser, M.** (1993). Ubiquitous Computing. *Computer*, 26(10):71–72.
- Weiss, M., Wagner, J., Jansen, Y., Jennings, R., Khoshabeh, R., Hollan, J. D., Borchers, J.** (2009). SLAP Widgets: Bridging the Gap Between Virtual and Physical Controls on Tabletops. In *Proc. of ACM SIGCHI*, S. 481–490.
- Weiss, M., Hollan, J. D., Borchers, J.** (2010). Augmenting Interactive Tabletops with Translucent Tangible Controls. In C. Müller-Tomfelde, Herausgeber, *Tabletops*, Human-Computer Interaction Series, S. 149–170. Springer.
- Weiss, M., Schwarz, F., Jakubowski, S., Borchers, J.** (2010). Madgets: Actuating Widgets on Interactive Tabletops. In *Proc. of ACM UIST*, S. 293–302.
- Weiss, M., Voelker, S., Sutter, C., Borchers, J.** (2010). Benddesk: Dragging across the curve. In *Proc. of ACM ITS*, S. 1–10.
- Weiss, M., Remy, C., Borchers, J.** (2011). Rendering Physical Effects in Tabletop Controls. In *Proc. of ACM SIGCHI*, S. 3009–3012.
- Weiss, M., Wacharamanotham, C., Voelker, S., Borchers, J.** (2011). FingerFlux: Near-surface Haptic Feedback on Tabletops. In *Proc. of ACM UIST*, S. 615–620.
- Weller, R., Sagardia, M., Mainzer, D., Hulin, T., Zachmann, G., Preusche, C.** (2010). A benchmarking suite for 6-DOF real time collision response algorithms. In *Proc. of ACM VRST*, S. 63–70.
- Wellner, P.** (1991). The DigitalDesk calculator: tangible manipulation on a desk top display. In *Proc. of ACM UIST*, S. 27–33.
- Wellner, P.** (1993). Interacting with paper on the DigitalDesk. *CACM*, 36(7): 87–96.
- Wellner, P., Mackay, W., Gold, R.** (1993). Back to the real world. *CACM*, 36(7):24–26.
- Wensveen, S. A. G., Djajadiningrat, J. P., Overbeeke, C. J.** (2004). Interaction frogger: a design framework to couple action and function through feedback and feedforward. In *Proc. of the Designing interactive systems*, DIS '04, S. 177–184.
- Wernert, E. A., Hanson, A. J.** (1999). A framework for assisted exploration with collaboration. In *Proc. of IEEE Visualization*, S. 241–248.
- Wexelblat, A.** (1998). Research Challenges in Gesture: Open Issues and Unsolved Problems. In *Proc. of the Workshop on Gesture and Sign Language in Human-Computer Interaction*, S. 1–11.
- Wharton, C., Rieman, J., Lewis, C., Polson, P.** (1994). *Usability Inspection Methods*, chapter The cognitive walkthrough method: a practitioner's guide, S. 105–140. Wiley, New York.
- White, G.** (2008). Designing for the last billion. *interactions*, 15(1):56–58.

- Whiteside, J., Bennett, J., Holtzblatt, K.** (1988). *Handbook of human-computer interaction*, chapter Usability engineering: Our experience and evolution, S. 791–817. Amsterdam, The Netherlands: North-Holland.
- Wigdor, D., Wixon, D.** (2011). *Brave NUI World: Designing Natural User Interfaces for Touch and Gesture*. Morgan Kaufmann Publishers Inc.
- Wigdor, D., Forlines, C., Baudisch, P., Barnwell, J., Shen, C.** (2007). Lucid Touch: A See-through Mobile Device. In *Proc. of ACM UIST*, S. 269–278.
- Wigdor, D., Williams, S., Cronin, M., Levy, R., White, K., Mazeev, M., Benko, H.** (2009). Ripples: Utilizing Per-contact Visualizations to Improve User Interaction with Touch Displays. In *Proc. of ACM UIST*, S. 3–12.
- Wilhelm, D., Reiser, S., Kohn, N. et al.** (2014). Comparative evaluation of HD 2D/3D laparoscopic monitors and benchmarking to a theoretically ideal 3D pseudodisplay: even well-experienced laparoscopists perform better with 3D. *Surgical Endoscopy*, 3:published online.
- Wilkes, C., Tilden, D., Bowman, D. A.** (2012). 3D User Interfaces Using Tracked Multi-touch Mobile Devices. In *Proc. of Joint Virtual Reality Conference of ICAT/EGVE/EuroVR*, S. 65–72.
- Willett, W., Lan, Q., Isenberg, P.** (2014). Eliciting Multi-touch Selection Gestures for Interactive Data Graphics. In *Proc. of EuroVis - Short Papers*, S. 79–83.
- Williamson, J., Murray-Smith, R., Hughes, S.** (2007). Shoogle: Excitatory Multimodal Interaction on Mobile Devices. In *Proc. of ACM CHI*, S. 121–124.
- Willumeit, H., Gediga, G., Hamborg, K.-C.** (1996). IsoMetrics(L): Ein Verfahren zur formativen Evaluation von Software nach ISO 9241/10. *Ergonomie und Informatik*, 27:5–12.
- Wilson, A. D.** (2005). PlayAnywhere: A Compact Interactive Tabletop Projection-vision System. In *Proc. of ACM UIST*, S. 83–92.
- Wilson, A. D.** (2010). Using a Depth Camera As a Touch Sensor. In *Proc. of ACM ITS*, S. 69–72.
- Wilson, A. D., Benko, H.** (2010). Combining Multiple Depth Cameras and Projectors for Interactions on, Above and Between Surfaces. In *Proc. of ACM UIST*, S. 273–282.
- Wilson, A. D., Izadi, S., Hilliges, O., Garcia-Mendoza, A., Kirk, D.** (2008). Bringing Physics to the Surface. In *Proc. of ACM UIST*, S. 67–76.
- Wilson, C.** (2001). Guidance on style guides: Lessons learned. *STC Usability SIG Newsletter*, 7(4).
- Wilson, G., Brewster, S., Halvey, M.** (2013). Towards utilising one-handed multi-digit pressure input. In *Proc. of CHI '13 Extended Abstracts*, S. 1317–1322.
- Wimmer, R., Hennecke, F., Schulz, F., Boring, S., Butz, A., Hußmann, H.** (2010). Curve: Revisiting the Digital Desk. In *Proc. of NordiCHI*, S. 561–570.
- Winter, D., Pietschmann, J.** (2012). UX in den frühen Phasen des Innovationsprozesses: User Experience von Anfang an bedacht. In *Proc. of German Chapter der UPA*.
- Wixon, D. R.** (2003). Evaluating usability methods: why the current literature fails the practitioner. *Interactions*, 10(4):28–34.

- Wobbrock, J. O., Rubinstein, J., Sawyer, M. W., Duchowski, A. T.** (2008). Longitudinal Evaluation of Discrete Consecutive Gaze Gestures for Text Entry. In *Proc. of Eye Tracking Research & Applications*, S. 11–18.
- Wobbrock, J. O., Morris, M. R., Wilson, A. D.** (2009). User-defined Gestures for Surface Computing. In *Proc. of ACM CHI*, S. 1083–1092.
- Woolrych, A., Cockton, G.** (2001). Why and when five test users aren't enough. In *Proc. of CHI'01 Extended Abstracts*, S. 105–108.
- Wright, P. C., McCarthy, J. C.** (2008). Empathy and experience in HCI. In *Proc. of ACM CHI*, S. 637–646.
- Wu, M., Balakrishnan, R.** (2003). Multi-finger and whole hand gestural interaction techniques for multi-user tabletop displays. In *Proc. of ACM UIST*, S. 193–202.
- Wu, M., Shen, C., Ryall, K., Forlines, C., Balakrishnan, R.** (2006). Gesture Registration, Relaxation, and Reuse for Multi-Point Direct-Touch Surfaces. In *Proc. of the IEEE Workshop on Horizontal Interactive Human-Computer Systems*, S. 185–192.
- Wurman, R. S., Bradford, P.** (1996). *Information Architects*. Graphis Press, Zürich.
- Xiao, X., Ishii, H.** (2011). MirrorFugue: Communicating Hand Gesture in Remote Piano Collaboration. In *Proc. of Tangible, Embedded, and Embodied Interaction*, TEI '11, S. 13–20.
- Xiao, X., Pereira, A., Ishii, H.** (2013). MirrorFugue III: Conjuring the Recorded Pianist Session. In *Proc. of NIME*, S. 1–6.
- Xing, L., Ebrahimi, T., Perkis, A.** (2010). Subjective evaluation of stereoscopic crosstalk perception. In *Proc. SPIE*, volume 7744, S. 77441V–77441V–9.
- Xu, K., Stewart, J., Fiume, E.** (2002). Constraint-Based Automatic Placement for Scene Composition. In *Proc. of Graphics Interface*, S. 25–34.
- Yao, L., Dasgupta, S., Cheng, N., Spingarn-Koff, J., Rudakevych, O., Ishii, H.** (2011). Rope Revolution: tangible and gestural rope interface for collaborative play. In *Proc. of Advances in Computer Entertainment Technology*, ACE '11, S. 11:1–11:8.
- Yao, L., Niiyama, R., Ou, J., Follmer, S., Della-Silva, C., Ishii, H.** (2013). PneuUI: Pneumatically Actuated Soft Composite Materials for Shape Changing Interfaces. In *Proc. of ACM UIST*, S. 13–22.
- Yatani, K., Tamura, K., Hiroki, K., Sugimoto, M., Hashizume, H.** (2005). Toss-it: Intuitive Information Transfer Techniques for Mobile Devices. In *Proc. of CHI '05 Extended Abstracts*, S. 1881–1884.
- Yoshioka, K.** (2005). *Linguistic and gestural introduction and tracking of referents in L1 and L2 discourse*. Groningen Dissertations in Linguistics, Groningen, Netherlands.
- Young, D., Shneiderman, B.** (1993). A graphical filter/flow representation of boolean queries: a prototype implementation and evaluation. *J. Am. Soc. Inf. Sci.*, 44(6):327–339.
- Young, M. J., Landy, M. S., Maloney, L. T.** (1993). A Perturbation Analysis of Depth Perception from Combinations of Texture and Motion Cues. *Vision Research*, 33(18):2685–2696.



- Yu, N.-H., Chan, L.-W., Lau, S. Y., Tsai, S.-S., Hsiao, I.-C.** (2011). TU-IC: enabling tangible interaction on capacitive multi-touch displays. In *Proc. of ACM SIGCHI*, S. 2995–3004.
- Yu, N.-H., Tsai, S.-S., Hsiao, I.-C., Tsai, D.-J., Lee, Meng-Han, Chen, Mike Y., Hung, Yi-Ping** (2011). Clip-on Gadgets: Expanding Multi-touch Interaction Area with Unpowered Tactile Controls. In *Proc. of ACM UIST*, S. 367–372.
- Yuen, M. C., King, I., Leung, K. S.** (2011). A Survey of Crowdsourcing Systems. In *Proc. of IEEE Social Computing*, S. 766–773.
- Zachow, S., Gladilin, E., Sader, R., Zeilhofer, H.-F.** (2003). Draw and cut: intuitive 3D osteotomy planning on polygonal bone models. In *Prof. of Computer Assisted Radiology and Surgery (CARS)*, S. 362–369.
- Zamborlin, B., Bevilacqua, F., Gillies, M., D'inverno, M.** (2014). Fluid Gesture Interaction Design: Applications of Continuous Recognition for the Design of Modern Gestural Interfaces. *ACM Trans. Interact. Intell. Syst.*, 3(4):22:1–22:30.
- Zelevnik, R. C., Herndon, K. P., Hughes, J. F.** (1996). SKETCH: an interface for sketching 3D scenes. In *Proc. of ACM SIGGRAPH*, S. 163–170.
- Zelevnik, R. C., Forsberg, A. S., Strauss, P. S.** (1997). Two pointer input for 3D interaction. In *Proc. of ACM I3D*, S. 115–120.
- Zhai, S., Buxton, W., Milgram, P.** (1994). The Silk Cursor: investigating transparency for 3D target acquisition. In *Proc. of ACM CHI*, S. 459–464.
- Zhai, S., Buxton, W., Milgram, P.** (1996). The partial-occlusion effect: utilizing semitransparency in 3D human-computer interaction. *ACM Trans. on CHI*, 3(3):254–284.
- Zigelbaum, J., Horn, M. S., Shaer, O., Jacob, R. J. K.** (2007). The tangible video editor: collaborative video editing with active tokens. In *Proc. of Tangible and Embedded Interaction, TEI '07*, S. 43–46.
- Zimmerman, T. G., Lanier, J., Blanchard, C., Bryson, S., Harvill, Y.** (1987). A Hand Gesture Interface Device. In *Proc. of ACM CHI*, S. 189–192.
- Zorn, I., Büschenfeldt, M., Schelhowe, H.** (2008). Kooperative Softwareentwicklung einer Sekretariatsplattform als Bildungsprozess. In *Proc. of Mensch & Computer*, S. 337–346.
- Zschau, E., Reichelt, S.** (2012). Head- and Eye-Tracking Solutions for Autostereoscopic and Holographic 3D Displays. In *Handbook of Visual Display Technology*, S. 1875–1897. Springer.
- Zschau, E., Missbach, R., Schwerdtner, A., Stolle, H.** (2010). Generation, encoding, and presentation of content on holographic displays in real time. In *Proc. SPIE*, volume 7690, S. 76900E–76900E–13.
- Zuckerman, O., Arida, S., Resnick, M.** (2005). Extending tangible interfaces for education: digital montessori-inspired manipulatives. In *Proc. of ACM SIGCHI*, S. 859–868.